

1/4" SOCKET WRENCH SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive™ sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

24 PC S.A.E. SOCKET WRENCH SET

SW1424-6 **600115**

Standard Length 6 Pt. S.A.E. Sockets:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Deep Length 6 Pt. S.A.E. Sockets:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Standard Accessories:

48 tooth 5-1/2" quick release oval head ratchet

2" & 6" extensions

6" spinner handle

1-3/8" universal joint

Metal case

6
points



600115

42 PC S.A.E. / METRIC SOCKET WRENCH SET

SW1442C-6 **600125**

Standard Length 6 Pt. S.A.E. Sockets:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Deep Length 6 Pt. S.A.E. Sockets:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Standard Length 6 Pt. Metric Sockets:

4, 5, 6, 7, 8, 9, 10, 11, 12mm

Deep Length 6 Pt. Metric Sockets:

4, 5, 6, 7, 8, 9, 10, 11, 12mm

Standard Accessories:

72 tooth High Torque ratchet

2" & 4" extensions

6" spinner handle

1-3/8" universal joint

Metal case

6
points



600125



HT-1472 Ratchet included

42 PC S.A.E. / METRIC SOCKET WRENCH SET

SW1442C-12 **600126**

Standard Length 12 Pt. S.A.E. Sockets:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Deep Length 12 Pt. S.A.E. Sockets:

3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Standard Length 12 Pt. Metric Sockets:

4, 5, 6, 7, 8, 9, 10, 11, 12mm

Deep Length 12 Pt. Metric Sockets:

4, 5, 6, 7, 8, 9, 10, 11, 12mm

Standard Accessories:

72 tooth High Torque ratchet

2" & 4" extensions

6" spinner handle

1-3/8" universal joint

Metal case

NEW

12
points



600126



HT-1472 Ratchet included

3/8" DR SOCKET WRENCH SETS



600223



- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive™ sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

11 PC S.A.E. SOCKET WRENCH SET

SW3811-6 **600223**

Standard Length 6 Pt. S.A.E. Sockets:
5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Standard Accessories:

48 tooth 8" quick release oval head ratchet
6" extension
Metal case



600226



15 PC METRIC SOCKET WRENCH SET

SW3815M-6 **600226**

Standard Length 6 Pt. Metric Sockets:
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Standard Accessories:

48 tooth 8" quick release oval head ratchet
6" extension
Metal case



600229



21 PC S.A.E. SOCKET WRENCH SET

SW3821-6 **600229**

Standard Length 6 Pt. S.A.E. Sockets:
3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Deep Length 6 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

Standard Accessories:

48 tooth 8" quick release oval head ratchet
3" & 6" extensions
8" flex handle
1-7/8" universal joint
Metal case



600234



30 PC METRIC SOCKET WRENCH SET

SW3830M-6 **600234**

Standard Length 6 Pt. Metric Sockets:
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Deep Length 6 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Standard Accessories:

48 tooth 8" quick release oval head ratchet
3" & 6" extensions
8" flex handle
1-7/8" universal joint
Metal case

3/8" DR SOCKET WRENCH SETS

45 PC S.A.E. / METRIC SOCKET WRENCH SET

SW3845C-6 **600241**

Standard Length 6 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Deep Length 6 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

Standard Length 6 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Deep Length 6 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Standard Accessories:

72 tooth High Torque ratchet

3" & 6" extensions

8" flex handle

1-7/8" universal joint

Metal case

6
points



600241



HT-3872 Ratchet included

45 PC S.A.E. / METRIC SOCKET WRENCH SET

SW3845C-12 **600242**

Standard Length 12 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Deep Length 12 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16"

Standard Length 12 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Deep Length 12 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Standard Accessories:

72 tooth High Torque ratchet

3" & 6" extensions

8" flex handle

1-7/8" universal joint

Metal case

NEW

12
points



600242



HT-3872 Ratchet included

1/2" DR SOCKET WRENCH SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive™ sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



600323



20 PC S.A.E. SOCKET WRENCH SET

SW1220-6 **600323**

Standard Length 6 Pt. S.A.E. Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

Standard Accessories:

48 tooth 10" quick release oval head ratchet
5" & 10" extensions
15" flex handle
2-3/4" universal joint
Metal case



600326



19 PC METRIC SOCKET WRENCH SET

SW1219M-6 **600326**

Standard Length 6 Pt. Metric Sockets:

12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm

Standard Accessories:

48 tooth 10" quick release oval head ratchet
5" & 10" extensions
15" flex handle
2-3/4" universal joint
Metal case



600331



29 PC S.A.E. SOCKET WRENCH SET SET

SW1229-6 **600331**

Standard Length 6 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

Deep Length 6 Pt. S.A.E. Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8"

Standard Accessories:

48 tooth 10" quick release oval head ratchet
2", 5" & 10" extensions
10" sliding t-handle
2-3/4" universal joint
Metal case

1/2" DR SOCKET WRENCH SETS

55 PC S.A.E. / METRIC SOCKET WRENCH SET

SW1255C-6 **600341**

Standard Length 6 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

Deep Length 6 Pt. S.A.E. Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 7/8"

Standard Length 6 Pt. Metric Sockets:

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm

Deep Length 6 Pt. Metric Sockets:

10, 12, 13, 14, 15, 16, 17, 18, 19, 21mm

Standard Accessories:

72 tooth high torque ratchet

2", 5" & 10" extensions

10" sliding t-handle

2-3/4" universal joint

Metal case



600341



HT-1272 Ratchet included



3/4" DR SOCKET WRENCH SETS

- All components are forged from high quality Chrome Vanadium steel
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- SW7521 set comes with standard duty round head ratchet and heavy duty steel case
- SW7521HD set comes with heavy duty oval head ratchet and convenient blow mould case. All other components are the same as SW7521
- SDK3407 comes with super heavy duty 40 tooth ratchet head and telescoping handle
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5



600402

12
points

21 PC S.A.E. SOCKET WRENCH SET

SW7521 **600402**
Standard Length 12 Pt. S.A.E. Sockets:

3/4, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

Standard Accessories:

42 tooth 20" round head ratchet (**673901**)

4" & 8" extensions

18" sliding t-handle

Metal case



600406

12
points

21 PC S.A.E. SOCKET WRENCH SET

SW7521-HD **600406**
Standard Length 12 Pt. S.A.E. Sockets:

3/4, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"

Standard Accessories:

24 tooth 19-1/2" heavy-duty oval head quick release ratchet (**673922**)

4" & 8" extensions

18" sliding t-handle

Heavy-duty blow mold case



690105

7 PC SUPER DUTY DRIVE TOOL SET

SDK3407 **690105**
Standard Accessories:

(**673923**) 40 tooth super duty reversible ratchet

(**673914**) 20-32" telescoping drive handle (for use with all items in kit)

(**673903**) 4" extension

(**673912**) 3/4" Female x 1" Male adaptor

(**673910**) sliding t-handle head

(**673911**) flex joint head

Heavy duty blow mold case



673903

673910

673911

673912

673923



20" - 32"

673914

Handle adjusts from 20" - 32"
Twist to lock

3/4" DR SOCKET SETS

17 PC S.A.E. SOCKET SET

SS3417 **601405**

Standard Length 12 Pt. S.A.E. Sockets:

7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 2"

12
points



601405

17 PC METRIC SOCKET SET

SS3417M **601406**

Standard Length 12 Pt. Metric Sockets:

19, 21, 22, 23, 24, 26, 27, 29, 30, 32, 35, 36, 38, 41, 46, 50mm

12
points



601406

17 PC DEEP S.A.E. SOCKET SET

SS3417D **601407**

Deep Length 6 Pt. S.A.E. Sockets:

7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2"

6 Deep
points



601407

1" DR SOCKET WRENCH SETS

21 PC S.A.E. SOCKET WRENCH SET

SW1021 **600503**

Standard Length 12 Pt. S.A.E. Sockets:

1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2, 2-1/8, 2-3/16, 2-1/4, 2-3/8, 2-1/2, 2-5/8, 2-3/4, 2-15/16, 3, 3-1/8"

Standard Accessories:

24 tooth heavy-duty reversible ratchet head
8" & 16" extensions
22" universal handle
Sliding t-handle head
Metal case

12
points



600503

17 PC S.A.E. SOCKET WRENCH SET

SW1017 **600505**

Standard Length 12 Pt. S.A.E. Sockets:

1-7/16, 1-1/2, 1-5/8, 1-11/16, 1-3/4, 1-7/8, 2, 2-3/16, 2-1/4, 2-3/8, 2-1/2"

Standard Accessories:

24 tooth heavy-duty reversible ratchet head
8" & 16" extensions
22" universal handle
Sliding t-handle head
Metal case

12
points



600505

3/8" DR SOCKET SETS

- All components are forged from high quality Chrome Vanadium steel
- Torque-Drive™ sockets contact the fastener on the sides rather than the corners, reducing corner rounding and allowing 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- All sets come with socket clip holders
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

8 PC S.A.E. SOCKET SET

SS3808-6 **601219**

Standard Length 6 Pt. S.A.E. Sockets:

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" c/w socket rail

8 PC DEEP S.A.E. SOCKET SET

SS3808D-6 **601220**

Deep Length 6 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16" c/w socket rail

12 PC METRIC SOCKET SET

SS3812M-6 **601224**

Standard Length 6 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm c/w socket rail

12 PC DEEP METRIC SOCKET SET

SS3812DM-6 **601226**

Deep Length 6 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm c/w socket rail

9 PC S.A.E. SOCKET SET

SS3809-12 **601227**

Standard Length 12 Pt. S.A.E. Sockets:

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" c/w socket rail

9 PC DEEP S.A.E. SOCKET SET

SS3809D-12 **601229**

Deep Length 12 Pt. S.A.E. Sockets:

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" c/w socket rail

12 PC METRIC SOCKET SET

SS3812M-12 **601234**

Standard Length 12 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm c/w socket rail

12 PC DEEP METRIC SOCKET SET

SS3812DM-12 **601236**

Deep Length 12 Pt. Metric Sockets:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm c/w socket rail

 **WARNING:** Do not use chrome sockets on electric or air impact wrenches



NEW

NEW


1/2" DR SOCKET SETS

15 PC S.A.E. SOCKET SET

SS1215-6 **601316**

Standard Length 6 Pt. S.A.E. Sockets:

3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4" c/w socket rail



13 PC DEEP S.A.E. SOCKET SET

SS1213D-6 **601313**

Deep Length 6 Pt. S.A.E. Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4" c/w socket rail



13 PC METRIC SOCKET SET

SS1213M-6 **601312**

Standard Length 6 Pt. Metric Sockets:

10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm c/w socket rail



13 PC DEEP METRIC SOCKET SET

SS1213DM-6 **601314**

Deep Length 6 Pt. Metric Sockets:

10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm c/w socket rail



TORX® BIT SOCKET SETS


- All sockets are forged from high quality Chrome Vanadium steel
- TORX® bits are made of superior quality S2 steel for maximum strength
- All sets come with socket clip holders
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

6 PC TAMPERPROOF TORX® BIT SOCKET SET

SS386TB **601216** ★

3/8" DR 2" (Overall Length) TORX® Bit Sockets:

T-25, T-30, T-40, T-45, T-50, T-55 c/w socket rail



10 PC TAMPERPROOF TORX® BIT SOCKET SETS


SS1438-10TB **601801** ★

1/4" DR 1-1/2" (Overall Length) TORX® Bit Sockets:

T-10, T-15, T-20, T-25, T-27, T-30

3/8" DR 2" (Overall Length) TORX® Bit Sockets:

T-40, T-45, T-50, T-55 c/w socket rail



6 PC EXTERNAL TORX® SOCKET SET

SS3806-TS **601231** ★

3/8" DR External TORX Sockets:

E6, E8, E10, E12, E14, E16 c/w socket rail



TORX® is a registered trademark of CAMCAR Division of TEXTRON INC.

 **WARNING:** Do not use chrome sockets on electric or air impact wrenches

HEX BIT SOCKET SETS

- All sockets are forged from high quality Chrome Vanadium steel
- Hex bits are made of superior quality S2 steel for maximum strength
- All sets come with socket clip holders
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

601201 / 601202



7 PC S.A.E. HEX BIT SOCKET SET

HSW3811 **601201**

3/8" DR 2" (Overall Length) S.A.E. Hex Bit Sockets:

1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" c/w socket rail

7 PC METRIC HEX BIT SOCKET SET

HSW3811M **601202**

3/8" DR 2" (Overall Length) Metric Hex Bit Sockets:

3, 4, 5, 6, 7, 8, 10mm c/w socket rail

601802 / 601803



10 PC S.A.E. HEX BIT SOCKET SET

HSW3812-10 **601802**

3/8" DR 2" (Overall Length) S.A.E. Hex Bit Sockets:

1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

1/2" DR 2-1/4" (Overall Length) S.A.E. Hex Bit Sockets:

1/2, 9/16, 5/8" c/w socket rail

10 PC METRIC HEX BIT SOCKET SET

HSW3812-10M **601803**

3/8" DR 2" (Overall Length) Metric Hex Bit Sockets:

3, 4, 5, 6, 7, 8, 10mm

1/2" DR 2-1/4" (Overall Length) Metric Hex Bit Sockets:

12, 14, 16mm c/w socket rail



601808



14 PC S.A.E. / METRIC EXTRA LONG HEX BIT SET

LHSW1438-14C **601808**

1/4" DR 4" (Overall Length) S.A.E. Extra Long Hex Bit Sockets:

1/8, 5/32, 3/16"

3/8" DR 4" (Overall Length) S.A.E. Extra Long Hex Bit Sockets:

7/32, 1/4, 5/16, 3/8"

1/4" DR 4" (Overall length) Metric Extra Long Hex Bit Sockets:

4, 5, 6mm

3/8" DR 4" (Overall Length) Metric Extra Long Hex Bit Sockets:

7, 8, 9, 10mm

7 PC S.A.E. EXTRA LONG BALL NOSE HEX BIT SOCKET SET

LHSW3807 **601804**

3/8" DR 4" (Overall Length) S.A.E. Extra Long Ball Nose Hex Bit Sockets:

1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" c/w socket rail

7 PC METRIC EXTRA LONG BALL NOSE HEX BIT SOCKET SET

LHSW3807M **601805**

3/8" DR 4" (Overall Length) Metric Extra Long Ball Nose Hex Bit Sockets:

4, 5, 6, 7, 8, 9, 10mm c/w socket rail

601804 / 601805



See page 27 for new Hex and TORX® power socket sets.



SOCKET ACCESSORIES

- All components are forged from high quality Chrome Vanadium steel
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

UNIVERSAL JOINTS

PROD. NO.	MOD. NO.	Female	Male
670908	SA1407	1/4"	1/4"
671910	SA3810	3/8"	3/8"
672908	SA1207	1/2"	1/2"



ADAPTORS

PROD. NO.	MOD. NO.	Female	Male
670911	SA1410	1/4"	3/8"
671913	SA3813	3/8"	1/4"
671914	SA3814	3/8"	1/2"
672911	SA1210	1/2"	3/8"
672912	SA1211	1/2"	3/4"
673907	SA7506	3/4"	1/2"
673912	SA7511	3/4"	1"



ADAPTOR SET

- Includes one each 1/4F x 3/8M, 3/8F x 1/4M, 3/8F x 1/2M, 1/2F x 3/8M, 1/2F x 3/4M
- Complete with socket clip holder

PROD. NO.	MOD. NO.	Pieces
690115	SA-5S	5 PC Set



690115

SPARK PLUG SOCKETS

- Features rubber inserts to protect spark plugs from damage

PROD. NO.	Drive	Hex Size
671932	3/8"	5/8"
671934	3/8"	13/16"



671932

SOCKET CLIP HOLDERS

PROD. NO.	MOD. NO.	Drive	Clips
670913	SCH-14	1/4"	16
671917	SCH-38	3/8"	16
672913	SCH-12	1/2"	16

3 PC SOCKET CLIP HOLDER SET

PROD. NO.	MOD. NO.	Drive	Clips
690111	SCH-3S	1/4, 3/8, 1/2"	16 each (48 Total)



690111

SOCKET ACCESSORIES

- All components are forged from high quality Chrome Vanadium steel
- Meets or exceeds U.S. Federal Specs: GGG-W-641E and Canadian Government Specs: CDA39-GP-12b and A.N.S.I. B107-10M, B107-1, B107-5

FLEX BARS

PROD. NO.	MOD. NO.	Drive	Length	Max. Torque
670902	SA1401	1/4"	6"	35 ft/lbs
671902	SA3801	3/8"	8"	100 ft/lbs
672902	SA1201	1/2"	10"	330 ft/lbs
672903	SA1202	1/2"	15"	330 ft/lbs
672918	SA1213	1/2"	24" *	330 ft/lbs
673909	SA7508	3/4"	24" *	750 ft/lbs
673911	SA7510	3/4" **		750 ft/lbs
674909	SA1008	1"	26"	1850 ft/lbs

*Heavy Duty Head Design



672918 & 673909
Heavy Duty Head

**Head Only — requires drive handle (see page 22).

SPEEDER HANDLES

PROD. NO.	MOD. NO.	Drive	Length
671911	SA3811	3/8"	16"
672909	SA1208	1/2"	16-1/2"

SLIDING T HANDLES

PROD. NO.	MOD. NO.	Drive	Length
670907	SA1406	1/4"	4-1/4"
671909	SA3809	3/8"	8"
672907	SA1206	1/2"	10"
673906	SA7505	3/4"	18"
673910	SA7509	3/4"*	Head Only
674904	SA1003	1"	22"

*Requires drive handle (sold separately, see page 22)

SPINNER HANDLES

- Features 1/4" Drive in handle — can attach ratchet or flex bar for added torque

PROD. NO.	MOD. NO.	Drive	Length
670912	SA1411	1/4"	6"



SOCKET ACCESSORIES

EXTENSION BARS

PROD. NO.	MOD. NO.	Pieces	Drive	Length
690120	SE38-4S	4 PC Set	3/8"	1-3/4", 3", 6", 10"
690121	SE12-3S	3 PC Set	1/2"	2", 5", 10"
672914	SE12-4S	4 PC Set	1/2"	15", 18", 24", 30"

PROD. NO.	MOD. NO.		Drive	Length
670904	SA1403		1/4"	2"
670905	SA1404		1/4"	3"
670915	SA1412		1/4"	4"
670906	SA1405		1/4"	6"
671904	SA3803		3/8"	1-3/4"
671905	SA3804		3/8"	3"
671907	SA3806		3/8"	6"
671908	SA3808	Open Stock	3/8"	10"
672904	SA1203		1/2"	2"
672905	SA1204		1/2"	5"
672906	SA1205		1/2"	10"
673903	SA7502		3/4"	4"
673904	SA7503		3/4"	8"
673905	SA7504		3/4"	16"
674903	SA1002		1"	16"
674905	SA1004		1"	8"



690120



690121

672914
Extra Long

LOCKING EXTENSION BARS

- Sockets and accessories lock on and cannot be removed until lock ring is retracted
- Keeps everything from the ratchet to the socket positively connected, preventing lost pieces
- Especially useful when multiple extensions must be used
- Ideal for use with JET's quick release ratchet handles
- Coloured lock rings help identify drive size — a **JET exclusive!**
- Highest quality Chrome Vanadium steel for professional use

NEW

PROD. NO.	MOD. NO.	Pieces	Drive	Length
690124	SE38-3SL	3 PC Set	3/8"	3", 6", 10"
690125	SE12-3SL	3 PC Set	1/2"	3", 5", 10"

PROD. NO.	MOD. NO.		Drive	Length
691947	SA3804L		3/8"	3"
691948	SA3806L		3/8"	6"
691949	SA3808L	Open Stock	3/8"	10"
672947	SA1203L		1/2"	3"
672948	SA1204L		1/2"	5"
672949	SA1205L		1/2"	10"




690124



690125

2 WAY WOBBLE EXTENSION BARS

- 2 Position extensions provide regular or wobble drive
- Place socket in first position for wobble drive; allows improved access to hard to reach areas
- Push socket down to second position to "lock" it solidly in place; allows maximum torque
- Each extension replaces 2 others but doesn't cost twice as much
- Highest quality Chrome Vanadium steel for professional use



PROD. NO.	MOD. NO.	Pieces	Drive	Length
690122	SE38-4SW	4 PC Set	3/8"	1-3/4", 3", 6", 10"
690123	SE12-3SW	3 PC Set	1/2"	2", 5", 10"

PROD. NO.	MOD. NO.		Drive	Length
671951	SA3803W		3/8"	1-3/4"
671952	SA3804W		3/8"	3"
671953	SA3806W		3/8"	6"
671954	SA3808W	Open Stock	3/8"	10"
672951	SA1203W		1/2"	2"
672952	SA1204W		1/2"	5"
672953	SA1205W		1/2"	10"

NEW


690122



690123

RATCHET WRENCHES – 1/4" - 1/2" DRIVE

RHQ SERIES — PROFESSIONAL DUTY OVAL HEAD RATCHETS

- New increased tooth configurations offer finer ratcheting mechanisms
- Available in regular and extra long models
- All components are forged from superior quality Chrome Vanadium steel
- Meets or exceeds A.N.S.I. specifications
- Push button quick release feature holds sockets on securely until ready to release
- Convenient reversing switch can be operated with one hand
- Comfortable handle style
- Mirror polish finish
- Repair kits available
- All ratchets are designed for use by professionals



RHQ Series feature push button quick release mechanism

bonus!

3PC RHQ Ratchet Set with Bonus
MHR-3860 Mini Head Ratchet.



690106

PROD. NO.	MOD. NO.	Drive (overall)	Length	Teeth	Quick Release
670926	RHQ-14	1/4"	5-1/2"	48	Yes
670928	RHQ-14L *	1/4"	7"	48	Yes
671926	RHQ-38	3/8"	8"	48	Yes
671945	RHQ-38L *	3/8"	12"	48	Yes
672926	RHQ-12	1/2"	10"	48	Yes
672927	RHQ-12L *	1/2"	15"	48	Yes
673922	RHQ-34	3/4"	19-1/2"	24	Yes

*RHQ-L series feature extra long handles!

RHQ SERIES 4 PC RATCHET SET

- RHQ-3SB oval head set includes bonus MHR-3860 3/8" drive mini head ratchet at no extra cost!

PROD. NO.	MOD. NO.	Drive	Pieces	Teeth	Quick Release
690106	RHQ-3SB	1/4, 3/8, 1/2"	4 PC Set	48	Yes

RHQ-F SERIES – PROFESSIONAL DUTY OVAL FLEX HEAD RATCHETS

- Flex head feature allows access into awkward locations
- Same quality features as our RHQ series



RHQ-F Series feature push button quick release mechanism



671942
3/8" DR Flex Stubby

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
670929	RHQ-14F	1/4"	6-1/4"	48	Yes
671942	RHQ-38FS	3/8"	5-3/4"	45	Yes
671943	RHQ-38F2	3/8"	9-7/8"	45	Yes
672929	RHQ-12F	1/2"	17"	48	Yes

RATCHET WRENCHES

- 1/4" - 1/2" DRIVE

HT72 SERIES — HIGH TORQUE PROFESSIONAL RACHETS

- All components are forged from superior quality Chrome Vanadium steel
- High torque 72 tooth twin pawl ratcheting system exceeds A.N.S.I. standards for torque — 5° maximum movement between each engagement of teeth
- Push button quick release feature holds sockets on securely until ready to release
- Comfortable ergonomic handle design with anti-slip strips improves gripping power and reduces operator fatigue
- Spinner ring for use in areas with restricted space
- Convenient hanging hole
- Repair kits available
- Patented offset ratchet handle offers unique safety features — reduces knuckle damage and improves socket positioning
- Available in 1/4", 3/8", 1/2" drives individually or in sets



671928

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
670927	HT-1472	1/4"	5-1/2"	72	Yes
671928	HT-3872	3/8"	7-3/4"	72	Yes
672928	HT-1272	1/2"	10"	72	Yes

HT72 SERIES 3 PC RATCHET SET

- Contains 1 each of 1/4", 3/8" & 1/2" ratchets above

PROD. NO.	MOD. NO.	Drive	Pieces	Teeth	Quick Release
690104	HT-72S	1/4, 3/8, 1/2"	3 PC Set	72	Yes



690104

MHR SERIES — MINI HEAD / SLIM BODY

- Mini head and ultra slim body design allows access into confined areas
- Smooth, 60 tooth ratcheting action offers an extremely small swing area - 6°
- Push button quick release
- Full polish, mirror finish

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
671941	MHR-3860	3/8"	7-3/4"	60	Yes



671941

Mini Head Design

HIGH SPEED ARTICULATED RATCHET

- 3/8" drive ratchet head rotates around articulated joint, providing up to 8x the speed of a regular ratchet
- Rotating head can be locked in any position to clear obstacles and provide maximum access — a **JET exclusive!**
- 6140 Chrome Vanadium steel for professional use
- Mirror polished finish
- Meets A.N.S.I. torque rating for 3/8" drive ratchets
- Repair kits available for head and articulated joint

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
671944	HSR-3800	3/8"	10-1/4"	48	Yes



671944

Head rotates 360°

Button locks head in any position — Check and Compare!

RATCHET WRENCHES – 3/4" & 1" DRIVE

RH SERIES — STANDARD DUTY

- A.N.S.I. rated
- Repair kits available
- Professional quality at an economical price

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
673901	RH-75	3/4"	20"	42	No
674901	RH-100	1"	26"	24	No

RHQ SERIES — HEAVY DUTY

- A.N.S.I. Rated
- Heavy duty ratchet head for industrial applications
- See page 20 for details

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
673922	RHQ-34	3/4"	19-1/2"	24	Yes

HT3472 SERIES — HIGH TORQUE HEAVY DUTY

- 3/4" Drive, 72 tooth
- 72 teeth require just 5° swing room to engage next tooth — Check and Compare!
- Ideal for fasteners in restricted areas
- Extra heavy pawl spring keeps 8 teeth engaged at all times for maximum strength
- Quick release feature locks accessories to ratchet
- One piece drop forged head and handle

PROD. NO.	MOD. NO.	Drive	Length (overall)	Teeth	Quick Release
673924	HT3472	3/4"	20"	72	Yes

RHD SERIES — SUPER DUTY 3/4" & 1" RATCHET HEADS

- New super duty 3/4" & 1" ratchet heads
- All components made from the best quality Chrome Vanadium steel
- Designed to withstand the toughest applications
- Handles sold separately (see below)

HEADS

PROD. NO.	MOD. NO.	Drive	Teeth	Quick Release
673923	RHD-3400	3/4"	40	No
674906	RHD-1036	1"	36	No

HANDLES

PROD. NO.	MOD. NO.	Length
673913	DH-3400	20" for RH-3400, SA-7509, SA-7510
673914*	TDH-3400	20" - 32" for RH-3400, SA-7509, SA-7510
674907	DH-1036	25" for RH-1036

Note: Handles also for use with flex heads and sliding T heads.

Handle adjusts from 20" to 32", twist to lock



673901 - 3/4" DR



674901 - 1" DR



673922 - 3/4" DR Heavy Duty



673924 - 3/4" DR 72 Tooth Heavy Duty



673923 - 3/4" DR
Super Duty



674906 - 1" DR
Super Duty



673913 - For 3/4" DR Heads



673914 - For 3/4" DR Heads



674907 - For 1" DR Heads

OPEN STOCK HEX & TORX® BIT SOCKETS

- All items meet U.S. Federal Specifications: GGG-W-641e, Canadian Government Specification CDA39-GP-12b and A.N.S.I. B107.1

⚠ WARNING: Do not use chrome sockets on electric or air impact wrenches

DRIVE	1/4"	3/8"	3/8"	1/2"	3/8"
Size S.A.E.	4" Hex Bit	Hex Bit	4" Hex Bit	Hex Bit	4" Hex Ball Nose
1/8"	677021	677204			677224
5/32"	677022	677205			677225
3/16"	677023	677206			677226
7/32"		677207	677127		677227
1/4"		677208	677128		677228
9/32"					
5/16"		677210	677130		677230
11/32"					
3/8"		677212	677132		677232
1/2"				677316	
9/16"				677318	
5/8"				677320	
Metric					
3mm		677253			
4mm	677071	677254			677274
5mm	677072	677255			677275
6mm	677073	677256			677276
7mm		677257	677177		677277
8mm		677258	677178		677278
9mm			677179		677279
10mm		677260	677180		677280
12mm				677362	
14mm				677364	
16mm				677366	
Torx®	1/4" DR Torx®	3/8" DR Torx®	3/8" DR External Torx®		
T10	677706				
T15	677707				
T20	677708				
T25	677709	677759			
T27	677710				
T30	677711	677761			
T40		677763			
T45		677764			
T50		677766			
T55		677767			
E6			677823		
E8			677824		
E10			677825		
E12			677826		
E14			677827		
E16			677828		



OPEN STOCK CHROME SOCKETS – S.A.E.

- All items meet U.S. Federal Specifications: GGG-W-641e, Canadian Government Specification CDA39-GP-12b and A.N.S.I. B107.1

! WARNING: Do not use chrome sockets on electric or air impact wrenches

DRIVE	1/4"	1/4"	1/4"	1/4"	3/8"	3/8"	3/8"	3/8"	1/2"	1/2"	3/4"	3/4"	1"
Size S.A.E.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 6 pt.	Regular 12 pt.
3/16"	670106	670306	670206	670406									
7/32"	670107	670307	670207	670407									
1/4"	670108	670308	670208	670408	671108		671208	671408					
9/32"	670109	670309	670209	670409									
5/16"	670110	670310	670210	670410	671110		671210	671410					
11/32"	670111	670311	670211	670411									
3/8"	670112	670312	670212	670412	671112	671312	671212	671412	672112				
7/16"	670114	670314	670214	670414	671114	671314	671214	671414	672114	672314			
1/2"	670116	670316	670216	670416	671116	671316	671216	671416	672116	672316			
9/16"					671118	671318	671218	671418	672118	672318			
19/32"									672119				
5/8"					671120	671320	671220	671420	672120	672320			
21/32"									672121				
11/16"					671122	671322	671222	671422	672122	672322			
3/4"					671124	671324	671224	671424	672124	672324	673212		
25/32"									672125				
13/16"					671126	671326			672126	672326			
7/8"					671128	671328			672128	672328	673214	673414	
15/16"					671130				672130	672330	673215	673415	
31/32"									672131				
1"					671132				672132	672332	673216	673416	
1-1/16"									672134	672334	673217	673417	
1-1/8"									672136	672336	673218	673418	
1-3/16"									672138		673219	673419	
1-1/4"									672140	672340	673220	673420	
1-5/16"											673221	673421	
1-3/8"											673222	673422	
1-7/16"											673223	673423	674223
1-1/2"											673224	673424	674224
1-9/16"											673225		
1-5/8"											673226	673426	674226
1-11/16"											673227		674227
1-3/4"											673228	673428	674228
1-13/16"											673229	673429	674229
1-7/8"											673230	673430	674230
2"											673232	673432	674232
2-1/8"													674234
2-3/16"													674235
2-1/4"													674236
2-3/8"													674238
2-1/2"													674240
2-5/8"													674242
2-3/4"													674244
5-15/16"													674247
3"													674248
3-1/8"													674250



OPEN STOCK CHROME SOCKETS – METRIC

- All items meet U.S. Federal Specifications: GGG-W-641e, Canadian Government Specification CDA39-GP-12b and A.N.S.I. B107.1

! WARNING: Do not use chrome sockets on electric or air impact wrenches

DRIVE	1/4"	1/4"	1/4"	1/4"	3/8"	3/8"	3/8"	3/8"	1/2"	1/2"	3/4"
Size Metric	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.	Deep 12 pt.	Regular 6 pt.	Deep 6 pt.	Regular 12 pt.
4	670502	670702	670602	670802							
5	670504	670704	670604	670804							
6	670506	670706	670606	670806	671506						
7	670507	670707	670607	670807	671507						
8	670508	670708	670608	670808	671508	671708	671608	671808	672508		
9	670509	670709	670609	670809	671509	671709	671609	671809	672509		
10	670510	670710	670610	670810	671510	671710	671610	671810	672510	672710	
11	670511	670711	670611	670811	671511	671711	671611	671811	672511		
12		670712	670612	670812	671512	671712	671612	671812	672512	672712	
13					671513	671713	671613	671813	672513	672713	
14					671514	671714	671614	671814	672514	672714	
15					671515	671715	671615	671815	672515	672715	
16					671516	671716	671616	671816	672516	672716	
17					671517	671717	671617	671817	672517	672717	
18					671518	671718	671618	671818	672518	672718	
19					671519	671719	671619	671819	672519	672719	673619
20					671520				672520	672720	
21					671521	671721			672521	672721	673621
22					671522				672522	672722	673622
23									672523	672723	673623
24					671524				672524	672724	673624
26											673626
27									672527	672727	673627
29											673629
30									672530		673630
32									672532		673632
35											673635
36											673636
38											673638
41											673641
46											673646
50											673650



POWER SOCKET SETS

- Torque-Drive™ socket design contacts the fastener on the sides instead of the corners, reducing fastener rounding and allowing up to 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Sockets made of the finest quality S.A.E. 4140 chrome molybdenum high impact steel — Check and Compare!
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

3/8" DR POWER SOCKET SETS

8 PC S.A.E. POWER SOCKET SET

PS838 **610201**

Standard Length 6 Pt. S.A.E. Power Sockets:

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

8 PC DEEP S.A.E. POWER SOCKET SET

PS838D **610203**

Deep Length 6 Pt. S.A.E. Power Sockets:

5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

14 PC METRIC POWER SOCKET SET

PS1438M **610217**

Standard Length 6 Pt. Metric Power Sockets:

7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

1/2" DR METRIC POWER SOCKET SETS

12 PC METRIC POWER SOCKET SET

PS1212M **610308**

Standard Length 6 Pt. Metric Power Sockets:

10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

12 PC DEEP METRIC POWER SOCKET SET

PS1212DM **610310**

Deep Length 6 Pt. Metric Power Sockets:

10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

1/2" DR POWER SOCKET SETS

10 PC S.A.E. POWER SOCKET SET

PS1012 **610302**

Standard Length 6 Pt. S.A.E. Power Sockets:


7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

10 PC DEEP S.A.E. POWER SOCKET SET

PS1012D **610303**

Deep Length 6 Pt. S.A.E. Power Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"



610201

6
points



610203

6 Deep
points



610217

6
points



610308

6
points



610310

6 Deep
points



610302

6
points



610303

6 Deep
points

POWER SOCKET SETS

1/2" DR POWER SOCKET SETS

13 PC S.A.E. POWER SOCKET SET

PS1312 **610321**

Standard Length 6 Pt. S.A.E. Power Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"



610321



13 PC DEEP S.A.E. POWER SOCKET SET

PS1312D **610323**

Deep Length 6 Pt. S.A.E. Power Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"



610323



27 PC DEEP S.A.E. / METRIC POWER SOCKET SET

PS2712DC **610327**

Deep Length 6 Pt. S.A.E. Power Sockets:

7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

Deep Length 6 Pt. Metric Power Sockets:

10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm



610327



1/2" DR HEX & TORX® BIT SOCKET SETS

- Made of SNCM 8660 tool steel for 20% greater torque and 20% greater torsional resistance than chrome molybdenum bits — Check and Compare!
- Ideal for use on high torque fasteners

8 PC S.A.E. HEX BIT POWER SOCKET SET

PHB-1208 **610331**

3" Length S.A.E. Sockets:

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"



610331 / 610333

8 PC METRIC HEX BIT POWER SOCKET SET

PHB-1208M **610333**

3" Length Metric Sockets:

6, 7, 8, 10, 12, 14, 17, 19mm



610325

8 PC TORX® BIT POWER SOCKET SET

PTB-1208 **610325**

3" Length TORX® Sockets:

T30, T40, T45, T50, T55, T60, T70, T80

TORX® is a registered trademark of CAMCAR Division of TEXTRON INC.

POWER SOCKET SETS

MAG WHEEL POWER SOCKETS

- Specially designed for use on high end Aluminum & Chrome plated wheels
- Premium grade Chrome Molybdenum Steel for professional use
- Attractive anodized colour finish for quick & easy identification
- Plastic sleeve & inner cap to prevent scratches
- Lifetime warranty – sleeves and inserts excepted

1/2" DR MAG WHEEL POWER SOCKET SETS

PROD. NO.	MOD. NO.	Drive	Pieces	S.A.E. / Metric
610341	MWPS-512	1/2"	5 PC Set	13/16", 7/8", 17mm, 19mm (3/4"), 21mm
610343	MWPS-812	1/2"	8 PC Set	13/16", 7/8", 15/16", 1", 1-1/16", 17mm, 19mm, (3/4"), 21mm

OPEN STOCK 1/2" DR MAG WHEEL POWER SOCKETS

PROD. NO.	Drive	Size	Replacement Sleeve	Replacement Insert
682867	1/2"	17mm	682981	682991
682869	1/2"	19mm	682982	682992
682871	1/2"	21mm	682983	682993
682876	1/2"	13/16"	682985	682995
682878	1/2"	7/8"	682986	682996
682880	1/2"	15/16"	682987	682997
682882	1/2"	1"	682988	682998
682884	1/2"	1-1/16"	682989	682999

TORQUE LIMITING POWER EXTENSIONS

- Specially designed chrome molybdenum spring steel flexes at preset torque ratings
- Allows accurate application of specific torque to automobile wheel fasteners
- Prevents over-tightening or uneven tightening of lug nuts, a major cause of wheel and brake rotor damage
- Color coded for easy identification
- 5 extensions cover most passenger and light truck / SUV wheels
- For use with 1/2" drive impact wrenches rated at 250 ft/lbs and line pressure of 90 – 110 psi
- For aluminum and chrome wheels, use with JET's all new 1/2" drive Mag Wheel Power Sockets

TORQUE LIMITING POWER EXTENSION SET

PROD. NO.	MOD. NO.	Drive	Pieces	Torque (ft/lbs)
682961	JTLE-5S	1/2"	5 PC Set	65, 80, 100, 120, 140

OPEN STOCK 1/2" DR TORQUE LIMITING POWER EXTENSIONS

PROD. NO.	Torque	Length	Colour
682964	65ft/lbs	7-3/4"	Yellow
682965	80ft/lbs	7-3/4"	Blue
682966	100ft/lbs	7-3/4"	Gray
682967	120ft/lbs	7-3/4"	White
682968	140ft/lbs	7-3/4"	Aqua



140 ft/lbs



120 ft/lbs



100 ft/lbs



80 ft/lbs



65 ft/lbs



610341

NEW
6
points


610343

NEW
6
points


682961

NEW

NEW

POWER SOCKET SETS

3/4" DR POWER SOCKET SETS

- Torque-Drive™ socket design contacts the fastener on the sides instead of the corners, reducing fastener rounding and allowing up to 20% more torque
- Chamfered edges allow easiest socket placement on fastener, increasing productivity and reducing frustration
- Extra long deep sockets ensure maximum accessibility
- Sockets made of the finest quality S.A.E. 4140 chrome molybdenum high impact steel — Check and Compare!
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

8 PC S.A.E. POWER SOCKET SET

PS834 **610401**

Standard Length 6 Pt. S.A.E. Power Sockets:

1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"



610401

8 PC DEEP S.A.E. POWER SOCKET SET

PS834D **610402**

Deep Length 6 Pt. S.A.E. Power Sockets:

1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"



610402

16 PC S.A.E. POWER SOCKET SET

PS1634 **610403**

Standard Length 6 Pt. S.A.E. Power Sockets:

3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"



610403

14 PC DEEP S.A.E. POWER SOCKET SET

PS1434D **610406**

Deep Length 6 Pt. S.A.E. Power Sockets:

3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8"



610406

POWER SOCKET SETS

1" DR POWER SOCKET SETS

- Complete range of 1" drive sockets
- Premium grade Chrome Molybdenum Steel for professional use — **Check and Compare!**
- Torque Drive™ design reduces fastener rounding and allows up to 20% more torque
- Chamfered edges allow easiest socket placement on fastener
- 6 Point regular length
- Now up to 3-1/2" sizes!



610501



9 PC S.A.E. POWER SOCKET SET

PS901 **610501**

Standard Length 6 Pt. S.A.E. Power Sockets:

1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"



610503



9 PC DEEP S.A.E. POWER SOCKET SET

PS901D **610503**

Deep Length 6 Pt. S.A.E. Power Sockets:

1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"



610505 – 7/8 - 2" Sizes



14 PC S.A.E. POWER SOCKET SET

PS1401 **610505**

Standard Length 6 Pt. S.A.E. Power Sockets:

7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8, 2"



610506



12 PC S.A.E. POWER SOCKET SET

PS1201 **610506**

Standard Length 6 Pt. S.A.E. Power Sockets:

2-1/8, 2-1/4, 2-3/8, 2-1/2, 2-9/16, 2-5/8, 2-3/4, 2-7/8, 3, 3-1/8, 3-1/4, 3-1/2"

jumbo sizes!
2-1/8" – 3-1/2"

TRUCK TIRE POWER SOCKETS

1" DR TRUCK TIRE SOCKET SETS

- Made of highest quality S.A.E. 4140 chrome molybdenum steel for maximum strength and durability
- Special sizes designed for use on most truck wheel fasteners

11 PC TRUCK TIRE POWER SOCKET SET

- 11 of the most popular S.A.E. and metric sizes for heavy trucks
- 4 point sockets for inner budd-style square fasteners
- Special 1-1/2" hex deep socket features controlled depth, preventing contact with inner cap nut
- Deep thin wall sockets designed for use on Dayton style lugnuts where space is limited

PROD. NO. 610515

MOD. NO. TTPS-11SM

Pieces (total)	11
4 Point Shallow Budd Sockets	17mm, 21mm, 13/16"
6 Point Deep Budd Sockets	33mm, 35mm, 38mm, 41mm, 1-1/2" controlled depth
6 Point Thin Wall Sockets	1-1/16, 1-1/8, 1-1/4"

5 PC DEEP BUDD WHEEL POWER SOCKET SET

- 5 popular sizes for use on most import trucks
- 1-1/2" controlled depth socket for domestic trucks with dual rear wheels

PROD. NO. 610516

MOD. NO. BWPS-5SM

Pieces (total)	5
6 Point Deep Budd Sockets	33mm, 35mm, 38mm, 41mm, 1-1/2" controlled depth

4 POINT BUDD WHEEL POWER SOCKETS

- Designed for use on inner budd-style square fasteners

PROD. NO. 684971 684975 68492 684922

Size	17mm	21mm	13/16"	15/16"
Length	57mm	57mm	57mm	57mm

6 POINT DEEP BUDD WHEEL POWER SOCKETS

- For use on most import and some domestic trucks
- 1-1/2" hex features controlled depth, preventing contact with wheel when removing outer cap nuts

PROD. NO. 684614 684616 684619 684622 684966

Size	33mm	35mm	38mm	41mm	1-1/2" controlled depth
Length	98mm	98mm	98mm	98mm	98mm

EXTRA THIN WALL DEEP POWER SOCKETS

- For use on Dayton-style lugnuts that are deeply recessed and where space is limited

PROD. NO. 684943 684944 684946

Size	1-1/16"	1-1/8"	1-1/4"
Length	108mm	108mm	108mm

1/2" DR EXTRA THIN WALL DEEP FLIP POWER SOCKETS

- Extra thin walls allows access to all recessed lug nuts where clearance is limited
- Thin wall impact sockets not a warrantable item

PROD. NO. 682938

682939

Size	3/4 x 13/16" hex	19 x 21mm hex
Length	76mm	76mm


610515

610516

1" DR

Extra Thin Wall


**1/2" DR
Flip Socket**

POWER SOCKET ACCESSORIES

POWER SOCKET EXTENSION BARS

PROD. NO.	Drive	Length
682954	1/2"	5"
682955	1/2"	10"
683951	3/4"	6"
683953	3/4"	10"
684951	1"	6"

POWER SOCKET ADAPTORS

PROD. NO.	Female	Male
681952	3/8"	1/2"
682952	1/2"	3/8"
682953	1/2"	3/4"
683952	3/4"	1/2"
683954	3/4"	1"

POWER SOCKET UNIVERSAL JOINTS

PROD. NO.	Female	Male
681911	3/8"	3/8"
682911	1/2"	1/2"

OPEN STOCK HEX & TORX® POWER SOCKETS

- Sockets made of the finest quality S.A.E. 4140 chrome molybdenum high impact steel
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

DRIVE	1/2"	DRIVE	1/2"
Size	Hex Bit	Size	TORX® Bit
S.A.E.		TORX®	
1/4"	687211	T30	687823
5/16"	687212	T40	687825
3/8"	687213	T45	687826
7/16"	687214	T50	687827
1/2"	687215	T55	687828
9/16"	687216	T60	687829
5/8"	687217	T70	687831
3/4"	687219	T80	687833
Metric			
6mm	687261		
7mm	687262		
8mm	687263		
10mm	687265		
12mm	687267		
14mm	687269		
17mm	687272		
19mm	687274		

OPEN STOCK S.A.E / METRIC POWER SOCKETS

- Sockets made of the finest quality S.A.E. 4140 chrome molybdenum high impact steel
- Meets or exceeds U.S. Federal Specs: GGG-W-660A and A.N.S.I. B107.2

DRIVE	3/8"	3/8"	3/8"	3/8"	1/2"	1/2"	1/2"	1/2"	3/4"	3/4"	1"	1"
Size S.A.E.	Regular 6 pt.	Deep 6 pt.	Univ. Regular 6 pt.	Univ. Deep 6 pt.	Regular 6 pt.	Deep 6 pt.	Univ. Regular 6 pt.	Univ. Deep 6 pt.	Regular 6 pt.	Deep 6 pt.	Regular 6 pt.	Deep 6 pt.
5/16"	681110	681210										
3/8"	681112	681212	681312	681412								
7/16"	681114	681214	681314	681414	682114	682214						
1/2"	681116	681216	681316	681416	682116	682216	682316	682416				
9/16"	681118	681218	681318	681418	682118	682218	682318	682418				
5/8"	681120	681220	681320	681420	682120	682220	682320	682420				
11/16"	681122	681222	681322	681422	682122	682222	682322	682422				
3/4"	681124	681224	681324	681424	682124	682224	682324	682424	683124	683224		
13/16"					682126	682226	682326	682426	683126	683226		
7/8"					682128	682228	682328	682428	683128	683228	684128	
15/16"					682130	682230			683130	683230	684130	
1"					682132	682232			683132	683232	684132	684232
1-1/16"					682134	682234			683134	683234	684134	
1-1/8"					682136	682236			683136	683236	684136	684236
1-3/16"										683238	684138	684238
1-1/4"					682140	682240			683140	683240	684140	684240
1-5/16"									683142	683242	684142	684242
1-3/8"									683144	683244	684144	684244
1-7/16"									683146	683246		
1-1/2"									683148	683248	684148	684248
1-5/8"									683152	683252	684152	684252
1-3/4"									683156		684156	684256
1-7/8"									683160		684160	684260
2"									683164		684164	684264
2-1/8"											684166	
2-1/4"											684168	
2-3/8"											684170	
2-1/2"											684172	
2-9/16"											684173	
2-5/8"											684174	
2-3/4"											684176	
2-7/8"											684178	
3"											684180	
3-1/8"											684182	
3-1/4"											684184	
3-1/2"											684188	
Metric												
8mm	681508	681608										
9mm	681509	681609										
10mm	681510	681610	681710	681810	682510	682610						
11mm	681511	681611	681711	681811	682511	682611						
12mm	681512	681612	681712	681812	682512	682612						
13mm	681513	681613	681713	681813	682513	682613	682713					
14mm	681514	681614	681714	681814	682514	682614	682714					
15mm	681515	681615	681715	681815	682515	682615	682715					
16mm	681516	681616	681716	681816	682516	682616	682716					
17mm	681517	681617	681717	681817	682517	682617	682717					
18mm	681518	681618	681718	681818	682518	682618						
19mm	681519	681619	681719	681819	682519	682619	682719					
21mm					682521	682621						
22mm					682522	682622	682722					
23mm					682523							
24mm					682524	682624						

