


PICK, HOOK & SCRAPER SETS

- Premium Grade Chrome Vanadium Steel Shafts
- Exclusive ergonomic Handle for maximum grip
- Heat treated for maximum strength
- Super heavy duty professional quality

4 PC PICK & HOOK SET

- Nickel Chrome plated finish for corrosion resistance

PROD. NO.	MOD. NO.	Length	Contents
859301	JPHS-604	6"	Straight Pick, Bent Hook, 90° Hook & Compound Hook

NEW


4 PC EXTRA-LONG PICK & HOOK SETS

- Nickel Chrome plated finish for corrosion resistance
- Extra long for maximum reach

PROD. NO.	MOD. NO.	Length	Contents
859302	JPHS-904	9-3/4"	Straight Pick, Bent Hook, 90° Hook & Compound Hook
859331	JPHS-1504	15"	Straight Pick, 90° Pick, Offset Pick & Hook

NEW


3 PC SCRAPER SET

- Black Manganese Phosphate finish for corrosion resistance
- Precision ground edges

PROD. NO.	MOD. NO.	Contents
859303	JPSS-3	1"x8-1/2" Short, 1/2"x10" Medium, 1"x12" Long Scrapers

NEW


5 PC HOOK & SCRAPER SET


- Black Manganese Phosphate finish for corrosion resistance
- Precision ground edges

PROD. NO.	MOD. NO.	Contents
859304	JPSS-5	1"x8-1/2" Short Scraper, 1/2"x10" Medium Scraper, 1"x12" Long Scraper, 9" Cotter Key Puller, 7-1/2" Radiator Hose Hook

NEW


OPEN STOCK PICKS, HOOKS & SCRAPERS

PROD. NO.	Length	Type	Contained in Sets
859305	8-1/2"	1" Scraper	859304
859306	10"	1/2" Scraper	859304
859307	12"	1" Scraper	859304
859308	9"	Cotter Key Puller	859304
859309	7-1/2"	Radiator Hose Hook	859304
859310	6"	Straight Pick	859301
859311	6"	90° Pick	859301
859312	6"	Compound Hook	859301
859313	6"	Bent Hook	859301
859314	9-3/4"	Straight Pick	859302
859315	9-3/4"	90° Pick	859302
859316	9-3/4"	Compound Hook	859302
859317	9-3/4"	Bent Hook	859302
859318	15"	Straight Pick	859331
859319	15"	90° Pick	859331
859320	15"	Offset Pick	859331
859321	15"	Hook	859331

NEW


CHISEL SCRAPERS

- Stainless steel blades for professional use
- Extra stiff blades with chisel points for the toughest scraping and cleaning jobs
- Ergonomic handle provides non-slip grip and maximum user comfort
- Blades double riveted to handles for maximum strength
- Steel striking cap for extra tough scraping jobs



859341



4 PC CHISEL SCRAPER SET

PROD. NO.	MOD. NO.	Type
859341	JCS-4S	1-1/4" Scraper (2.0mm thick), 1-1/4" Bent Scraper (2.0mm thick), 2" Scraper (2.0mm thick), Stubby Scraper (2.5mm thick)



OPEN STOCK CHISEL SCRAPERS

PROD. NO.	MOD. NO.	Description	Blade Thickness	Contained in Sets
859342	JCS-125	1-1/4" Scraper	2.0mm	859341
859343	JCS-125B	1-1/4" Bent Scraper	2.0mm	859341
859344	JCS-200	2" Scraper	2.0mm	859341
859345	JCS-2025	Stubby Scraper	2.5mm	859341

PRY BARS

SUPER DUTY PRY BAR SETS

- Chrome molybdenum steel for maximum strength — Check and Compare!
- Super large sizes for the heaviest duty applications
- Extra large bimaterial handles provide exceptional grip and comfort and allow the use of both hands for maximum leverage
- Go-thru shanks with steel end caps
- Available separately or in 4 PC sets

PROD. NO.	MOD. NO.	Description	Type	Length
779220	JMPB-4S	4 PC Set	Regular	8 - 24"
779240	JHPB-4S	4 PC Set	Jumbo	24 - 36"

SUPER DUTY PRY BARS – OPEN STOCK

PROD. NO.	MOD. NO.	Description	Type	Contained in Sets
779221	JMPB-8	8" - 45°	Regular	779220
779222	JMPB-12	12" - 45°	Regular	779220
779223	JMPB-18	18" - 45°	Regular	779220
779224	JMPB-24	24" - 45°	Regular	779220
779241	JHPB-2445	24" - 45° narrow face	Jumbo	779240
779242	JHPB-2490	24" - 90° wide face	Jumbo	779240
779243	JHPB-3645	36" - 45° wide face	Jumbo	779240
779244	JHPB-3600	36" - straight wide face	Jumbo	779240



779220 4 PC Pry Bar Set


779240
4 PC Jumbo Pry Bar Set


WRECKING BARS

POWERCLAW™ SUPER DUTY WRECKING BARS

- Canada's premier super duty wrecking bars are designed for the toughest jobs
- Heavy duty extra thick profiled bar stock made of **alloy steel** rather than carbon steel for maximum pulling strength — **Check and Compare!**
- Extra wide face and unique curve radius allows greater leverage with less operator effort
- Precision ground claws are sharper and stronger than competitive products
- Electrostatic powder coated for corrosion resistance

PROD. NO.	MOD. NO.	Length	Material
779201	JPWB-14	14"	Alloy Steel
779203	JPWB-24	24"	Alloy Steel
779205	JPWB-36	36"	Alloy Steel
779256	JPWB-48	48"	Alloy Steel NEW

POWERCLAW™



Extra wide face and unique curve design provides more leverage with less effort.



779203

POWERCLAW™ NOTCHED WRECKING BARS

- Extra tight radius on curved end for increased leverage
- Nail puller notches on both ends for maximum versatility
- Smooth finished oval shaped shank for maximum comfort and pulling power

PROD. NO.	MOD. NO.	Length
779252	JPNB-18	18"
779253	JPNB-24	24"
779255	JPNB-36	36"

NEW



779252

Nail puller notches on both ends

NEW



779251

POWERCLAW™ NOTCHED I-BEAM BAR

- I beam construction for maximum strength
- Flat heel allows insertion under narrow spaces
- Ideal for pulling nails, opening crates, and light demolition work

PROD. NO.	MOD. NO.	Length
779251	JPIB-18	18"

POWERCLAW™ SUPER DUTY PINCH BARS

PROD. NO.	MOD. NO.	Length	Material
779212	JPPB-24	24"	Alloy Steel
779213	JPPB-30	30"	Alloy Steel

NAIL PULLERS

PROD. NO.	MOD. NO.	Length
779112	PB-15	15"
779113	JPNP-11	11" NEW



779212



779112



779113

POWERCLAW™ SUPER DUTY CROW BAR

PROD. NO.	MOD. NO.	Length	Weight	Material
779218	JPCB-1860	60"	18 lbs	Alloy Steel



779218

POWERCLAW™ DIGGING BARS

- Pencil point and chisel point for breaking hard packed ground
- Heavy duty bar stock provides maximum leverage for moving rocks

PROD. NO.	MOD. NO.	Length	Shank	Weight
779258	JPDB-1772	72"	1"	17 lbs

NEW



779258

NEW



779259

POWERCLAW™ POSTHOLE DIGGER

- Extra wide chisel point for faster digging
- Tamper head assists with packing and levelling bottom of post hole

PROD. NO.	MOD. NO.	Length	Shank	Weight
779259	JPPD-1769	69"	1"	17 lbs

WRECKING BARS

STRIKING TOOLS

PUNCHES & CHISELS

- Powder coated shank protects against rust
- Edges accurately tempered to stay sharp
- Hexagonal shank minimizes roll away
- Chisel working ends accurately ground and hardened to HRC 52-58 for maximum service
- Chisel striking end hardened to HRC-42 maximum. Won't chip or mushroom
- Punches made of the highest grade carbon steel, accurately hardened & tempered preventing splintering and extending life
- Meets Canadian Government Specifications CDA39GP-43a
- **WARNING:** Always use punches and chisels on materials softer than the hardness of the punch itself



775507



775508



775509



PUNCH & CHISEL SETS

PROD. NO.	MOD. NO.	Pieces	Size	Type
775507	PC8-1S	8 PC Set	1/2, 5/8, 3/4" 5/32" 3/16" 1/8, 3/16, 1/4"	Cold Chisel Centre Punch Solid Punch Pin Punch Terylene Pouch
775508	PC16-1S	16 PC Set	5/16, 1/2, 5/8, 3/4, 7/8" 1/8, 5/32, 1/4" 1/8, 3/16, 1/4" 3/16, 1/4" 1/8, 3/16, 1/4"	Cold Chisel Centre Punch Solid Punch Drift Punch Pin Punch Terylene Pouch
775509	RPP-6	6 PC Set	3/32, 1/8, 5/32" 3/16, 1/4, 5/16"	Pin Punch Terylene Pouch

COLD CHISELS

- Designed for cutting, shaping or removing metals softer than the chisel itself such as wrought iron, unhardened steel, aluminum, brass & copper. Also can be used on some building materials

PROD. NO.	MOD. NO.	Cut	Shank	Length
775431	CC516	5/16"	1/4"	5"
775432	CC816	1/2"	7/16"	6"
775433	CC1016	5/8"	1/2"	6-1/2"
775434	CC1216	3/4"	5/8"	7"
775435	CC1416	7/8"	5/8"	8"
775436	CC1616	1"	3/4"	8-1/2"

CENTRE PUNCHES

- Ideal for clearly marking metal in work layout and making indentations in a workpiece before drilling
- Working tips are centered and ground to a correct 90° included angle

PROD. NO.	MOD. NO.	Point	Shank	Length
775441	CP516	1/8"	5/16"	4-1/2"
775442	CP616	5/32"	5/16"	5-1/2"
775443	CP816	1/4"	3/8"	6"

 **WARNING:** Always wear safety goggles

STRIKING TOOLS

PUNCHES & CHISELS

PIN PUNCHES

- Ideal for driving out and removing already loosened pins and keys after initial movement by a solid or standing punch

PROD. NO.	MOD. NO.	Point	Shank	Length
775401	PP332	3/32"	1/4"	4-1/4"
775402	PP432	1/8"	5/16"	4-3/4"
775403	PP532	5/32"	5/16"	5"
775404	PP632	3/16"	5/16"	5-1/4"
775405	PP832	1/4"	3/8"	5-3/4"
775406	PP1032	5/16"	7/16"	6"

DRIFT (ALIGNING) PUNCHES

- Ideal for lining up holes in two or more pieces of metal and for drawing pins through various assemblies
- Often referred to as aligning punches. Pry or twist both into alignment and then tap gently to ensure perfect alignment

PROD. NO.	MOD. NO.	Point	Shank	Length
775411	AP216	1/8"	5/16"	8"
775412	AP316	3/16"	5/16"	10"
775413	AP416	1/4"	3/8"	10"

SOLID (STARTING) PUNCHES

- Solid (or starting) punches are used prior to using a pin punch and are useful for loosening frozen or tight pins and keys

PROD. NO.	MOD. NO.	Point	Shank	Length
775421	SP216	1/8"	5/16"	5"
775422	SP316	3/16"	3/8"	5"
775423	SP416	1/4"	1/2"	5"

AUTOMATIC CENTRE PUNCH

- Adjustable tension

PROD. NO.	MOD. NO.	Diameter	Length
775592	ACP-2	1/2"	5"

NUMBER & LETTER STAMP SETS

- Manufactured from high quality steel and induction hardened for durability and extended life
- Stamping end hardened at 58-62 HRC and the striking end is hardened to 38-43 HRC to prevent splintering
- Striking ends are beveled to prevent breakage and to increase operator safety
- Sets contain:
 - Numbers: "0" - "9" (6 & 9 are interchangeable)
 - Letters: "A" - "Z" and "&" (ampersand)

PROD. NO.	MOD. NO.	Pieces	Characters	Size
391103	NS-030	9	Numbers	3mm (1/8")
391106	NS-050	9	Numbers	5mm (3/16")
391109	NS-060	9	Numbers	6mm (1/4")
391104	LS-030	27	Letters	3mm (1/8")
391107	LS-050	27	Letters	5mm (3/16")
391110	LS-060	7	Letters	6mm (1/4")

 **WARNING:** Always wear safety goggles



Now available in 1/4" (6mm)

STRIKING TOOLS

FIBREGLASS HANDLE STYLE

- High fibreglass content for maximum strength
- Polymer jacketed to prevent splintering
- PVC grips for user comfort and safety
- Overstrike protection on sledge hammers
- Forged steel heads are hardened and tempered for professional use
- Meets A.N.S.I. specifications
- New improved bonding technology rated for use to -25°C

AXES AND MAULS

- Meets A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Type	Weight	Length (Overall)
741107	JH-150F	Hatchet	1-1/2 lbs	16"
741121	JA-250F	Axe	2-1/2 lbs	34"
741123	JA-350F	Axe	3-1/2 lbs	34"
741141	SM-6F	Maul	6 lbs	34"
741142	SM-8F	Maul	8 lbs	34"

CLAW HAMMER

- Meets A.N.S.I. B173.1

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740347	CF16F	16 oz	13"

BALL PEIN HAMMERS

- Meets A.N.S.I. B173.2

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740161	BP-08F	8 oz	11"
740163	BP-16F	16 oz	13"
740164	BP-24F	24 oz	14-1/2"
740165	BP-32F	32 oz	15"

SLEDGE HAMMERS

- Meets A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740532	SH-4F	4lbs	16"
740533	SH-6F	6 lbs	30"
740534	SH-8F	8 lbs	30"
740535	SH-10F	10 lbs	36"
740536	SH-12F	12 lbs	36"
740538	SH-16F	16 lbs	36"

BRICK (DRILLING) HAMMER

- Machined face minimizes slipping and deflection
- Meets A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740952	DH-48F	3 lbs	10-1/2"
740953	DH-64F	4 lbs	10-1/2"

Precision Machined Face

STRIKING TOOLS

HICKORY HANDLE STYLE

- American hickory handles
- Forged steel heads are hardened and tempered for professional use
- Meets A.N.S.I. specifications

CLAW HAMMER

- Meets A.N.S.I. B173.1

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740307	CW16F	16 oz	13"

BALL PEIN HAMMERS

- Meets A.N.S.I. B173.2

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740151	BP-08H	8 oz	11-1/2"
740153	BP-16H	16 oz	14"
740155	BP-24H	24 oz	15"
740157	BP-32H	32 oz	15"

SLEDGE HAMMERS

- Meets A.N.S.I. B173.3

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740522	SH-4H	4 lbs	16"
740523	SH-6H	6 lbs	32"
740524	SH-8H	8 lbs	32"
740525	SH-10H	10 lbs	32"
740526	SH-12H	12 lbs	32"
740528	SH-16H	16 lbs	36"

DEAD BLOW HAMMERS

- Steel shot filled uni-cast PVC jacket
- High visibility safety orange colour

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740912	DB-100	1 lbs	11-1/2"
740913	DB-150	1-1/2 lbs	12-1/2"
740914	DB-200	2 lbs	13-1/2"

RUBBER MALLETS

- Wooden Handle

PROD. NO.	MOD. NO.	Weight	Length (Overall)
740403	RM-16	1 lbs	13-1/4"
740407	RM-32	2 lbs	13-1/2"

CHIPPING HAMMER

PROD. NO.	MOD. NO.
740901	FH-1

