




Spill Control

POLY-LABTRAY™

Brings spill protection to the Laboratory Bench!


- Reduces unrecoverable spills and overflows of liquid and free-flowing powder chemicals during the transfer of materials in the lab
- Holds four one gallon bottles
- Removable grate for easy cleaning, 20 3/4" L x 17 1/4" W
- Moulded-in corner spout makes waste disposal clean, easy and efficient
- 2.5 US gallon sump capacity
- 40-lb static load weight



Order No.	Mfg. No.	Exterior Dimensions					Wt. lbs.
		L"	x	W"	x	H"	
SB768	5248-YE	25	x	21 1/2	x	3	6.5

POLY-SPILLPAD™

- Handles spent batteries, 5-gallon pail, 16-US gallon drums and your small jobs
- Sturdy 22-oz. vinyl provides protection, while an inner polyethylene beam keeps incidental spills contained
- Lightweight and easily moved on floor or travels to prevent incidental spills
- Large sump area allows for an extended response time
- Removable 100% polyethylene grate allows easy access to sump
- Available in different sizes



Order No.	Mfg. No.	Exterior Dimensions					Sump Cap. US Gallons	Load Bearing Cap. lbs.	Wt. lbs.
		L"	x	W"	x	H"			
SD519	5600-YE	31 1/4	x	31 1/4	x	2 1/4	2	4000	13
SD520	5610-YE	31 1/2	x	54	x	2 1/4	7.5	8000	21
SD521	5620-YE	55 1/2	x	55	x	2 1/2	12	16000	25

STINGER YELLOW JACKET™

A lightweight, portable pallet can be carried anywhere to prevent spills from occurring!

- Made of 22-oz. vinyl coated polyester
- Chemical-resistant, stands up to corrosive battery acid, and is a great addition to any spill kit
- Folds up for compact storage and transport
- Unique snap-up support strips create a sturdy sidewall when unit is opened
- Optional polyethylene grates SE553, removable for easy access to the sump
- Grates helps you comply with EPA 40 CFR 264.175 when used with a pallet



Order No.	Mfg. No.	Dimensions					Cap. US Gal.	Wt. lbs.
		L"	x	W"	x	H"		
SE472	5700-YE	48	x	48	x	8	79	6
SE473	5710-YE	48	x	72	x	8	119	8
SE474	5720-YE	48	x	96	x	8	159	11
SE475	5730-YE	96	x	96	x	8	318	18
SE476	5740-YE	96	x	120	x	8	398	23
SE553	7006-BK	48	x	23	x	1 3/4	-	17.5

Note: Interior dimensions for grates are 12" less than the exterior length and width.

Handle hazardous materials with confidence & safety!

TABLETOP SPILLBERM

Capture small spills before they hit the floor!

- 3/4" tall "miniberm" bends to form any shape
- Non-absorbing urethane design allows for easy clean-up
- For use in laboratory, medical and industrial applications
- Dimensions: 48" x 1" x 3/4"
- Weight: 2 lbs.

Order No. SAG331 Mfg. No. 2051





SB758

HAZARD HUT®

The solution to your indoor storage problem is outdoor containment.

- One-piece moulded 100% polyethylene construction so there are no joints or seams to leak
- Moulded-in side vents reduce fumes and condensation inside
- Removable interior decking makes it easy to clean
- 72 US gallon sump capacity ensures leak and spill containment
- Double doors provide easy access for up to four 45-gallon drums
- Double-wall construction and heavy-duty hinges and lock latches keep contents secure
- Four-way forklift entry design
- Loading the Hazard Hut® is easy with the Hazard Hut® Poly Ramp

HAZARD HUT® POLY-RAMP

- Integrally moulded handles
- 5" polyolefin wheels
- 10° slope allows for easy loading
- Ribbed, non-skid surface
- 100% polyethylene



SB759

Order No.	Mfg. No.	Description	Exterior Dimensions			Load Bearing Cap. lbs.	Wt. lbs.
			L"	x W"	x H"		
SB758	4000-YE	Hazard Hut® Door opening	63 1/2	x 67	x 71 1/2	4000	255
SB759	4001-CG	Ramp	115	x 31	x 16 1/2	100	155

POLY-SAFETYPACK®

Safe, secure two-drum storage

- Tough, indoor or outdoor performer protects two 45-gallon drums
- Hinged, gull-wing covers provides convenient, safe access for decanting and removal of drums
- Items inside are protected from the weather with slide-over lid design
- 100% polyethylene has excellent resistance to chemicals as well as weather
- Security locks are included to secure the covers and contents
- Removable polyethylene grating 48" x 24" x 1 3/4"
- Translucent yellow sidewalls allow visual leak detection without removing lids
- Easily handles by forklift or pallet jack from two sides
- For easier mobility, use the Poly-Safetypack® caster frame assembly SE565
- 135 US gallon sump capacity
- **Exterior Dimensions:** 60 1/4" L x 36 1/2" W x 45 3/4" H
- **Interior Dimensions:** 52" L x 26 1/2" W x 37" H



SB757

SE565

Order No.	Mfg. No.	Description	Wt. lbs.
SB757	2038-YE	Poly-Safetypack®	115
SR415	2038-YE-D	Poly-Safetypack® w/drain	115
SE565	2200-BK	Poly-Safetypack® Caster Frame	37

JOB HUT™

Outdoor storage has never been so practical...or so affordable!

- Constructed of tough 100% polyethylene
- Won't rust or corrode
- Moulded-in vents to reduce fumes and condensation inside
- Heavy-duty double-walled doors and lock keep contents secure
- Tie down feature for secure anchorage
- Eight 45-gallon drums capacity
- Load bearing capacity of 8000 lbs.
- 75 US gallon maximum sump capacity (to top of grate) that eliminates the risk of spills or leaks
- Structural foam grates remove for easy cleaning
- Low profile design allows for easy access
- Forkliftable from all sides for effortless handling
- Job Hut™ meets EPA regulation 40 CFR 264.175, is not fire rated
- Multi-purpose work ramp attaches to the Job Hut™ in seconds



Extra-wide doorway allows for easy forklift entry



MULTI-PURPOSE WORK RAMP

Lightweight and easy to handle!

- Featuring a 10° non-skid slope facilitates loading drums quickly and safely
- Load bearing capacity of 1000 lbs.



Order No.	Mfg. No.	Description	Dimensions			Wt. lbs.
			L"	x W"	x H"	
SE563	4010-YE	Job Hut™	90	x 60 1/2	x 93 (ext.)	512
			70	x 51	x 82 (int.)	
SB765	5111-CG	Ramp	25 1/2	x 48	x 6 1/4	30



Spill Control

ULTRA-SPILL PALLET P1 PLUS

- Nearly 50% lower than standard spill pallets
- Safer and less strenuous
- Removable grates feature a non-slip surface
- All models meet EPA Container Storage Regulation 40 CFR 264.175 for use with drums
- Uniformly distributed load: 800 lbs.
- Dimensions: 40" x 40" x 12"
- Containment capacity: 51 lbs.



Order No.	Mfg. No.	Description
SAO959	9606	Without Drain
SAO960	9607	With Drain



POLY-SPILLPALLET™ 6000

Designed to hold the heavy load.

- Includes the same rugged features as the Poly-Spillpallet™ 2000
- Two removable grates
- Forkliftable from all sides
- Holds four 45-gallon drums
- Load bearing capacity of 6000 lbs.
- Sump capacity of 83 US gallons
- Overall dimensions: 50" L x 50" W x 17" H



Order No.	Mfg. No.	Description	Wt. lbs.
SB795	5001-YE	Poly-Spillpallet™	88
SB794	5001-YE-D	Poly-Spillpallet™ w/drain	88

POLY-SPILLPALLET™ 2000

This secondary containment system is engineered to meet the rigors of today's regulatory environment.

- 100% polyethylene provides excellent chemical resistance
- Removable grates for easy cleaning
- Forkliftable on two sides
- Holds two 45-gallon drums
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Available with drain hole and plug
- Meets EPA 40 CFR 264.175
- Overall dimensions: 53 1/2" L x 29" W x 17" H



Order No.	Mfg. No.	Description	Wt. lbs.
SC548	5253-YE	Poly-Spillpallet™	63
SC547	5253-YE-D	Poly-Spillpallet™ w/drain	63



POLY-SLIM-LINE™ 6000

Slim is in!

- Offers all of the same advantages as the Poly-Spillpallet™ 6000
- Features a low 12" profile
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 54" L x 54" W x 12" H

MULTI-PURPOSE RACKER/STACKER™

- Holds up to two 45-gallon drums
- Unit can be placed on the floor (no sump) or on the Poly-Slim Line™ 6000
- Load bearing capacity of 2400 lbs.
- Use with the Poly-Shelf™ for easy dispensing into 5 or 6-gallon pails
- Forkliftable
- Poly-Ramp™ has a capacity of 1000 lbs.



Order No.	Mfg. No.	Description	Dimensions			Wt. lbs.
			L"	x W"	x H"	
SE408	5400-YE	Poly-Slim-Line™	54	x 54	x 12	91
SE409	5400-YE-D	Poly-Slim-Line™ w/drain	54	x 54	x 12	91
SE410	6004-YE	Multi-Purpose Racker/Stacker™	48 1/2	x 41	x 20	87
SB773	6003-YE	Poly-Shelf™	17	x 22	x 17 1/2	10
SB761	5039-CG	Poly-Ramp™	67	x 30 1/2	x 12 3/4	65



IBC 2000i™

Intermediate Bulk Containment made easy!

Integrated IBC 2000i™ gives intermediate bulk container users more versatile spill containment. It fits more than 99% of all IBC dispensing units and features a large sump capacity of 385 US gallons, exceeding EPA 40 CFR 264.175 regulations. The unit also comes with an integrated 5-gallon pail holder for quick and easy dispensing.

- One-piece, lightweight, 100% polyethylene
- Forkliftable and nestable
- Will not rust or corrode or have adverse reactions with chemicals
- Optional drain available
- Sump capacity: 385 US gallons
- Exterior dimensions: 72" L x 80" W x 29" H
- Pedestal dimensions: 55" L x 55 1/2" W x 29" H



Order No.	Mfg. No.	Description	Wt. lbs.
SR446	5469-YE	IBC 2000i™	308
SR685	5469-YE-D	IBC 2000i™ w/drain	308

ULTRA-HARDTOP P2 PLUS®

- Safely store hazardous drums outdoors
- 100% polyethylene construction will not rust or corrode
- Roll-top covers can be easily lifted from waist height to access drum tops
- Low profile (8 3/4") containment pallet positions drum tops at a safe, convenient level to pour wastes into funnels or to use drum pumps
- Meets EPA Container Storage regulation 40 CFR 264.175 and helps meet new Stormwater Management regulations 40 CFR 122.26 (1999)



Order No.	Mfg. No.	Description	Dimensions"
SAP067	9612	Ultra-Hard Top P2 Plus®, no drain	67 1/4 x 41 1/4 x 74
SAP068	9613	Ultra-Hard Top P2 Plus®, with drain	67 1/4 x 41 1/4 x 74
SAP069	9636	Ultra-Hard Top P4 Plus®, no drain	64 1/2 x 62 x 79
SAP070	9637	Ultra-Hard Top P4 Plus®, with drain	64 1/2 x 62 x 79
SAP071	9650	Ultra-Hard Top P8 Plus®, no drain	126 x 62 x 79
SAP072	9651	Ultra-Hard Top P8 Plus®, with drain	126 x 62 x 79
SAP073	9652	Ultra-Hard Top P12 Plus®, no drain	188 x 62 x 79
SAP074	9653	Ultra-Hard Top P12 Plus®, with drain	188 x 62 x 79



ULTRA-IBC HARDTOP®

- Upper roll-top door and lower swing-out doors combine to allow easy and convenient access to IBC
- Safely stores an IBC tank with maximum dimensions 52" x 52" x 61"
- Forkliftable
- Containment capacity of 360 gallons
- Helps meet new Stormwater Management regulations – NPDES, 40 CFR 122.26 (1999)
- Meets EPA Container Storage regulation 40 CFR 264.175



Order No.	Mfg. No.	Description	Dimensions"
SAP078	1162	Ultra-IBC HardTop®, no drain	64 1/2 x 62 x 96
SAP079	1161	Ultra-IBC HardTop®, w/drain	64 1/2 x 62 x 96

POLY-SAFETY PACK® PLUS

- Inside height of 54.25
- Allows the lids to be closed with the pumps in place
- Optional drain
- Exterior dimensions: 60.5" L x 36.5" W x 63.25" H
- Interior dimensions: 51.25" L x 26.25" W x 54.25" H
- 270 US gallon sump capacity



Order No.	Mfg. No.	Description	Wt. lbs.
SR416	2077-YE	Poly-Safety Pack® Plus	140
SR417	2077-YE-D	Poly-Safety Pack® Plus w/drain	140



Spill Control

WORKSTATIONS™

Workstations™ are the easiest to load with low profile design and optional ramp. One piece construction optimizes space for increased durability, safety and efficiency. With ample sump capacity in each workstation, this secondary containment product is perfect for a dispensing station or work centre. Each workstation is designed for stand-alone use or combines with other workstations for a customized work area. The rolled-edge design helps resist cracking and warpage.

- Tough polyethylene construction, cannot rust or corrode
- *Multi-Purpose Work Ramp™* hooks into any workstation for easy loading
- Heavy-duty removable structural foam grates for easy cleaning



Link-Lock™

Link-Lock™

- Link and lock multiple workstations together in a wide variety of configurations
- Made of 100% polyethylene
- Sold in pairs

Order No.	Mfg. No.	Description	Exterior Dimensions L" x W" x H"	Sump Cap. US Gallons	Load Bearing Cap. lbs.	Wt. lbs.
SR437	5117-YE	2-drum	53 x 28 1/2 x 6	22	2400	40
SR436	5116-YE	4-drum	52 1/2 x 53 x 6	43	6000	73
SR435	5115-YE	6-drum	76 1/2 x 53 x 6	61	7000	104
SB764	5110-YE	8-drum	100 x 53 1/4 x 6	77	8000	139
SB765	5111-CG	Work Ramp™	25 1/2 x 48 x 6 1/4	-	1000	30
SR434	5112-CG	Link-Lock™	9 1/2 x 7 x 3 1/2	-	-	1.5

SPILLPAL™ FLEXIBLE WORKSTATION

The flexible-sidewall *Spillpal™* is the easiest to use and the most affordable hazardous material storage product on the market today. *Spillpal™* provides incidental spill control during temporary storage of drums, machine parts, tanks and generators and can also be used as a washdown pad or pumping station. An alternative to hard plastic pallets, *Spillpal™* features 4" high foam sidewalls that spring back into place after any type of pressure is applied.

- Folded unit ships easily
- When not using, store on a shelf, freeing up valuable floor space
- Easy drive-in and drive-out with a hand truck or forklift



Order No.	Mfg. No.	Description	Exterior Dimensions L' x W' x H"	Sump Cap. US Gallons	Wt. lbs.
SAF814	5750-YE	1-drum	2 x 2 x 4	10	2.0
SAF815	5755-YE	2-drum	2 x 4 x 4	20	3.0
SAF816	5760-YE	4-drum	4 x 4 x 4	40	4.5
SAF817	5765-YE	4-drum In-Line	2 x 8 x 4	40	5.5
SAF819	5775-YE	8-drum	4 x 8 x 4	80	7.5



ULTRA-SPILLDECK BLADDER SYSTEM

- Hidden containment bladder automatically unfurls to capture large spills or drum leaks
- Low profile, rugged, double layer polyethylene containment decks
- Low 5" deck height allows safe and convenient drum loading, even without drum handling equipment
- Meets EPA container storage regulations 40 CFR 264.175 and Uniform Fire Code Spill Containment regulations

Note: *SpillDecks* do not require usage of the bladder attachment to meet EPA and Uniform Fire Code regulations. Require adequate aisle space to allow the bladder to unfurl properly.

SE413



Order No.	Mfg. No.	Description	Dimensions			Total Containment Capacity US gallons	Wt. lbs.
			L"	x W"	x H"		
SE411	1320	1-drum, 11 US gal cap.	25 7/8	x 30 1/2	x 5 3/4	66	27
SE412	2329	2-drum, 22 US gal cap.	52	x 30 1/2	x 5 3/4	77	44
SE413	2330	4-drum, 44 US gal cap.	52	x 56 5/8	x 5 3/4	99	66
SE414*	2317	Bladder Attachment	25 1/8	x 4 5/8	x 4 5/8	-	4
SE415	2320	Replacement Bladder	66	x 58 (unfurled)		55	2

* w/bladder


Order No.	Mfg. No.	Ultra-In Line Spill Deck Descriptions	Dimensions			Capacity US gallon	Wt. lbs.
			L"	x W"	x H"		
SAP042	2360	3 Drum	77 7/8	x 25 7/8	x 5 3/4	88	67
SAP043	2361	4 Drum	104	x 25 7/8	x 5 3/4	99	84
SAP044	2333	5 Drum	129 7/8	x 25 7/8	x 5 3/4	110	107
SAP045	2334	6 Drum	156	x 25 7/8	x 5 3/4	166	132



LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000

Store drums in-line near the wall, between columns and in all those spaces you thought were unusable.

- 100% polyethylene
- Holds four 45-gallon drums
- Low 12" profile
- Raised edge on back and sides helps orient drums on pallet
- Non-skid, removable grates
- Load bearing capacity of 3000 lbs.
- Sump capacity of 66 US gallons
- Overall dimensions: 98" L x 25 1/4" W x 12" H
- *Poly-Ramp™* allows for easy loading of pallet



SB761



SB762

Order No.	Mfg. No.	Description	Wt. lbs.
SB762	5102-YE	Poly-Spillpallet™	80
SB763	5102-YE-D	Poly-Spillpallet™ w/drain	80
SB761	5039-CG	Poly-Ramp™	65

DRUM HARDCOVER AND SPILLPALLET™ SYSTEMS

- Ideal for indoor/outdoor storage of drums
- Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem
- Top or front loadable
- *Poly-Ramp™* available to assist in the loading of drums
- Optional drain

2-Drum Hardcover and Spillpallet™


- Holds up to two 45-gallon drums
- Used in conjunction with the *Poly-Spillpallet™ 2000*
- Load bearing capacity of 2000 lbs.
- Sump capacity of 58 US gallons
- Ramp extender to accommodate 17" high pallets

4-Drum Hardcover and Spillpallet™

- Holds up to four 45-gallon drums
- Used in conjunction with the *Poly-Slim-Line™ 6000*
- Load bearing capacity of 6000 lbs.
- Sump capacity of 66 US gallons



SI743
2-Drum System



SI740
4-drum system with optional ramp

Order No.	Mfg. No.	Description	Ext. Dimensions L" x W" x H"	Wt. lbs.
2-DRUM SYSTEM				
SI743	4062-YE	Hardcover and Spillpallet™	60 x 37 x 72	210
SI744	4062-YE-D	Hardcover and Spillpallet™ w/drain	60 x 37 x 72	210
SI745	4052-YE	Hardcover only	60 x 37 x 72	134
SC548	5253-YE	Poly-Spillpallet™ 2000	53 1/2 x 29 x 17	63
SC547	5253-YE-D	Poly-Spillpallet™ 2000 w/drain	53 1/2 x 29 x 17	63
SB761	5039-CG	Poly-Ramp™	67 x 30 1/2 x 12 3/4	65
SI746	5038-CG	Ramp Extender	29 1/2 x 8 1/2 x 6 1/2	6
4-DRUM SYSTEM				
SI740	4064-YE	Hardcover and Spillpallet™	65 x 58 x 69	269
SI741	4064-YE-D	Hardcover and Spillpallet™ w/drain	65 x 58 x 69	269
SI742	4054-YE	Hardcover only	65 x 58 x 69	206
SE408	5400-YE	Poly-Slim Line™ 6000 Pallet	54 x 54 x 12	91
SE409	5400-YE-D	Poly-Slim Line™ 6000 w/drain	54 x 54 x 12	91
SB761	5039-CG	Poly-Ramp™	67 x 30 1/2 x 12 3/4	65

ULTRA-IBC SPILLPALLET PLUS®

- Low profile, 28" overall height allows safe and convenient IBC tank handling and dispensing
- All polyethylene construction will not rust or corrode
- Forkliftable
- Large 52" x 52" deck allows safe and convenient placement of IBC tanks
- Small 62" x 62" footprint requires minimal floor space
- 360-gallon sump capacity meets *EPA Container Storage* regulations
- Available with optional bucket shelf (SAP077) which catches leaks or spills during dispensing



Order No.	Mfg. No.	Description	Dimensions"				
SAP075	1157	Ultra-IBC SpillPallet Plus®, w/o drain	62	x	62	x	28
SAP076	1158	Ultra-IBC SpillPallet Plus®, w/drain	62	x	62	x	28
SAP077	1160	Ultra-Bucket Shelf	19 1/2	x	16	x	14 1/2



Spill Control

GATOR® SPILL CONTROL PALLETS

Leading the Advancement of Safety!

Multifunctional units improve productivity, keep personnel safe from accidental slips, limit liability and cleanup costs from hazardous spills.

- Moulded of *Gator-Tuff*, UV protected polyethylene
- Nearly impervious to chemical attack from hazardous acids, caustics and solvents, and they resist deterioration in rough environments
- Ideal platforms for 30 and 55 US gallon drums or other containers stored indoors
- Seamless construction eliminates leaks
- Oversized spill sump meets or exceeds the most stringent of spill containment regulations
- Self-locating grates lift off quickly for cleanup
- A low profile assures convenience and ease of loading
- Wide forklift pockets facilitate relocation of loaded pallets
- Grey colour hides grime and dirt to keep your workplace looking clean
- Choose from square or in-line configurations
- Square pallet accommodates four drums and can be equipped with a ramp to facilitate loading and unloading of heavy drums
- In-line styles are designed for two, three or four drums
- Three and four-drum in-line units are not forkliftable
- Complies with 40CFR 264.175 and *Uniform Fire Code*



SAH571
4-drum square
with SAH576 ramp

SAH568



Super strength

Long lasting *Gator*® pallets offer super strong, nearly 2 1/2" thick grates for superior crack resistance. Self-locating, they reduce the chance of grate "ride-up" and remove for easy cleaning. Sturdy, low profile design features a unique sump with multiple integral structural supports to handle heavy loads.

Order No.	Mfg. No.	Description	Exterior Dimensions			Sump Cap. US Gallons	Load Bearing Cap.	Wt. lbs.
			W"	x	D" x H"			
WITHOUT DRAIN								
SAH568	28234	2-drum, in-line	49	x	25 x 15 1/2	66	2500	43
SAH569	28703	3-drum, in-line	73	x	25 x 11 5/8	75	3750	58
SAH570	28704	4-drum, in-line	97	x	25 x 9	75	5000	77
SAH571	28254	4-drum, square	49	x	49 x 10 1/4	72	5000	68
WITH DRAIN								
SAH572	28236	2-drum, in-line	49	x	25 x 15 1/2	66	2500	44
SAH573	28713	3-drum, in-line	73	x	25 x 11 5/8	75	3750	58
SAH574	28714	4-drum, in-line	97	x	25 x 9	75	5000	77
SAH575	28256	4-drum, square	49	x	49 x 10 1/4	72	5000	73
ACCESSORIES								
SAH576	28921	Ramp for SAH571	49	x	33 x 10 1/2	-	1000	40

GATOR® ACCUMULATION CENTRES

Leading the Advancement of Safety!

LOW PROFILE GATOR® ACCUMULATION CENTRES

- Economical solution to spill concerns during drum filling and dispensing operations
- Ideal for chemical or battery storage needs
- *Gator-Tuff* seamless construction in 100% polyethylene eliminates leaks
- Nearly impervious to chemicals including acids and corrosives
- Sturdy, self-locating grates eliminate the chance of ride-up and remove for easy cleaning

COMPANION RAMP

- Facilitates loading and unloading of heavy drums
- Features anti-skid ribs for maximum safety
- Can be conveniently located anywhere, on any size centre
- Combine 2, 4, 6, and 8-drum modular units to create your own customized system with convenient joining clips


JOINING CLIPS

- Firmly lock units together and expand your storage space
- Sumps remain separate and clips can be removed for easy repositioning
- In applications calling for a continuous sump, optional *Sump-to-Sump*™ drain kit provides easy field fit retrofit
- Stainless steel

SUMP-TO-SUMP™ DRAIN KIT

- Allows to join centres together, on site, for full compliance with EPA and UFC regulations
- When combined sump capacities meet 66 gallons US
- Includes: 1 pair stainless steel joining clips
1 pair rubber grommets
1 *Teflon*® transfer tube

Build your own customized system. By joining centres together for a total of 66-gallon capacity, you will meet EPA and UFC requirements with the *Sump-to-Sump*™ Drain Kit.



Order No.	Mfg. No.	Description	Exterior Dimensions			Sump Cap. US Gallons	Load Bearing Cap. lbs.	Wt. lbs.
			W" x D" x H"					
SAH577	28922	2-drum unit	49	x	25 x 5 1/2	22	2400	40
SAH578	28923	4-drum unit	49	x	49 x 5 1/2	43	6000	69
SAH579	28924	6-drum unit	73	x	49 x 5 1/2	64	7000	93
SAH580	AK28905	8-drum unit	97	x	49 x 5 1/2	85	8000	185
ACCESSORIES								
SAH581	AK28906	Ramp	48	x	33 x 6 1/4	-	1000	41
SAH582	28926	Joining Clips	4	x	2	-	-	2
SAH583	28927	<i>Sump-to-Sump</i> ™ drain kit	-			-	-	1.2



THE POLY-RACK™ SYSTEM

The most efficient dispensing/storage system!

Poly-Racker™


- One-piece polyethylene rack that holds two 45-gallon drums securely in place
- 100 plus gallon containment sump ensures spill safety even in worst-case drum leaks
- Deep dispensing well easily holds 5-gallon pails without contaminating the sump
- Dispensing wells have a scalloped edge so pails can be easily removed
- Both sides of the unit have a drain plug
- Entire unit can be transported by forklift
- Rated to hold up to 3000 lbs.
- Can easily handle up to six drums when used with two *Poly-Stacker™*

POLY-STACKER™

- Holds two 45-gallon drums
- Can be quickly stacked with a forklift
- Any spills from the second and third level falls into the dispensing well for containment and easy cleanup
- Increase safety and productivity by adding *Poly-Shelf™* to the *Poly-Racker™* System

POLY-SHELF™

- It easily attaches to *Poly-Stacker™*
- Allows simultaneous dispensing from all drums
- A hole in the bottom of the *Poly-Shelf™* drains into the dispensing well in the *Poly-Racker™*



Order No.	Mfg. No.	Description	Max Capacity	Dimensions					Wt. lbs.
				L"	x	W"	x	H"	
SB771	6000-YE	<i>Poly-Racker™</i>	3000	49	x	52 1/2	x	22 1/2	120
SB772	6002-YE	<i>Poly-Stacker™</i>	2400	49	x	41	x	13	56
SR466	6006-YE	<i>Single Poly-Racker™</i>	1600	31	x	53	x	32	95
SR467	6007-YE	<i>Single Poly-Stacker™</i>	800	31	x	40.5	x	20	50
SB773*	6003-YE	<i>Poly-Shelf™</i>	10	17	x	22	x	17 1/2	10

*Use only with *Poly-Racker™* or *Poly-Stacker™*



POLY-OVERPACK® 95 SALVAGE DRUM

Lightweight polyethylene Overpack can contain a broad range of hazardous chemicals including acids and corrosives!

- Damaged and deformed drums can be overpacked easily
- Twist on lid with a closed cell polyethylene gasket can be closed securely and easily by using any long object, like a two-by-four
- Accepts all 45 gallon drums used in emergency response, secondary containment, transportation and clean-ups
- Meets performance-oriented packaging requirements of U.S. DOT and UN regulations as well as Group 1 packaging standards and salvage drum regulations
- Moulded area allows for easy gripping and pick-up by material handling equipment
- **Exterior dimensions:** 31 3/4" top dia. x 26" bottom dia. x 41 1/2" H
- **Interior dimensions:** 27" top dia. x 24 3/4" bottom dia. x 37" H
- 95 US gallon sump capacity



Order No.	Mfg. No.	Description	Wt. lbs.
SB756	1237-YE	Poly Overpack® 95	48
DA224	90S	Drum Lifter	21



Spill Control

POLY-SPILLCART™


Eliminates risk of spills during transport!



- Tough polyethylene construction cannot rust or corrode
- Dual drain plugs let you empty sump easily
- Removable structural foam grate for easy cleaning
- Built-in tool tray keeps tools and other small objects clean and handy
- Polyolefin wheels
- Rear wheels move around freely, brake for secure position
- Available as an All Terrain Cart with heavy-duty pneumatic rubber wheels
- Dimensions: 66 1/2" L x 29" W x 43 3/4" H
- 45-gallon sump capacity
- 500-lb load bearing capacity

Large internal sump holds incidental spills.

Built-in tool tray keeps tools and other small objects clean and handy.



Drain plug lets you empty sump easily.

Rear casters pivot 360° to let you move around freely; each with wheel brakes for securing position.

Order No.	Mfg. No.	Description	Wt. lbs.
SB766	5200-YE	Poly-Spillcart™	101
SR438	5200-YE-A	Poly-Spillcart™ ATC*	106

*All Terrain Cart with heavy-duty pneumatic rubber wheels.

POLY-DOLLY®

The multi-functional, two-wheel dispensing station!

- Transports 45-gallon drums with ease
- Tilts to become an efficient self-dispensing station
- Acts as its own secondary containment unit
- Integrally moulded handles for extra strength
- Double looped strap for easy loading
- Accessible to forklift from the rear
- Raised ribbed dispensing well
- Drain plug for removal of contents from sump
- Available as an All Terrain Dolly
- Dimensions: 69" L x 32 1/2" W x 26 1/2" H
- 80 US gallon sump capacity
- 600-lb load bearing capacity

Order No.	Mfg. No.	Description	Wt. lbs.
SB769	5300-YE	Poly-Dolly®	92
SB770	5300-YE-A	Poly-Dolly® ATD*	96
SR444	5312-YE-A	Poly-Dolly® Cover	-

*All Terrain Dolly with heavy-duty pneumatic rubber wheels.



SR444

SB769





SPILL SCOOTER™

Provides secondary containment for incidental spills & drips which often occur during vertical dispensing applications!

- Polyethylene construction
- Contains incidental spills and drips
- Spout included for easy draining
- Fits drums up to 45 gallons
- Optional metal T-handle available separately, 36 5/8" long
- **Dimensions:**
34 1/2" diameter x 9" high
- 500-lb load bearing capacity
- 10 US gallon capacity



Order No.	Mfg. No.	Description	Wt. lbs.
SB767	5205-YE	Spill Scooter™	22.5
SC554	5206-BK	T-handle	4

DRUM TRAYS

The incidental spill solution!

- Catch liquid before it reaches the floor, reducing the risk of slip and fall injuries
- Ideal for use as a drum pumping station
- Secondary containment unit features a unique geometric design covering more floor area
- Drain hole makes emptying easy

DRUMS-UP™

- Control nuisance spills from drums with a 19 1/2 US gallon capacity
- Contains drips for containers up to 45 gallons

DRUMS-UP JR™

- Containment for 16 to 30 US gallon drums and 5-gallon pails
- 7 1/2 US gallon capacity



Order No.	Mfg. No.	Description	Dimensions Dia" x H"	Wt. lbs.
DA104	8091-YE	Drums-Up™	34 x 7 1/4	12
SD361	8200-YE	Drums-Up Jr.™	21 1/2 x 7 1/2	4

DRIP CATCHER DOLLY

Oversize drum dolly catches drips in the pan, keeps area around drum clean!

- Handles standard 45-gallon drums and larger containers up to 27" in diameter
- 2" lip contains drips
- Absorbent sock included
- 3 3/4" x 1/4" rubber casters
- **Overall dimensions:**
31 1/2" dia. x 5 3/4" H
- 1000-lb capacity
- Weight: 26 lbs.

Order No. DA600

Mfg. No. 9713



MAINTENANCE BLANKET™

Designed to be used under vehicle during maintenance, or under leaking equipment. Made of 8-oz. non-woven geotextile 100 mil thick backed by a 20 mil layer of fuel and chemical resistant polyethylene. The *Maintenance Blanket™* provides a protective sorbent pad between the service item and the placement area.

- Compact for easy storage and use (can be rolled or folded)
- Helps protect floors from slip-and-fall hazards
- Eliminates the need to carry bulky or heavy cleanup materials



Order No.	Mfg. No.	Dimensions'	Cap. US Gal.
SAI925	4720-BK	4 x 15 x 120 mil	6
SAI926	4725-BK	6 x 12 x 120 mil	7
SAI927	4730-BK	8 x 10 x 120 mil	8
SAI928	4735-BK	10 x 10 x 120 mil	9

DRIPILLOW BERM™

Have a small leak or spill? *Dripillow Berm™* comes in four sizes to capture small leaks and drips, and with its stable weighted base, it will not tip or splash in windy conditions. Eliminates nuisance drips under vehicles, hydraulic lines, or equipment.

- No tipping or splashing
- Grommets in the corners provide attachment points
- Fold for easy carrying
- Replaceable UV protected pad available



Order No.	Mfg. No.	Description	Exterior Dim. L" x W" x H"	Cap. US Gal.	Wt. lbs.
SAH552	5650-YE	Small	22 x 22 x 3	1	7
SAH553	5660-YE	Medium	24 x 36 x 3	2	9
SAH554	5670-YE	Large	24 x 54 x 3	3	11
SAH555	5680-YE	X-Large	38 x 42 x 3	4	9

REPLACEMENT PADS

Order No.	Mfg. No.	Description
SAH556	5655-WH	Small, 5 per box
SAH557	5665-WH	Medium, 5 per box
SAH558	5675-WH	Large, 5 per box
SAH559	5685-WH	X-Large, 5 per box



Spill Control

POLY-OVERPACK® 65 SALVAGE DRUM

- Appropriate for 30 US gallon drums
- Nests for easy storage
- Gasket in the lid for secure containment
- Can be used as a spill kit container
- Light enough for one person to handle and large enough to pack sufficient absorbent for incidental spills
- Meets Group 1 packaging standards, salvage drum regulation
- Meets performance-oriented packaging requirements of US DOT and UN regulations
- **Exterior dimensions:** 28 1/4" top dia. x 23" bottom dia. x 37.37" H
- **Interior dimensions:** 23 1/2" top dia. x 21 3/4" bottom dia. x 33 1/2" H
- Maximum handling capacity: 440 lbs.



Order No.	Mfg. No.	Description	Wt. lbs.
SE471	1065-YE	Poly-Overpack® 65	45

DRUM/OVERPACK LIFTERS

- A safe method of moving 45-gallon steel drums
- Design allows for quick, gentle loading drum stays upright during lift
- Low-profile clamp design on 45-gallon lifter lowers open (lid must be on) or closed head steel drums all the way to bottom of overpack
- 70-gallon overpack lifter picks up both 70-gallon steel overpack drums and 45-gallon steel drums
- Universal DA876 handles many lever-lock closure fibre drums typical steel drums and 45-gallon rimmed plastic drums
- Capacity: 1000 lbs.

Order No.	Mfg. No.	Description	Wt. lbs.
DA224	90S	45-gal. Lifter	21
DA225	90S-A	70-gal. Overpack/45-gal. Lifter	22
DA876	92	Universal Lifter	25



WHEELED OVERPACK™ SALVAGE DRUM

Wheeled Overpack™ is the first mobile one-piece Overpack on wheels that can handle 55 US gallon drums. A salvage drum and dolly all in one, it eliminates the need for a separate dolly for transportation. Ideal for spillkits, these polyethylene UN rated salvage drums have the built-in handles and 6" polyolefin wheels, that allow for easy steering through doorways or around any obstacle. Also available in 6" pneumatic wheels.

- Built-in handle and wheels, no more need for separate dolly!
- Fits through doorways
- Choose polyolefin wheels for indoor, or rubber wheels (pneumatic) for outdoor use
- UN rated salvage drum
- Sump capacity of 95 US gallons

OVERPACK™ 50

- **Exterior dimensions:** 24 1/2" top dia. x 18 1/2" bottom dia. x 39 1/2" H
- **Interior dimensions:** 20" top dia. x 17 3/4" bottom dia. x 34 1/2" H

OVERPACK™ 95

- **Exterior dimensions:** 32" top dia. x 36" bottom dia. x 47" H
- **Interior dimensions:** 27" top dia. x 25" bottom dia. x 37" H



Order No.	Mfg. No.	Description	Sump Capacity	Wt. lbs.
OVERPACK™ 50 DRUM				
SAL223	1259-YE	Polyolefin wheels	50	38
OVERPACK™ 95 DRUM				
SAH549	1299-YE	Polyolefin wheels	95	56
SAH550	1299-YE-A	Pneumatic wheels	95	56



POLY-OVERPACK® 20 & 30

20 and 30-gallon salvage drums are versatile units that can directly contain solids and sludges with security. With a 1/2-turn lid, this ergonomically designed unit allows for easy access, unlike traditional "hoop-ring designs". Units are also nestable, which allows for ease of shipment.

- Nestable for compact shipment
- 1/2-turn lid for easy opening and closing
- Built-in shoulder for easy handling
- UN rated salvage drums

POLY-OVERPACK® 20

- Accepts bottles, cans, and 5-gallon pails,
- **Exterior dimensions:**
23" top dia. x 18" bottom dia. x 19" H
- **Interior dimensions:**
21 1/2" top di. x 17" bottom dia. x 17 1/2" H
- 20 US-gallon sump capacity

POLY-OVERPACK® 30

- Unit can contain up to 16 US gallon drums
- **Exterior dimensions:**
23" top dia. x 18" bottom dia. x 30" H
- **Interior dimensions:**
21 1/2" top dia. x 17" bottom dia. x 28 1/2" H
- 30 US-gallon sump capacity



Order No.	Mfg. No.	Description	Wt. lbs.
SAG189	1220-YE	Poly-Overpack® 20	10
SAH551	1230-YE	Poly-Overpack® 30	13

POLY-COLLECTOR™

The Poly-Collector™ portable hazardous materials collection systems put mobility into containment so you go where the waste is.

- Caster-mounted container
- Built of tough UV-stabilized polyethylene for excellent chemical resistance to a broad range of industrial materials
- Equipped with the universal Poly-Drum Funnel™ to prevent over-spills while allowing multiple oil filters, pails, and cans to drain at once
- Ideal for collecting waste oil, antifreeze and chemicals
- Drum dolly available, 27" top diameter x 1 1/2" H

POLY-COLLECTOR™ 66

- Poly outer shell holds 66 US gallons
- Inner drum holds 55 US gallons
- **Interior dimensions:**
27" top dia.
25 3/4" bottom dia.
29 1/4" H
- Available with shell only,
70 US-gallon sump capacity

POLY-COLLECTOR™ 110

- Outer shell holds 105 US gallons
- Poly inner drum that holds 55 US gallons
- Twist-on lid ensures safe and easy closure
- **Interior dimensions:**
27 1/4" top dia.
24 3/4" bottom dia.
41 1/4" H



Poly-Collector™ 110



Order No.	Mfg. No.	Description	Exterior Dimensions			Wt. lbs.
			Top Dia"	Bottom Dia."	H"	
POLY-COLLECTOR™ 66						
SE554	8001-YE	w/Steel Drum*	32 1/2	x 26 1/4	x 42	92
SE555	8002-YE	w/Poly Drum*	32 1/2	x 26 1/4	x 42	78
SE556	8075-YE	Shell Only	32 1/2	x 26 1/4	x 31	29.5
POLY-COLLECTOR™ 110						
SE558	8081-YE	w/Steel Drum*	31 3/4	x 25 3/4	x 49	111.5
SE557	8080-YE	w/Poly Drum*	31 3/4	x 25 3/4	x 49	97.5
DOLLY						
SE153	8050-BU	Drum Dolly	27 1/2	x -	x 5	17.5

*Dolly included

METAL SALVAGE DRUM

- Heavy gauge steel drum is recommended for containing leaking drums of petroleum solvents
- Accepts up to 45-gallon drums
- Comes with hoop ring closure
- **Exterior dimensions:** 28" dia. x 40" H
- 85 US gallon capacity
- Meets DOT49 CFR 173.3

Order No.	Mfg. No.	Description	Wt. lbs.
SB992	28085	Salvage Drum	78





Spill Control

PROWLER POOL™

Need immediate spill response? *Prowler Pool™* is a high density polyethylene pop-up pool that offers excellent chemical resistance to the widest range of chemicals, acids, leaded and unleaded gasoline, diesel fuels and other hazardous materials. The translucent *Prowler Pool™* allows for at-a-glance verification of fill level upon comparing it to the marked gallonage.

- Puncture, abrasion and cold temperature resistant down to -65°F
- Translucent for easy identification of volume of containment
- Opaque colour coding ring allows for easy size identification
- Lightweight and compact



Order No.	Mfg. No.	Description	Dimensions Base" x Top" x H"	Sump Cap. US Gallons	Wt. lbs.
SR477	5920-OP	Blue Ring	28 dia. x 18 dia. x 13	20	2
SR479	5966-OP	Red Ring	48 dia. x 36 dia. x 13	66	3
SR686	5900-OP	Green Ring	48 dia. x 32 dia. x 18	100	5
SR478	5950-OP	Yellow Ring	78 dia. x 60 dia. x 18	150	5



Prowler Pool™

HOSE WRAP™

Does your industrial hose or fitting have a leak? Contain it and prevent costly leaks and spills that can cause injuries to your workers, with the *Hose Wrap™*. It will absorb any leaks for hoses and fittings from 2" up to 10" in size.

- Made of rugged and resistant 22-oz/30 mil material and an integrated sorbent pad
- Integrated sorbent pad absorbs hydrocarbons
- Wraps hoses and fittings, 2" up to 10"
- Colour coding allows for ease of recognition of sizes to fit the correct application
- Hook and loop closure system holds the wrap around the leak



Order No.	Mfg. No.	Fits Hose"	Colour	Wt. lbs.
SAH560	4702-RD	2 - 3	Red	0.5
SAH561	4704-YE	4 - 5	Yellow	0.7
SAH562	4706-BU	6 - 8	Blue	1.0
SAH563	4710-GN	10	Green	1.1

HOSE BIBB™



Safely wrap quick disconnect fittings or other hose attachment ends to absorb small leaks when disconnecting hoses from industrial equipment.

- Tether closure system to hold the unit around the hose and fitting
- Made of rugged and resistant 30 mil. material
- Lightweight, high visibility yellow colour
- Integrated internal sorbent allows for containment up to 1 quart of oil, hydraulic, or other hydrocarbons
- For up to 3/4" quick-disconnect fittings
- Maximum opening: 2.5"
- Absorption capacity: 8 oz.
- Holding capacity: 1 pint
- 5 per box, sold per box

Order No. SAH564 Mfg. No. 4701-YE





UNIVERSAL POLY-DRUM FUNNEL™

A universal funnel that fits open and closed-head 55 US gallon and 30 US gallon drums! No more decisions about which funnel goes with which drum. Add the optional cover for more value!

- Exclusive features include patented scalloped design, high sidewall and bung fitting holders
- For use with 30 and 55 US gallon drums
- Funnels nest for compact shipment
- Safety funnel includes a non-sparking safety bung closure with flame arrestor for use with flammable liquids
- Optional cover keeps the weather out
- **Exterior dimensions:** 26" dia. x 5 1/2" H
Interior dimensions: 22" dia. x 4" H



Order No.	Mfg. No.	Description	Wt. lbs.
SAH565	3004-YE	Funnel	3
SAH566	3004-YE-SF	Safety Funnel	5
SAH567	3040-YE	Funnel Cover	3

POLY-PAIL FUNNEL™

Mounts to 3 1/2, 5 and 6-gallon tight-head pails. Also fits open top pails with 12" diameter. Optional Poly-Pail Funnel™ cover available.

POLY-PAIL FUNNEL™

- **Exterior dimensions:** 9 1/4" top dia. x 11" bottom dia. x 2 3/4" H
Interior dimensions: 8 1/2" x 2 3/8" side wall height

POLY-PAIL FUNNEL™ COVER

- **Exterior dimensions:** 9 3/8" dia. x 2 3/8" H



Order No.	Mfg. No.	Description	Wt. lbs.
DA098	3005-YE	Poly-Pail Funnel™	2
SG291	3051-YE	Poly-Pail Funnel™ Cover	3

POLY-DRUM TOPPER™

Snaps directly onto any 45-gallon open or closed-head drum to keep out debris and protect drum tops.

Exterior dimensions: 25 1/4" dia. x 3 3/4" H.



Order No.	Mfg. No.	Description	Wt. lbs.
SR424	3065-CG	Poly-Drum Topper™	1.5

SAFETY DRUM FUNNELS

Suitable for handling flammables, minimizes potentially dangerous spills. Large 10 3/4" mouth provides quick dumping. Steel construction with 6" flame arrestor for DA102 and 32" flame arrestor for DA101. Hinged cover with fusible link reduces spread of vapours. 2" NPS. FM approved.



Order No.	Mfg. No.	Description	Wt. lbs.
DA101	8-205	32" flame arrestor	12
DA102	8-207	6" flame arrestor	12

SAFETY FUNNEL WITH FILL VENT

Provides safe waste solvent disposal due to automatic pressure and vacuum relief. 9" diameter polyethylene funnel comes with brass safety vent and 6" flame arrestor. Cap comes with safety chain to prevent loss. 2" NPS. FM approved. Weight: 4 lbs.

Order No. DA103
Mfg. No. 8211





Spill Control

CHEMICAL APPLICATION GUIDE

Chemical	Oil only Polypropylene	Universal Polypropylene	Universal Cellulose	Chemical	Oil Only Polypropylene	Universal Polypropylene	Universal Cellulose
Acetaldehyde		x	x	Hexane	x	x	x
Acetic Acid		x		Hydrazine		x	
Acetic Anhydride		x		Hydrochloric Acid		x	
Acetone	x	x	x	Hydrofluoric Acid		x	
Acetyl Chloride		x		Hydrogen Cyanide	x	x	
Acrolein	x	x		Hydrogen Peroxide		x	x
Acrylonitrile		x	x	Isobutyl Alcohol	x	x	x
Acrylic Acid		x		Isobutyric Acid	x	x	
Acrylic Emulsions		x	x	Isopropyl Acetate	x	x	x
Aminobenzoic Acid		x		Kerosene	x	x	x
Ammonia (Anhydrous)	x	x	x	Keytones	x	x	x
Ammonium Hydroxide	x	x	x	Linseed Oil	x	x	x
Amyl Acetate	x	x		Lubricating Oil	x	x	x
Anilinen		x	x	Magnesium Hydroxide		x	
Aviation Fuel	x	x	x	Methyl Chloride	x	x	
Benzene	x	x	x	Methyl Ether	x	x	x
Benzoic Acid		x		Methyl Ether Ketone	x	x	x
Benzonitrile		x		Methyl Propionate	x	x	x
Benzoyl Chloride		x		Mineral Oil	x	x	x
Benzyl Alcohol		x	x	Motor Oil	x	x	x
Boric Acid		x		Naphthalene	x	x	x
Brake Fluid	x	x	x	Nitric Acid		x	
Bromine		x		Nitrobenzene		x	
Butyl Acetate	x	x		Nitrobenzoic Acid		x	
Butyl Alcohol	x	x	x	Nitrotoluene	x	x	x
Butyric Acid	x	x		Octane	x	x	x
Butylamine		x	x	Oleic Acid	x	x	
Calcium Hydroxide		x		Olive Oil	x	x	x
Carbolic Acid		x		Paraffin	x	x	x
Carbon Disulfide		x		Perchloroethylene	x	x	x
Carbon Tetrachloride	x	x	x	Petroleum Ether	x	x	x
Castor Oil	x	x	x	Phenol		x	x
Chlorine Water		x		Phosphoric Acid		x	
Chloroacetic Acid		x		Plating Solutions		x	
Chlorobenzene		x		Potassium Hydroxide		x	
Chloroform	x	x	x	Propanal		x	x
Chromic Acid (50%)		x		Propionic Acid	x	x	
Citric Acid		x		Propyl Alcohol	x	x	x
Corn Oil	x	x	x	Quinoline		x	
Cottonseed Oil	x	x	x	Resorcinol		x	
Cresol	x	x	x	Salt Solutions (metallic)		x	x
Cyclohexane	x	x	x	Silicone Oil	x	x	x
Detergents		x	x	Silver Nitrate		x	x
Dichlorobenzene	x	x		Soap Solution (concentrated)	x	x	x
Diethylamine	x	x		Sodium Bicarbonate		x	x
Diethyl Ether	x	x	x	Sodium Chloride		x	x
Disooctyl Phthalate	x	x	x	Sodium Hydroxide		x	x
Dinitrobenzene	x	x		Sodium Hypochlorite		x	x
Ether	x	x	x	Stannic Chloride		x	
Ethyle Acetate	x	x	x	Starch		x	
Ethyl Alcohol	x	x	x	Styrene	x	x	x
Ethyl Benzene	x	x		Sucrose		x	x
Ethyl Chloride	x	x		Sulfuric Acid		x	
Ethyl Ether	x	x	x	Synthetic Motor Oil	x	x	x
Ethyl Propionate	x	x	x	Tannic Acid		x	
Ethylene Glycol		x	x	Toluene	x	x	x
Formaldehyde		x	x	Transformer Oil	x	x	x
Formic Acid		x		Trichloroethylene	x	x	x
Fuel Oil	x	x	x	Triethylene Glycol	x	x	x
Gasoline	x	x	x	Turpentine	x	x	x
Glacial Acetic Acid		x		Vinyl Acetate	x	x	x
Glycerol		x	x	Vinegar		x	x



ECONO SORBENT PADS & ROLLS - OIL ONLY

- Pure melt blown polypropylene fibre pads and rolls are the most cost effective absorption technology today
- Fast wicking fibres absorb 25 times their weight in hydrocarbon and will repel water
- Booms and socks provide containment and absorption while repelling aquatic liquids
- Pillows are ideal for catch basins and sumps
- **Sold per package**

PADS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAP116	P100H	Heavy-weight	15 x 18	40	100
SAP117	P100-25H	Heavy-weight	15 x 18	10	25
SAP118	EP100H	Medium-weight	15 x 18	32	100
SAP119	P200SH	Light-weight	15 x 18	20	100
SAP120	P50H	Heavy-weight	30 x 36	40	50

ROLLS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAK174	R144	Heavy-weight	150 x 30	80	1
SAJ781	SR144S	Heavy-weight	150 x 15	40	1
SAJ780	ER144	Medium-weight	150 x 30	60	1
SAK175	ESR144S	Medium-weight	150 x 15	30	1

BOOMS

Order No.	Mfg. No.	Size		Absorption Cap/Pkg. Gallon	Qty /Pkg.
		L' x W"			
SB785	B510	10	5	40	4
SAG317	B810	10	8	80	4

SOCKS

Order No.	Mfg. No.	Size		Absorption Cap/Pkg. Gallon	Qty /Pkg.
		L' x W"			
SAH439	MOPO1248	4	3	18	12
SB786	MOPO2548	4	3	37	25
SAG316	MOPO10120	10	3	37	10

SACK PILLOW

Order No.	Mfg. No.	Size		Absorption Cap/Pkg. Gallon	Qty /Pkg.
		L" x W"			
SAI912	SAKPIL10	22	14	37	10

PILLOWS

Order No.	Mfg. No.	Size		Absorption Cap/Pkg. Gallon	Qty /Pkg.
		L" x W"			
SAH440	SP818	18	8	12	10
SAH441	SP1818	18	18	20	10

Pads



Rolls



Booms



Socks



Sack Pillow



Pillows



Oil Only Drip Pans



OIL ONLY ACCESSORIES

- Drum covers are pre-cut with bung cut to fit on 45-gallon drums
- Pan is filled with polypropylene sorbent for oils only
- **Sold per package**

Order No.	Mfg. No.	Description	Size			Absorption Cap/Pkg. Gallon	Qty /Pkg.
			L	x	W		
SAH442	SW100	Sweep	100'	x	19"	30	1
SH132	ODTP25	Drum covers			22" dia.	10	25
SAH443	MB515	Bilge boom	18"	x	5"	30	12
SAN342	ODP12	Drip pans	10.5"	x	10.5"	1	1



Spill Control

BONDED SORBENT PADS & ROLLS - OIL ONLY

- Oil select bonded pads and rolls are ideal for wiping applications when increased tensile strength is necessary
- The sonic bonded process creates a stronger, more durable fibre without affecting absorption
- Sold per package

PADS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAP121	BP100H	Heavy-weight	15 x 18	40	100
SAP122	BP100-25H	Heavy-weight	15 x 18	10	25
SAP123	BEP100H	Medium-weight	15 x 18	32	100
SAP124	BP200H	Light-weight	15 x 18	40	200

ROLLS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAK176	BR144	Heavy-weight	150 x 30	80	1
SAK177	BSR144S	Heavy-weight	150 x 15	40	1

PERFORATED ROLLS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAK178	BSR144PS	Heavy-weight	150 x 15	40	1
SAK095	BR144P	Heavy-weight	150 x 30	80	1
SAK179	BR288P	Light-weight	300 x 30	80	1



Pads



Rolls



Perforated static resistant pads



Perforated rolls

LAMINATED PADS & ROLLS - OIL ONLY

Strongest Sorbent

The combination of ultrasonic bonding and laminated top and bottom is a strong spun bonded polypropylene providing extra strength and low lint. Sold per package.

PAD

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAI915	Q100	Heavy-weight	17 x 19	40	100

ROLLS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAK181	Q150S	Heavy-weight	150 x 15	40	1
SAK180	Q150	Heavy-weight	150 x 30	80	1

PERFORATED ROLLS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAK182	Q150SP	Heavy-weight	150 x 15	40	1
SAK183	Q150P	Heavy-weight	150 x 30	80	1

PERFORATED STATIC RESISTANT PADS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAP126	ASTAT100H	Heavy-weight	15 x 18	40	100
SAP127	BEP100PASTATH	Medium-weight	15 x 18	30	100
SAP128	BP200PASTATH	Light-weight	15 x 18	40	200

SONIC BONDED UNIVERSAL / CHEMICAL SORBENTS

- Suitable for acids, caustic, oils, coolant, solvents and solutions
- See chemical application guide
- Sold per package



Perforated Rolls

PADS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAP129	UP118H	Heavy-weight	15 x 18	40	100
SAP130	UP118-25H	Heavy-weight	15 x 18	10	25
SAP131	UP118-9H	Medium-weight	15 x 18	30	100
SAP132	UP200SH	Light-weight	15 x 18	20	100
SAP133	UP200GH	Light-weight	15 x 18	40	200

ROLLS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption	
				Cap/Pkg. Gallon	Qty /Pkg.
SAJ782	UR118S	Heavy-weight	150 x 15	40	1
SAK184	UR136	Heavy-weight	150 x 30	80	1
SAJ784	UR118-9S	Medium-weight	150 x 15	30	1
SAK185	UR136-9	Medium-weight	150 x 30	60	1
SAJ783*	URP118S	Heavy-weight	150 x 15	40	1
SAK186*	URP136	Heavy-weight	150 x 30	80	1

*Perforated Rolls



UNIVERSAL HAZMAT PADS & ROLLS

- Absorb all liquids from water-based fluids to aggressive acids
- Absolute necessity for any *HazMat* spill or spill contingency planning
- Sold per package

PAD

Order No.	Mfg. No.	Description	Size L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAP134	UQ100H	Heavy-weight	15 x 18	40	100

ROLLS

Order No.	Mfg. No.	Description	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAK188	UQ150S	Heavy-weight	150 x 15	40	1
SAK187	UQ150	Heavy-weight	150 x 30	80	1

BOOMS

Order No.	Mfg. No.	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SB790	UB510	10 x 5	40	4
SAG323	UB810	10 x 8	80	4

SOCKS

Order No.	Mfg. No.	Size L' x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SH091	MOPU2548	4 x 3	37	25
SAH450	MOPU1248	4 x 3	18	12
SAG322	MOPU10120	10 x 3	37	10

PILLOWS

Order No.	Mfg. No.	Size L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAI922	SPU818	18 x 8	12	10
SAI923	SPU1818	18 x 18	20	10

UNIVERSAL ACCESSORIES

- Drum covers are pre-cut with bung cut to fit on 45-gal. drums
- Pan is filled with polypropylene sorbent for oils, water-based and other non-aggressive liquids



Universal Drip Pans



Drum Covers

Order No.	Mfg. No.	Description	Size L" x W" x D"	Absorption Cap/Pkg. Gal	Qty /Pkg.
SH133	UDTP25	Drum Cover	22" dia.	10	25
DA105	1670	Drip Pan	10.5 x 10.5 x 3	1	1

Booms



Pillows



Socks


GENERAL PURPOSE SOCKS

Used for non-aggressive chemicals and oils.
Sold per package.

Order No.	Mfg. No.	Size L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAH451	GP3048	4 x 3	21	30
SAI924	GP10120	10 x 3	20	10

CHEMICAL HAZMAT PADS & ROLLS

- Universal pads and rolls will absorb all liquids from water-based fluids to aggressive acids
- A necessity for any *HazMat* spill or spill contingency planning
- Both are bonded for tensile strength and absorb 25 times their weight in all liquids
- Sold per package



PADS

Order No.	Mfg. No.	Description	Size L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAP135	UP100H	Heavy-weight	15 x 18	40	100
SAP136	UP200H	Light-weight	15 x 18	40	200

ROLLS

Order No.	Mfg. No.	Description	Size L" x W"	Absorption Cap/Pkg. Gallon	Qty /Pkg.
SAL263	USR150	Heavy-weight	150 x 15	80	2
SAL262	UR150	Heavy-weight	150 x 30	80	1



Spill Control

RAG RUG

- Confines leaks, drips and oversprays
- Manufactured from 100% recycled textile fibre
- Absorbs all non-aggressive liquids
- Suitable for work areas where overspray and drips occur
- High durability makes rug ideal for heavy foot traffic areas
- Absorbs up to 10 times its weight in water, grease and oil



Order No.	Mfg. No.	L'	Size x	W'
SAH513	RAGRUG150	150	x	3

3M™ FOLDED SORBENTS

- The 4-in-1 folded sorbents are the easy-to-use solution for cleaning up spills, drips, and fluid leaks
- 5" x 50' roll can be used as a boom, pillow, pad or roll
- Perforations every 16" allow you to select the length you need
- Available for either general purpose maintenance (non-aggressive liquids), petroleum-based products (oil only) or chemical spill cleanups
- Sorbent capacity is 34 L per box



Order No.	Mfg. No.	Description
SC402	M-FL550DD	Maintenance
SC403	P-FL550DD	Petroleum
SC404	C-FL550DD	Chemical sorbent



ULTRA SPILLBERM™ SPILL CONTAINMENT

- Bends and turns to form almost any shape while temporarily "bonding" to any smooth surface
- Seals off spills and leaks from the environment or nearby drains and doorways
- For use in emergency spill response and planned maintenance applications
- Cut it to size and use corners and connectors to complete the area
- Non-absorbing, non-toxic material cleans easily
- Flexible polyurethane material
- Resists oil, water and most aggressive chemicals

Order No.	Mfg. No.	Description	L'	x	W"	x	H"
SAG330	2052	Low Profile <i>Spillberm</i> ™	10	x	2 1/4	x	1 3/8
SB750	2100	Ultra <i>Spillberm</i> ™	10	x	4	x	2 1/4
SAP051	2054	Ultra <i>Spillberm Plus</i> ™	5	x	4	x	4 1/2
SB751	2101	Connector	-				
SB752	2102	Corner	-				

NEUTRALIZERS

- Neutralize the aggressive nature of acid, caustic and formaldehyde spills
- Acid and caustic (base) neutralizers contain colour change indicators to signify when neutralization has taken place
- Neutralizers are available in dry granular or liquid forms

Order No.	Mfg. No.	Description	Size
ACID NEUTRALIZERS			
SAH507	AN001	Dry	2-lb shaker
SAH508	NEUTB1	Dry	5-gallon pail
SC896	NRDAN-03	Dry	4-kg bottle
SAH509	NEUTLIQD4	Liquid	5-gallon pail
CAUSTIC (BASE) NEUTRALIZERS			
SAH510	BN001	Dry	2-lb shaker
SAH511	NEUTA1	Dry	5-gallon pail
SC901	NRDCN-03	Dry	3.79-kg bottle
SAH512	NEUT5GAL	Liquid	5-gallon pail





ROOF LEAK DIVERTER

- Large, vinyl-coated fabric catches roof leaks and channels them to standard hose hook-up
- Hose can then be directed to proper drainage point
- Lightweight flame retardant material
- Heavy-duty D-rings securely attached in each corner make installation quick and easy

Order No.	Mfg. No.	Size'
SAP061	2525	2.5 x 2.5
SAP062	3080	3 x 8
SAP063	5010	5 x 10
SAG334	1785	5 x 5
SAG335	1786	7 x 7
SAG336	1787	10 x 10
SAG337	1788	12 x 12



PIPE LEAK DIVERTER

- Keep fluid leaks off the floor eliminating slip hazards and chemical exposure
- 18" H and 18" dia. opening
- Bottom fitting connects to a standard garden hose
- Rugged, 18-oz. coated vinyl construction
- Includes bungee cords and hooks for quick installation
- 7-gallon fluid capacity

Order No. SAG333

Mfg. No. 1780



ULTRA-DRAINSEALS®

- Both sides will quickly seal drains
- Flexible polyurethane material with reinforced, tear-resistant mesh
- One unit per box easily cuts to special shapes, sizes
- Cleans with soap and water
- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Optional *Ultra-DrainSeals®* wallmount units for quick response - made of polypropylene with *Velcro®* straps for quick and easy access
- Safety orange colour

Order No.	Mfg. No.	Size"	Thickness"
DRAIN SEALS - SQUARE			
SAG348	2126	18 x 18	3/8
SAG349	2127	24 x 24	3/8
SAG350	2130	36 x 36	3/8
SAP052	2131	42 x 42	3/8
SAG351	2132	48 x 48	3/8
SAP053	2133	54 x 54	3/8
DRAIN SEALS - RECTANGULAR			
SAP058	2124	12	3/8
SAP059	2125	20	3/8
DRAIN SEALS - CIRCULAR			
SAP054	2134	12" Dia.	3/8
SAP055	2135	20" Dia.	3/8
SAP056	2136	30" Dia.	3/8
SAP057	2137	42" Dia.	3/8



Order No.	Mfg. No.	Description
WALLMOUNT HOLDER		
SAL264	2140	Fits 18" and 24" drain seals
SAL265	2142	Fits 36" drain seals
SAL266	2143	Fits 48" drain seals



CONICAL DRAIN SEAL™

- Prevents spills and leaks from entering circular drains 2" to 4" in diameter
- Tough, chemical resistant material forms tight seal
- Removable eyebolt allows easy installation and removal of plug
- Resists oils and most aggressive chemicals
- Cleans easily with soap and water

Order No.	Mfg. No.	Description
SR351	2113	2" Drain Plug
SR352	2114	3" Drain Plug
SB755	2115	4" Drain Plug
SR353	2116	Kit, 2", 3", 4" in rigid plastic box



Spill Control

NEOPRENE DRAIN COVER

- Prevents contaminants from entering drain
- Resists oil, water and most aggressive chemicals, non-absorbing
- Cleans easily with soap and water between uses
- Available in neoprene

Order No. SH104
Mfg. No. DC36
 36" x 36" x 1/16"

Order No. SAP060
Mfg. No. DC48
 48" x 48" x 1/16"



SPILL CONTROL CABINET

- Constructed of heavy gauge welded steel
- Acid and rust resistant baked white enamel finish
- Comes with 2 adjustable shelves and a Plexiglas window
- Includes hangers for wall mounting
- Dimensions: 13 13/16" W x 12 3/4" D x 30 1/16" H
- Weight: 30 lbs.

Order No. SA497
Mfg. No. 052-43



ULTRA DRAIN GUARD® FOR OIL & SEDIMENT

- Keeps sediment and other pollutants from entering the water system
- Designed for use in industrial facilities, construction sites, parking lots, and retail facilities
- Removes up to 0.87 gallons of hydrocarbons as well as dirt, sand and other contaminants (up to 40 lbs)
- Dimensions: 48" L x 36" W x 18" H
- Custom sizes are available



Order No.	Mfg. No.	Qty /Pkg.
SAP064	9217	1
SAP065	9218	10



SEE PAGES 171 TO 191 FOR ZENITH GLOVES

Coated



Chemical



Leather



Disposable



Winter



Welding





CHEETAH SORB ABSORBENT

- Oil absorbent that is dust free, highly absorbent and incinerable
- Packaged in a loose, particulate form
- Environmentally friendly
- Acts like a sponge to instantly begin absorbing a broad range of non-aggressive liquids such as oil- and water-based fluids, cutting fluids, coolants and many other hazardous/problem liquids from spills and leaks
- Looks like floor absorbent without the harmful silica (silica free)
- Bag size: 20 lbs.



Order No. **SAL267** Mfg. No. TS20

LOOSE PARTICULATE ABSORBENTS

- Non-WHMIS controlled products
- Absorbs aqueous liquids, chemicals, hydraulic fluids, fuels, oils and other hydrocarbons
- SpeediKleen absorbs approximately 100% of its own weight
- Suitable for aggressive environments, in plants, refineries repair shops, machine shops and garages
- Bag size: 20 lbs.

Order No. **SAK673**

Mfg. No. HD2205



OIL-DRI® GENERAL PURPOSE ABSORBENT

- Superior retention of liquids such as oil, grease, hydraulic fluid, water and other liquid spills, all non-aggressive fluids
- Virtually dust free, lowering airborne contamination
- Its high absorbency, low density, enables more scoops per pound
- Packaged in a poly bag making it next to unbreakable and water resistant
- Composed of light grey fuller's earth
- Bag size: 40 lbs



Order No. **SI965** Mfg. No. 18002

VERMICULITE

- Grade 4 Vermiculite
- Can be used as an absorbent whenever the potential for leakage exists
- Both IATA and ICAO require absorbent material for many hazardous liquids in glass bottles
- For use in lab packing
- For estimating purposes, one bag should be used to absorb 3-4 gallons of water
- Bag size: 14 lbs/6.36 kg
- Available in 4 cu.ft. bags

Order No. **PB844**

Mfg. No. VERM-4



COLLAPSIBLE EMERGENCY RESPONSE SHOVELS

- Non-sparking, aluminum shovels are designed to be packed inside spill kits
- Quick-connect lock buttons allow shovels to be assembled in seconds
- 39" shovel features a telescoping shaft and can be packed inside 20-gallon or larger kits
- Tempered aluminum scoop measures 10" x 11" on both models



TELESCOPIC SHOVELS

- Compact storage
- Extends to 37"
- Large shovelling capacity
- Ideal for picking up sorbent material

Order No. **SAG332**

Mfg. No. TS-001



Order No.	Mfg. No.	Assembled Length"	Collapsed Size"	Wt. lbs.
SB748	401	29	15 x 10 x 3	1 1/2
SB749	402	39	19 1/2 x 10 x 3	1 3/4



Spill Control

SPILL KITS ALLOW FOR IMMEDIATE CLEAN-UP OF SPILLS.

Choice of oil or universal spill kits. Oil kits can handle oil and fuel spills on land or on water. Universal kits can handle acids, caustics (bases), common fluids such as coolants, ethanol and pesticides, as well as solvents. Kits available for small spills such as in labs, to large spills in plants or on open water. Universal kits also available in Hazmat kits.



5-Gallon, universal SAK219



5-Gallon, oil SAK221



7-Gallon, universal SAK223



10-Gallon, universal SAK225

5-GALLON

UNIVERSAL - Sorbent Capacity - 5 Gal.

- 1 5-Gallon Polyethylene Pail
- 5 Universal Sorbent Socks (3" x 4') (SAH451)
- 1 Pair Nitrile Gloves (SAI100)
- 1 Pair Safety Goggles (SAN429)
- 2 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
UNIVERSAL		
SAK219	978	Spill Kit
SG957	978R	Replacement Kit
HAZMAT*		
SAL299	978H	Spill Kit
SAL300	978HR	Replacement Kit

*NOTE: Items shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

7-GALLON

UNIVERSAL WALL-MOUNT - Sorbent Capacity - 7 Gal.

- 1 Metal Wall Cabinet (13 13/16" x 12 3/4" x 30 1/16")
- 5 Universal Sorbent Pillows (8" x 18") (SAG191)
- 5 Universal Sorbent Socks (3" x 4') (SAH451)
- 10 Universal Sorbent Pads (15" x 18") (SAP129)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 5 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
UNIVERSAL		
SAK223	981	Spill Kit
SG960	981R	Replacement Kit
HAZMAT*		
SAL302	981H	Spill Kit
SAL303	981HR	Replacement Kit

*NOTE: Items shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

5-GALLON

OIL - Sorbent Capacity - 5 Gal.

- 1 5-Gallon Polyethylene Pail
- 1 Oil Sorbent Sock (3" x 10') (SAG196)
- 20 Oil Sorbent Pads (15" x 18") (SAP124)
- 1 Pair Nitrile Gloves (SAI100)
- 2 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
SAK221	979	Spill Kit
SG958	979R	Replacement Kit

10-GALLON

UNIVERSAL - Sorbent Capacity - 10 Gal.

- 1 14-Gallon Polyethylene Pail
- 5 Universal Sorbent Socks (3" x 4') (SAH451)
- 5 Universal Sorbent Pillows (8" x 18") (SAG191)
- 1 Pair Nitrile Gloves (SAI100)
- 1 Pair Safety Goggles (SAN429)
- 3 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
UNIVERSAL		
SAK225	980	Spill Kit
SG959	980R	Replacement Kit
HAZMAT*		
SAL305	980H	Spill Kit
SAL306	980HR	Replacement Kit

*NOTE: Items shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.



47-Gallon,
universal
SAK231

53-Gallon, oil
SAK235



21-Gallon,
universal
SAK227



20-Gallon, oil
SAK229



21-GALLON

UNIVERSAL - Sorbent Capacity - 21 Gal.

- 1 30-Gallon Polyethylene Drum
- 4 Universal Sorbent Socks (3" x 10') (SAG197)
- 75 Universal Sorbent Pads (15" x 18") (SAP129)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Caution Tape (3" x 500') (SAD022)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 5 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
UNIVERSAL		
SAK227	982	Spill Kit
SG961	982R	Replacement Kit
HAZMAT*		
SAL308	982H	Spill Kit
SAL309	982HR	Replacement Kit

*NOTE: Items shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

53-GALLON

OIL - Sorbent Capacity - 53 Gal.

- 1 Spill Control Locker (47" x 30" x 24")
- 4 Oil Sorbent Booms (5" x 10') (SB785)
- 100 Oil Sorbent Pads (15" x 18") (SAP121)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Caution Tape (3" x 500') (SAD022)
- 1 Repair Putty (SH105)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 10 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
SAK235	986	Spill Kit
SAK237	987	w/casters
SG968	986R	Replacement Kit

47-GALLON

UNIVERSAL - Sorbent Capacity - 47 Gal.

- 1 Spill Control Locker (47" x 30" x 24")
- 10 Universal Sorbent Socks (3" x 10') (SAG197)
- 8 Universal Sorbent Pillows (8" x 18") (SAG191)
- 100 Universal Sorbent Pads (15" x 18") (SAP129)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Caution Tape (3" x 500') (SAD022)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 10 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg No.	Description
UNIVERSAL		
SAK231	984	Spill Kit
SAK233	985	w/casters
SG967	984R	Replacement Kit
HAZMAT*		
SAL311	984H	Spill Kit
SAL313	985H	w/casters
SAL314	984HR	Replacement Kit

*NOTE: Items shown in brackets above represent Universal replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering Hazmat replacement items.

20-GALLON

OIL - Sorbent Capacity - 20 Gal.

- 1 30-Gallon Polyethylene Drum
- 4 Oil Sorbent Socks (3" x 10') (SAG316)
- 50 Oil Sorbent Pads (15" x 18") (SAP121)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Repair Putty (SH105)
- 2 Pairs Nitrile Gloves (SAI100)
- 5 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
SAK229	983	Spill Kit
SG962	983R	Replacement Kit



Spill Control



60 - GALLON

UNIVERSAL - Sorbent Capacity 60 Gal.

- 1 79-Gallon Polyethylene Overpack Drum
- 5 Universal Sorbent Socks (3" x 4') (SAH451)
- 5 Universal Sorbent Pillows (8" x 18") (SAG191)
- 4 Universal Sorbent Booms (5" x 10') (SB790)
- 50 Universal Sorbent Pads (15" x 18") (SAP129)
- 1 Universal Sorbent Roll (15" x 150') (SAJ782)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Caution Tape (3" x 500') (SAD022)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 10 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
UNIVERSAL		
SAK239	989	Spill Kit
SAK241	989M	w/casters
SG964	989R	Replacement Kit
HAZMAT*		
SAL316	989H	Spill Kit
SAL318	989MH	w/casters
SAL319	989HR	Replacement Kit

*NOTE: Items shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

67 - GALLON

OIL - Sorbent Capacity - 67 Gal.

- 1 79-Gallon Polyethylene Overpack Drum
- 5 Oil Sorbent Socks (3" x 4') (SB786)
- 5 Oil Sorbent Pillows (8" x 18") (SAG190)
- 4 Oil Sorbent Booms (5" x 10') (SB785)
- 50 Oil Sorbent Pads (15" x 18") (SAP121)
- 1 Oil Sorbent Roll (15" x 150') (SAK177)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Caution Tape (3" x 500') (SAD022)
- 1 Repair Putty (SH105)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 10 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
SAK243	991	Spill Kit
SAK245	991M	w/casters
SG966	991R	Replacement Kit

47 - GALLON

UNIVERSAL - Sorbent Capacity - 47 Gal.

- 1 79-Gallon Polyethylene Overpack Drum
- 10 Universal Sorbent Socks (3" x 10") (SAG197)
- 8 Universal Sorbent Pillows (8" x 18") (SAG191)
- 100 Universal Sorbent Pads (15" x 18") (SAP129)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Caution Tape (3" x 500') (SAD022)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 10 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
UNIVERSAL		
SAK247	988	Spill Kit
SAK249	988M	w/casters
SG963	988R	Replacement Kit
HAZMAT*		
SAL321	988H	Spill Kit
SAL323	988MH	w/casters
SAL324	988HR	Replacement Kit

*NOTE: Items shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

53 - GALLON

OIL - Sorbent Capacity - 53 Gal.

- 1 79-Gallon Polyethylene Overpack Drum
- 4 Oil Sorbent Booms (5" x 10') (SB785)
- 100 Oil Sorbent Pads (15" x 18") (SAP121)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Caution Tape (3" x 500') (SAD022)
- 1 Repair Putty (SH105)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 10 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
SAK251	990	Spill Kit
SAK253	990M	w/casters
SG965	990R	Replacement Kit



45-GALLON ECONOMY SPILL KIT

CONTENTS FOR OIL ONLY KITS:

- 1 45-Gallon Drum
- 50 Oil Sorbent Pads (15" x 18") (SAP118)
- 3 Oil Sorbent Socks (3" x 10') (SAG316)
- 5 Oil Sorbent Socks (3" x 4') (SB786)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Pairs Nitrile Gloves (SAI100)
- 1 Pairs Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 3 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
OIL ONLY		
SAL269	CSK45	Spill Kit
SAL270	CSK45R	Replacement Kit
UNIVERSAL		
SAL272	CSK45U	Spill Kit
SAL273	CSK45UR	Replacement Kit
HAZMAT*		
SAL275	CSK45H	Spill Kit
SAL276	CSK45HR	Replacement Kit

*NOTE: Items shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

CONTENTS FOR UNIVERSAL KITS:

- 1 45-Gallon Drum
- 50 Universal Sorbent Pads (15" x 18") (SAP131)
- 3 Universal Sorbent Socks (3" x 10') (SAI924)
- 5 Universal Sorbent Socks (3" x 4') (SAH451)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Pair Nitrile Gloves (SAI100)
- 1 Pair Safety Goggles (SAN429)
- 2 Tyvek® Coveralls (SA170)
- 3 Disposal Bags (26" x 36") (JA003)



250-L MOBILE SPILL KITS

CONTENTS FOR OIL ONLY KITS:

- 1 Mobile Spill Cart (30" x 29" x 42")
- 100 Sorbent Pads (15" x 18") (SAP118)
- 4 Sorbent Socks (3" x 10') (SAG316)
- 4 Sorbent Pillows (18" x 18") (SAH411)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Bag of SpeediKleen (SAK673)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 3 Disposal Bags (26" x 36") (JA003)

Order No.	Mfg. No.	Description
OIL ONLY		
SAL278	CSK250M	Spill Kit
SAL279	CSK250MR	Replacement Kit
UNIVERSAL		
SAL281	CSK250MU	Spill Kit
SAL282	CSK250MUR	Replacement Kit
HAZMAT*		
SAL284	CSK250MH	Spill Kit
SAL285	CSK250MHR	Replacement Kit

*NOTE: Units shown in brackets above represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

CONTENTS FOR UNIVERSAL KITS:

- 1 Mobile Spill Cart (30" x 29" x 42")
- 100 Sorbent Pads (15" x 18") (SAP131)
- 4 Sorbent Socks (3" x 10') (SAI924)
- 4 Sorbent Pillows (18" x 18") (SH090)
- 1 Drain Cover (36" x 36" x 1/16") (SH104)
- 1 Bag of SpeediKleen (SAK673)
- 2 Pairs Nitrile Gloves (SAI100)
- 2 Pairs Safety Goggles (SAN429)
- 3 Disposal Bags (26" x 36") (JA003)



20-GALLON SPILL KIT

- Spill contents are stored in a 20-gallon (75 L) overpack drum
- Ideal for permanent installations
- Universal kits can handle acids, caustics (bases), common fluids such as coolants, ethanol and pesticides, as well as solvents

Includes:

- 50 Sorbent Pads (15" x 18")
- 4 Sorbent Socks (3" x 48")
- 2 Sorbent Pillows (8" x 18")
- 1 Pairs of Safety Goggles
- 1 Pairs of Nitrile Gloves
- 1 Disposal Bag – 26" x 36"

Order No. SAK271 Mfg. No. HAZSK20





Spill Control

10-GALLON TRUCK SPILL KITS

- Allows for immediate clean-up of spills up to 10 gallons
- Choice of Universal or Oil only
- Available in poly zip lock bag, nylon bag or 10-gallon drum



CONTENTS FOR OIL ONLY KITS:

- 10 Oil Sorbent Pads (15" x 18") (SAP122)
- 3 Oil Sorbent Socks (3" x 4') (SB786)
- 2 Oil Sorbent Pillows (8" x 18") (SAG190)
- 1 Pair Nitrile Gloves (SAI100)
- 1 Pair Safety Goggles (SAN429)
- 1 Disposable Bag (26" x 36") (JA003)

CONTENTS FOR UNIVERSAL KITS:

- 10 Universal Sorbent Pads (17" x 19") (SB789)
- 3 Universal Sorbent Socks (3" x 4') (SAH451)
- 2 Universal Sorbent Pillows (8" x 18") (SAG191)
- 1 Pair Nitrile Gloves (SAI100)
- 1 Pair Safety Goggles (SAN429)
- 1 Disposable Bag (26" x 36") (JA003)

SAG192

***NOTE:** Items shown in brackets in "Contents" represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.

Order No.	Mfg. No.	Description
-----------	----------	-------------

OIL ONLY

SAK255	CSKVOP	Poly Zip Lock Bag
SAK257	CSKVON	Nylon Bag
SAK259	CSKVOD	10-Gallon Drum
SAG192	CSKVOR	Replacement Kit

UNIVERSAL

SAK261	CSKVUP	Poly Zip Lock Bag
SAK263	CSKVUN	Nylon Bag
SAK265	CSKVUD	10-Gallon Drum
SAG193	CSKVUR	Replacement Kit

HAZMAT*

SAL326	CSKVUPH	Poly Zip Lock Bag
SAL328	CSKVUNH	Nylon Bag
SAL330	CSKVUDH	10-Gallon Drum
SAL331	CSKVUHR	Replacement Kit

TRUCK SPILL KIT OPTIONS

SH104	DC36	Neoprene Drain Cover
SH105	31270	Repair Putty

VEHICLE SPILL KITS

- Allows for immediate clean-up of spills up to 9 gallons
- Choice of Universal or Oil only
- Packaged in a nylon bag

CONTENTS FOR OIL ONLY KITS:

- 20 Oil Sorbent Pads (15" x 18") (SAP122)
- 2 Oil Sorbent Socks (3" x 4') (SB786)
- 2 Oil Sorbent Pillows (8" x 18") (SAG190)
- 1 Pair Nitrile Gloves (SAI100)
- 1 Pair Safety Goggles (SAN429)
- 2 Disposable Bags (26" x 36") (JA003)
- 1 Repair Putty (SH105)

CONTENTS FOR UNIVERSAL KITS:

- 20 Universal Sorbent Pads (15" x 18") (SAP129)
- 2 Universal Sorbent Socks (3" x 4') (SAH451)
- 2 Universal Sorbent Pillows (8" x 18") (SAG191)
- 1 Pair Nitrile Gloves (SAI100)
- 1 Pair Safety Goggles (SAN429)
- 2 Disposable Bags (26" x 36") (JA003)
- 1 Repair Putty (SH105)



Order No.	Mfg. No.	Description
-----------	----------	-------------

OIL ONLY

SAK267	CSK21	Spill Kit
SAG194	CSK21R	Replacement Kit

UNIVERSAL

SAK269	CSK21U	Spill Kit
SAG195	CSK21UR	Replacement Kit

HAZMAT*

SAL333	CSK21UH	Spill Kit
SAL334	CSK21UHR	Replacement Kit

***NOTE:** Items shown in brackets in "Contents" represent UNIVERSAL replacement items only. Hazmat kits contain same items but materials may vary, please inquire for the appropriate order no. when ordering HAZMAT replacement items.



SOLVENT SPILL KIT

Portable spill kit with sufficient material to suppress and absorb small quantities of various volatile liquids, fuels and organic solvents. Contents come in a highly visible hard red plastic carry case.

Includes:

- | | |
|--|-----------------------------|
| 1 Red Plastic Case | 1 Pair Nitrile Gloves |
| 2 470 g Hazkleen VSP Powder in Shaker Tube | 1 Pair Safety Goggles |
| 4 Sorbent Pads (17" x 19") | 1 Scoop and Brush |
| | 3 Disposal Bags (26" x 36") |

Order No. SAL295 Mfg. No. CSK-LSK-1-SOL



CAUSTIC SPILL KIT

Spill kit with sufficient material to neutralize up to 15 litres of highly concentrated caustic liquids. Comes in a 20-gallon Overpack yellow drum.

Includes:

- | | | | |
|----|---|---|---------------------------|
| 1 | 20-Gallon Overpack Drum | | |
| 8 | 1-L <i>Hazkleen</i> CST Powder Neutralizer w/colour Indicator | 2 | Pairs Nitrile Gloves |
| 15 | Sorbent Pads (15" x 18") | 2 | Pairs Safety Goggles |
| 2 | Sorbent Socks (3" x 4') | 2 | <i>Tyvek</i> ® Coveralls |
| | | 2 | Disposal Bags (26" x 36") |

Order No. SAL293 Mfg. No. CSK-SK-3AK

ACID SPILL KIT

Spill kit with sufficient material to neutralize and absorb up to 10 litres of various concentrated acids – comes in a 20-gallon Overpack yellow drum.

Includes:

- | | | | |
|----|--|---|---------------------------|
| 1 | 20-Gallon Overpack Drum | 2 | Pairs Nitrile Gloves |
| 4 | 4 kg ACD Powder Neutralizer w/colour Indicator | 2 | Pairs Safety Goggles |
| 35 | Sorbent Pads (15" x 18") | 2 | <i>Tyvek</i> ® Coveralls |
| 2 | Sorbent Socks (3" x 4') | 5 | Disposal Bags (26" x 36") |

Order No. SAL291 Mfg. No. CSK-SK-2L-CA



BATTERY ACID SPILL KIT

Battery acid spill kit in a yellow 20-gallon overpack drum with sufficient material to neutralize up to 32 litres of battery acid.

Includes:

- | | | | |
|----|--|---|---------------------------|
| 1 | 20-Gallon Overpack Drum | 2 | Pairs Nitrile Gloves |
| 4 | 4 kg <i>Hazkleen</i> ACD Powder Neutralizer w/colour Indicator | 2 | Pairs Safety Goggles |
| 20 | Sorbent Pads (15" x 18") | 2 | <i>Tyvek</i> ® Coveralls |
| 3 | Sorbent Socks (3" x 4') | 3 | Disposal Bags (26" x 36") |

Order No. SAL297 Mfg. No. CSK-SK-2BA



LAB SPILL KIT

- Acid base neutralizer spill kit is ideal for cleanup of small lab spills
- Contents are stored in a durable plastic case for protection against rough handling
- Splash goggles and nitrile gloves provide protection while cleaning

Includes:

- | | | | |
|---|-------------------------------------|---|--------------------------|
| 1 | Plastic Carry Case (15" x 12" x 4") | 1 | Pair of Safety Goggles |
| 4 | Sorbent Pads (17" x 8 1/2") | 1 | Pair of Nitrile Gloves |
| 1 | Acid Neutralizer - 2-lb bottle | 1 | Disposal Bag (24" x 36") |
| 1 | Base Neutralizer - 2-lb bottle | | |

Order No. SAK273 Mfg. No. ABK001



MERCURY SPILL KIT

Effectively cleans up mercury spills while protecting personnel from harmful vapours.

LARGE KIT

Portable spill kit with sufficient material for up to 40 ml mercury spill – comes in hard red plastic case.

Includes:

- | | | | |
|---|----------------------------------|---|---------------------------|
| 1 | 750 g Mercury Neutralizer | 1 | Pair <i>Tyvek</i> ® Boots |
| 1 | 180 g Mercury Vapour Suppressant | 3 | Syringes |
| 2 | Universal Pads (15" x 18") | 1 | Dust Pan w/brush |
| 2 | Pairs Nitrile Gloves | 1 | Spray Bottle |
| 1 | Dust Mask | 3 | Disposal Bags (26" x 36") |

Order No. SAL287 Mfg. No. CSK-MERK

SMALL KIT

Includes:

- | | |
|---|--------------------------|
| 1 | Hg Absorb Jar |
| 2 | Hg Absorb Sponges |
| 1 | 500 g Absorb Powder |
| 1 | Pair Nitrile Gloves |
| 1 | Pair Safety Goggles |
| 1 | Disposal Bag (26" x 36") |

Order No. SAL289 Mfg. No. CSK-SMMERK





Spill Control

FACTORY INDUSTRIAL WET/DRY VACS 3.0 PEAK HP - 2 STAGE MOTOR

These factory tough large capacity 44 gal. vacuums and head assembly are built to handle the toughest shop jobs. Complete with hose and utility nozzle. Electrical 120 V, 60 Hz, 11 A. Model **NG343** converts your steel drum into a wet/dry vac. Heavy-duty dolly with Model **NG342** only.

INCLUDES:

- 12' hose (NC249)
- Master nozzle chrome plated 6" (NC239)
- Elbow joint 2 1/2" (NC277)
- Ultra web cartridge filter (NI735)




Order No.	Mfg. No.	Tank Cap. gal/L	Tank Type	CFM	Inches Water	Cord Length'	Wt. lbs.
NG342	970-05	44/204.5	Metal	109	100	18	82
NG343	970-06	Head Assem.	N/A	109	100	18	30

CLEANSTREAM® FILTER

- 99.97% efficient down to 0.3 microns
- Picks up wet or dry, no need to remove filter anymore
- Fits on Shop-Vac® brand dry/wet vacuums

Order No. NI530
Mfg. No. 903-40



WET/DRY VAC 2.5 PEAK HP 2 STAGE MOTOR

- Powerful industrial vacuum at moderate cost
- Poly tank capacity: 8 gal/36.5 L
- Includes accessory basket

1 1/2" Plastic accessories included:

- Master nozzle 14" (NG627)
- Squeegee shoe 14" (NG628)
- Brush shoe 14" (NG630)
- Rug shoe 14" (NG629)
- Crevice tool (NG631)
- Utility nozzle (NG632)
- Ultra web cartridge filter (NI735)
- Foam sleeve (NC252)
- 12' hose for (NC249)
- Round brush (NC269)
- 10' hose with locking swivel end (NG363)
- High efficiency dual ply collector bag (NG358, NG359 or NG360)
- Chrome-plated extension wands (2 pcs.) (NG626)



Order No.	Mfg. No.	CFM	Electrical 120 V, 60 Hz	Sealed Pressure"	Cord Length'	Wt. lbs.
NI732	962-21	100	9 A	90	35	27

INDUSTRIAL DUTY PUMP VAC

Never lift heavy tanks of water again!

- The new industrial duty pump vac can vacuum water quickly and easily
- Empties itself using any standard garden hose (not included)
- Converts from wet/dry vac to pump-out operation
- Quiet vac pumps water up to heights of 50' (15 m)
- Excellent for flooded basements, warehouses, hot tubs or spas

INCLUDES:

- 2 1/2" X 8' and 1 1/4" X 8' hose
- (2) 2 1/2" and (2) 1 1/4" wands
- 2 1/2" Floor nozzle w/squeegee and brush
- Crevice tool • Utility nozzle • Elbow grip
- Hose holder
- Concentrator nozzle
- 1 1/4" Combination nozzle w/squeegee
- Foam filter • Cartridge filter • Collector filter bag




Order No. NI733 Mfg. No. 960-97

Peak HP	Tank Size Gal	Tank Type	Motor Type	CFM	Sealed Pressure ("	Amp @ 120 V	Cord Length	Wt. (lbs)
15	Poly	Single	Stage Pump	195	58	12	18	35

SHOP SWEEPER

- Time saving system for ridding large areas of litter
- Ideal for machine shops, factories, shipping and parking areas
- No motor or batteries, can be used indoors or out
- Lightweight structural foam frame
- Polypropylene main and side brooms adjust for different surfaces



SPECIFICATIONS

- Sweeping Width: 27"
- Main Broom: 8" Dia. x 19" L
- Side Broom: 12" Dia.
- Hopper: 1.4 cu.ft. capacity
- Wheels: 10" semi-pneumatic/3" casters
- Overall Dim.: 48" L x 31 1/4" W x 35 3/4" H
- Weight: 50 lbs.



Order No. NC099 Mfg. No. 305-00

FLUID VAC

Convert your empty steel drums into a powerful liquid vacuum. The strong vacuum generator allows the Fluid Vac to pick up liquid spills and pump heavy liquids. A minimum 4 HP compressor is required as a power source. It will produce 80 PSI air pressure at 14 CFM. The flow rate is 15 GPM for SAE 46 oil.

Do not use the Fluid Vac with flammable or volatile liquids such as gasoline, kerosene, mineral spirits etc...

ACCESSORIES INCLUDE:

- 1 1/2" hose,
 - Drum/hose connector
 - Pump • Shut-off valve
 - Chrome wands • crevice tool
 - Drum and dolly not included
 - Pumping: Cleans-out pits, sumps or troughs
- Automatically stops when drum is full.

Order No. NG056
Mfg. No. D-102923





WALL-MOUNTED DRENCH HOSES

- All spray head assemblies include flow control to assure safe, steady water flow under varying water supply conditions and pop-off protective spray head dust covers
- Plastic single perforated disc spray head designed to gently cleanse eyes, face and body
- Chrome-plated valve with extended reinforced handle remains open once handle is squeezed
- Yellow, reinforced thermoplastic hose has 3/8" IPS male thread with removable 1/2" IPS female reducing coupling
- Recoiling hose retracts for storage while allowing easy extension in emergency situations
- 250 PSI burst strength
- Exceeds minimum water flow: 3 GPM
- Equipped with 12' or 25' retracting hose and wall bracket
- Includes wall mounting hardware
- Meet ANSI Z358.1 Standards
- SEI Certified




Order No.	Mfg. No.	Description	Wt. lbs.
SA440	S19-600	12' Hose	7
SA441	S19-610	25' Hose	12



DRENCH SHOWER TESTER

- Heavy-duty tester provides a convenient way to comply with ANSI specifications for weekly testing on all drench showers - without getting wet
- 84" long, watertight funnel with weighted bottom directs water to a drain or bucket
- 8' telescoping aluminum handle
- Testing record card included



Order No. **SC338**
Mfg. No. S19-330ST



DRENCH HOSE SPRAY KITS

- Includes all necessary fittings and hanger for attaching hose to Bradley units to provide extra eye, face and body water drench
- **SAK646** for eyewashes and combination drench showers with eyewashes
- **SAK647** for drench showers



Order No.	Mfg. No.	Description	Wt. lbs.
SAK646	S19-430EH	Eyewashes and Combination Showers	4
SAK647	S19-430SH	Drench Showers	5

EMERGENCY SHOWER STATION MAT NO. 465

Use under emergency showers or eyewash stations to draw attention to the emergency equipment and to keep accident victims from slipping.

- 7/8" thick with drainage ports throughout, keeps employees safely above the overflow area as the hazardous chemicals are washed off
- High-traction design on the mats surface also provides safe footing
- Following the ANSI Z535.1-1998 standard for colour-coding, the mat effectively calls attention to the safety shower or eyewash areas
- Highly visible tiles designate the location of first aid and safety equipment, and the yellow borders denote caution
- Borders are 6" wide and have a gradual slope for easy access
- **Red is for use under emergency showers**
- **Green is for eyewash stations**



Order No.	W"	Dim.		Colours
		x	L"	
SAN335	30	x	36	Green
SAN336	30	x	48	Green
SAO082	30	x	36	Red
SAO083	30	x	48	Red

1-YEAR WARRANTY



Eyewash & Shower

PEDESTAL-MOUNT EYE AND EYE/FACE WASHES

- Includes 10" diameter impact-resistant yellow plastic bowl or corrosion-resistant stainless steel bowl
- Units activate by a highly visible plastic push handle and 1/2" IPS chrome-plated brass stay-open ball valve
- Twin spray heads include a flow control and pop-off dust covers
- Galvanized steel pipe is 1 1/4" and protected with Bradtec™ safety yellow polyurethane coating to help protect from corrosion
- Include safety sign and inspection tag
- Water supply: 1/2" IPS (female)
- Waste: 1/4" IPS (female)
- Meets ANSI Z358.1 Standards
- SEI Certified



Order No.	Mfg. No.	Description	Wt. lbs.
EYEWASH			
SA436	S19-210	Yellow Plastic Bowl	15
SAK618	S19-210B	Stainless Steel Bowl	16
EYE/FACE WASH			
SAK619	S19-210FW	Yellow Plastic Bowl	17
SA437	S19-210Y	Stainless Steel Bowl	20
REPLACEMENT DUST CAPS			
SAJ118	107-371	Eyewash, priced per each	
SR377	S53-063	Eye/Face Wash, priced per each	

FAUCET-MOUNT EYEWASH

- Mounts to standard or gooseneck type faucets
- Twin spray heads include a flow control and pop-off dust covers
- Activates by an actuator pin on adapter when pin is in closed position, faucet can be used for normal operation
- Includes a safety sign and inspection tag
- Weight: 1 lb
- Meets ANSI Z358.1 Standards
- SEI Certified

Order No. **SAK621**
Mfg. No. S19-200B



LABORATORY AERATED EYEWASH STATION

COUNTERTOP MOUNTED COMBINATION EYEWASH / DRENCH HOSE

Offers quick effective protection in small areas. Ideal for technicians and students. Twin aerated spray heads with flip top dust covers. Valve is 3/8" chrome plated brass with automatic stay open feature when valve is activated. Unit can be deck mounted on counter tops up to 2 1/2" thick, or used as a handheld drench hose. 5.0 GPM flow regulator ensures constant flow under varying pressures. 6' of reinforced hose, 750 PSI burst pressure. 1/2" NPTF inlet supply. Hose included.

Order No. **SD545**
Mfg. No. SE-927

SPEAKMAN®



SWING-ACTIVATED EYEWASH

- Swing-activated eye and eye/face washes mount to a counter or a wall
- Swing-over unit mounts to a counter only
- 90° swivel activates eyewash over sink to begin flow of water to cleanse eyes
- Eyewash stows neatly to side of sink when not in use to save space
- Twin spray heads include a flow control and pop-off dust covers
- Include a safety sign and inspection tag
- Meets ANSI Z358.1 Standards • SEI Certified



Order No.	Mfg. No.	Description	Wt. lbs.
EYEWASH			
SAK622	S19-270C	Counter-Mounted, Swing Over	5
SAK623	S19-270HD	Counter-Mounted, Swing Down	5
SAK624	S19-270HW	Wall-Mounted, Swing Down	5
EYE/FACE WASH			
SAK625	S19-270E	Counter-Mounted, Swing Over	5
SAK626	S19-270JD	Counter-Mounted, Swing Down	5
SAK627	S19-270JW	Wall-Mounted, Swing Down	5

FAUCET EYEWASH STATIONS

Chrome-plated brass faucet-mounted eyewash converts any faucet into an emergency eyewash station. No special plumbing required, won't interfere with normal faucet operation. Easy to operate, turn on water and pull out knob to activate eyewash. Water pressure holds spring loaded valve open, leaving hands free. Push in knob to turn off water to revert faucet to normal operation. No tools required, complete with adapters. Available with eyewash or eye/face wash. Classified as a personal eyewash device.



Order No.	Mfg. No.	Description	Wt. lbs.
SA422	OK-1	Eyewash Station	.5
SA423	OK-2	Eye/Face Wash Station	.75
SR376		Replacement dust caps for SA422, priced per each	
SE620		Replacement dust caps for SA423, priced per each	

EYESAVER® FAUCET

A REVOLUTIONARY CONCEPT IN LABORATORY EMERGENCY EQUIPMENT

Combines an eyewash and faucet that work independently. There is no need to activate the faucet for the eyewash to work and there is never a danger of scalding the eyes with hot water. A single installation provides for two fully functional products. This patented design incorporates two separate water channels in the faucet body, one for the eyewash, the other for the faucet. A simple pull activates the eyewash and delivers a safe water temperature to the eyes each and every time. The faucet always remains functional. The fully functional eyewash features comfortable aerated sprays with automatic flow controls and flip top dust caps. The gooseneck faucet features a polished chrome plated finish, ceramic valves with 1/4 turn activation and an optional serrated tip with vacuum breaker.

Order No. **SAI288**
Mfg. No. SE-F1800


SPEAKMAN®





EYESAVER® EYEWASH STATION

Consists of a wall-mounted receptor. 1/2" NPTF chrome-plated brass, stay-open ball valve, activated by stainless steel push handle. Dual aerated spray heads with automatic 2.2 GPM flow controls and flip-top dust covers. Available in yellow plastic or stainless steel. Comes with sign.



SD549

SPEAKMAN®

Order No.	Mfg. No.	Description	Dia."
SD549	SE-580	Yellow Plastic	11
SD550	SE-582	Stainless Steel	12 3/8

NON-AERATED EYESAVER® EYE/FACE WASH

Wall-mounted, round receptor. A 1/2" NPTF chrome-plated brass, stay-open ball valve, is activated by stainless steel push handle. Dual spray heads with balance control screw and automatic 8 GPM flow control. Flip-top dust covers included. It provides a 1/2" NPTF supply. Available in yellow plastic or stainless steel.



SD560

SPEAKMAN®

Order No.	Mfg. No.	Description	Dia."
SD543	SE-495	Yellow Plastic	11
SD560	SE-490	Stainless Steel	12 3/4

LABORATORY EYE/FACE WASH STATION

- Heavy gauge corrosion-resistant stainless 12 7/8" diameter bowl
- Bowl flush mounts
- Deck/counter mount
- Activated by push-down handle
- 1/2" IPS chrome plated stay open ball valve
- Twin spray heads with integral flow control
- Chrome-plated brass pipe, 1/2" water supply, 1 1/4" waste drain
- Replacement caps sold per each, two required per eye/face wash
- Weight: 12 lbs.



Bradley

Order No. SA439 Mfg. No. S19-260

REPLACEMENT DUST CAPS

Priced per each

Order No. SR377 Mfg. No. S53-063

RETROFIT DUST COVER

- Provides maximum protection from dust or other contaminants
- Plastic hinged dust cover
- Retrofits onto Bradley 10" diameter plastic eye wash bowl
- Assembles in 4 easy steps: remove eye wash handle, drill holes, attach cover and reattach handle
- Weight: 5 lbs.

Order No. SAK620

Mfg. No. S45-1964



OPTI-KLENS® AERATED EYEWASH STATION

Delivers a direct spray of gentle aerated water to the eyes in the event of a chemical, acid or caustic splash to the face.

Ball valve remains open until closed manually. 10" stainless steel bowl.

1/2" IPS and 1 1/4" IPS drain.

Wall mount. Wt.: 4 lbs.

Order No. SA402 Mfg. No. 1M

REPLACEMENT DUST CAPS W/CHAIN

Priced per each

Order No. SR381



BARRIER FREE EYEWASH

- Wall-mounted barrier free eyewash with wraparound stainless steel skirt
- Features 2 aerated yellow ABS plastic spray outlets with flip-top dust caps and an alternate set of eye/face wash sprays
- A stainless steel push handle activates unit
- Valve is a 1/2" NPT female brass, chrome-plated
- Universal emergency sign included
- Weight: 12 lbs.
- ANSI Z358.1 compliance

Order No. SAK663

Mfg. No. SE-568



SPEAKMAN®

EYEWASH UNIT W/WALL BRACKET

- Eye and eye/face washes include 10" diameter impact-resistant yellow plastic bowl or corrosion-resistant stainless bowl with or without hinged stainless steel cover
- Exposed pipes and wall bracket are protected with *Bradtec™* safety yellow polyurethane coating to protect unit from corrosion
- Activates by a highly visible plastic push handle and 1/2" IPS chrome-plated brass stay-open ball valve
- Twin spray heads include a flow control and pop-off dust covers
- Includes safety sign and inspection tag
- Hinged stainless steel dust cover keeps dirt and other contaminants out of the eyewash bowl when not in use
 - Dust cover pops open when highly visible stainless steel push handle is activated
 - Replacement dust caps, two required per eye and eye/face wash
 - Meets ANSI Z358.1 Standards
 - SEI Certified



SA438



SAK616

Bradley

Order No.	Mfg. No.	Description	Wt. lbs.
EYEWASH			
SAK614	S19-220	Yellow Plastic Bowl	6
SAK615	S19-220B	Stainless Steel Bowl	7
SA438	S19-220DC	Stainless Steel Bowl w/Cover	9
EYE/FACE WASH			
SC471	S19-220FW	Yellow Plastic Bowl	7
SAK616	S19-220T	Stainless Steel Bowl	7
SAK617	S19-220DCFW	Stainless Steel Bowl w/Cover	10
REPLACEMENT DUST CAPS			
SAJ118	107-371	Eyewash, priced per each	
SR377	S53-063	Eye/Face Wash, priced per each	

Bradley



Eyewash & Shower

EYE/FACE WASH DECONTAMINATION STATION

- Combination station
- Eye/face wash with dual spray outlets; flip-top dust covers and stainless steel bowl
- Stainless steel 1 1/4" IPS stanchion with a deluge showerhead
- Activated by a stainless steel pull rod
- Emergency Sign included
- Weight: 37 lbs.
- ANSI Z358.1 compliance

Specifications:

Flow Control: Internal 20 GPM regulator
 Inlet and Waste: 1 1/4" NPT female
 Performance: 20 GPM @ 20 PSI Shower
 3.8 GPM @ 30 PSI


Order No. **SAK664**

Mfg. No. SE-625

SPEAKMAN®

LIFESAVER® EMERGENCY OVERHEAD SHOWERS


Unique impeller action deluge shower heads with special vanes and angular slots that swirl water flows for complete, dense coverage and thorough, rapid decontamination action. Shower head is rugged, *Cyclocac*® 8" diameter plastic in safety yellow. 1" NPTF chrome plated brass valve. Pipe is 1" IPS galvanized steel painted safety green. Available in vertical overhead or horizontal supply with stay open ball valve activated by high visibility yellow pull rod or self closing and activated by 32" chain with stainless steel ring.



SAFE-T-ZONE® EMERGENCY STATIONS

NON-AERATED

Eye and eye/face washes are combined with impeller action deluge shower heads to create a zone of safety. *Cyclocac*® yellow 8" diameter showerhead. Dual spray outlets with flip-top dust covers. 1" NPTF chrome-plated brass stay-open ball valve activated by a high visibility yellow pull rod. 1 1/4" galvanized steel pipe and fittings, with floor flange painted safety green. 1 1/4" NPTF supply. 1 1/4" NPTF waste tee.



AERATED

Same as the non-aerated style except feature aerated eye and eye/face wash unit. **SF857** features a rectangular stainless steel 18 3/4" x 13" receptor. Spray heads have six aerated outlets, 3 each in both brass spray heads supply converging streams to produce a 9" x 8" curtain of aerated water. Volume controls in each spray head assure proper spray pattern. Brass spray heads are shielded by safety yellow polypropylene shrouds. **SF858** and **SD548** feature eyewash with dual aerated spray outlets and flip-top dust covers.



SPEAKMAN®

Order No.	Mfg. No.	Valve	Wt. lbs.
VERTICAL SUPPLY			
SF859	SE-220	Stay Open	7
SF860	SE-206	Self Closing	6
HORIZONTAL SUPPLY			
SF861	SE-227	Stay Open	8
SF862	SE-225	Self Closing	8

SPEAKMAN®

Order No.	Mfg. No.	Bowl Type	Dia."	Wt. lbs.
NON-AERATED				
SD546	SE-690	Round stainless steel	12 3/8	53
SD547	SE-695	Round yellow plastic	11	52
AERATED				
SF857	SE-603	Stainless steel	-	50
SF858	SE-693	Round stainless steel	12 3/8	57
SD548	SE-697	Round yellow plastic	11	53

SEE PAGE 310 FOR EMERGENCY SYMBOL SIGNS



Emergency Shower



First Aid



Eye Wash



COMBINATION SHOWER AND EYEWASH

- Showers available in yellow impact-resistant plastic or corrosion-resistant stainless steel
- 10" diameter showerheads activated by a pull rod and 1" IPS chrome-plated stay-open ball valve
- Eye and eye/face washes include twin spray heads with a flow control and pop-off dust covers with either yellow impact-resistant plastic or corrosion-resistant stainless steel 10" diameter bowls
- Eye and eye/face washes activate by highly visible push handle and 1/2" IPS chrome-plated stay-open ball valve
- Some units can be hand or foot control operated
- All units include 1 1/4" galvanized pipe and floor flange and is protected by a yellow polyurethane coating to with stand harsh/corrosive environments
- **SAK633** includes drench hose attachment for face and body rinse
- Water supply: 1 1/4" IPS (female)
- Waste: 1 1/4" IPS (female)
- Includes safety sign and inspection tag
- Meets ANSI Z358.1 Standards
- SEI Certified



SAK633



Order No.	Mfg. No.	Description	Wt. lbs.
EYEWASH			
SA415	S19-310	Plastic Showerhead and Bowl	41
SAK633	S19-310P	Plastic Showerhead and Bowl w/Drench Hose	47
SAK634*	S19-310LL	Plastic Showerhead and Stainless Steel Bowl	42
SAK635*	S19-310UU	Stainless Steel Showerhead and Bowl	44
EYE/FACEWASH			
SAK636	S19-310FW	Plastic Showerhead and Bowl	41
SAK637*	S19-310AC	Plastic Showerhead and I Stainless Steel Bow	42
REPLACEMENT DUST CAPS			
SAJ118	107-371	Eyewash, priced per each	
SR377	S53-063	Eye/Face Wash, priced per each	

*Hand or Foot Operated

CORROSION-RESISTANT COMBINATION SHOWER AND EYE/FACE WASHES

- Includes yellow plastic or stainless steel showerhead activated by a pull rod and 1" IPS chrome-plated stay-open ball valve
- Plastic or stainless steel eyewash bowl with twin plastic spray heads
- Activated by a plastic push handle and 1/2" IPS chrome-plated brass stay-open ball valve
- Fittings are all stainless steel
- 2" schedule 80 PVC pipe and floor flange withstands highly corrosive environments including chlorine
- Stainless steel combination drench shower with eye/face includes all stainless steel fixtures; eyewash includes face spray ring, hand or foot operated
- Meets ANSI Z358.1 Standards
- SEI Certified




SAK638



Order No.	Mfg. No.	Description	Wt. lbs.
SAK638	S19-310PVC	PVC Combination Eye/Face Wash	35
SAK639	S19-310SS	Stainless Steel Combination Eye/Face Wash	50
SR377	S53-063	Replacement Dust Caps, priced per each	

HEAT-TRACE COMBINATION DRENCH SHOWER WITH EYE/FACE WASH

- Wrapped in heat-trace cable surrounded by insulation and enclosed with 3/4" polyethylene yellow removable shell
- Includes yellow plastic showerhead activated by a pull rod and 1" IPS chrome-plated brass stay-open ball valve
- Eye/face wash includes ABC plastic twin spray-heads and activates by a stainless steel push handle and 1/2" IPS chrome-plated brass stay-open ball valve
- Shower design allows unit to be installed in up to -50° F freezing conditions
- Freeze protection valve ensures continual flow of water when internal temperatures drop below 35° F, valve closes at 45° F
- Temperature control thermostat opens at 64° F and closes at 54° F
- Includes a safety sign and inspection tag
- Available in top or bottom water supply in 120 V or 220 V
- Meets ANSI Z358.1 standards, rated class I division II groups B, C, D
- SEI Certified



SAK640



Order No.	Mfg. No.	Description	Wt. lbs.
120 V			
SAK640	S19-300D2T1AEFW	Top Water Supply	110
SAK641	S19-300D2B1AEFW	Bottom Water Supply	110
220 V			
SAK642	S19-300D2T2AEFW	Top Water Supply	110
SAK643	S19-300D2B2AEFW	Bottom Water Supply	110

HORIZONTAL AND VERTICAL SUPPLY DRENCH SHOWERS

- Designed for wall (horizontal) or ceiling (vertical) mounting
- Showers include either 10" diameter impact-resistant plastic or corrosion-resistant stainless steel showerheads
- Activated with pull rod and 1" IPS chrome-plated brass stay-open ball valve
- Pipe is 1" galvanized steel protected with a yellow polyurethane coating to prevent corrosion
- Water supply: 1" IPS (female)
- Includes safety sign and inspection tag
- Meet ANSI Z358.1 Standards
- SEI Certified



SA414



Order No.	Mfg. No.	Description	Wt. lbs.
HORIZONTAL SUPPLY			
SA414	S19-120	Plastic Showerhead	7
SAK644	S19-120A	Stainless Steel Showerhead	8
VERTICAL SUPPLY			
SA416	S19-130	Plastic Showerhead	5
SAK645	S19-130A	Stainless Steel Showerhead	6



Eyewash & Shower

Emergency eyewash and shower mixing valves blend hot and cold water to a comfortable flushing temperature. ANSI standards require tepid water to assure that eyewash and shower users are not subjected to scalding or freezing water temperatures.

Thermostatic mixing valves are available in three options specifically designed for emergency eyewash, drench shower or combination drench shower/eyewash applications:

Model SAI289
8 gallons per minute;
 accommodates up to three eyewashes or one eye/face wash



Model SAI294
36 gallons per minute;
 accommodates one combination shower with eyewash or multiple eyewashes



Model SAI299
67 gallons per minute;
 accommodates up to two combination showers with eyewashes or multiple eyewashes



FEATURES:

- Reliable liquid-filled thermostat
- Check stops on inlets
- Adjustable set point within temperature range

- Accurate temperature control to within $\pm 3^{\circ}\text{F}$
- Built-in cold water bypass, assuring cold flow
- Easy installation and serviceability
- Positive shut-off of hot supply when cold supply is lost

- Dirt and lime resistant
- Dial thermometer
- Factory assembled and tested
- Universal mounting capability
- Rough bronze finish
- Meets ANSI Z358.1

THERMOSTATIC MIXING VALVES

Order No.	Mfg. No.	Description
SAI289	S19-2000	8 GPM
SAI294	S19-2100	36 GPM
SAI299	S19-2200	67 GPM



SPECIFICATIONS:

- Emergency fixture water mixing valve shall consist of liquid-filled thermal motor and piston control mechanism with positive shut off of hot water when cold water supply is lost to prevent scalding
- Valve shall allow cold flow in the event of loss or interruption of the hot water supply or thermostat failure
- Valve shall control outlet temperature
- Temperature adjustment will be vandal resistant

VALVE SPECIFICATIONS:

Maximum operating pressure: 125 PSI (860 kPa)
 Maximum inlet temperature: 180°F (82°C)
 Recommended inlet temperature: 120°F (49°C) to 140°F (60°C)
 Temperature range: Std. 65°F (18°C) to 95°F (35°C)
 Set Point: 85°F (29°C)

FLOW CAPACITIES - GPM

Order No.	Min. Flow	SYSTEM PRESSURE DROP - PSI						
		5	10	15	20	30	45	60
SAI289	1.5	3.4	4.5	5.6	6.5	7.8	9.4	11.6
Cold Bypass Only		2.6	3.2	4.0	4.6	5.6	6.8	7.7
SAI294	2.0	14.0	20.0	24.5	29.0	36.0	44.0	50.0
Cold Bypass Only		8.0	11.5	14.0	16.5	20.0	24.5	28.0
SAI299	2.0	23.0	36.0	46.0	54.0	67.0	83.0	95.0
Cold Bypass Only		15.0	22.0	29.0	34.0	43.0	52.0	60.0

EYEWASH STATIONS

Wall stations provide job site convenience and immediate accessibility. Visible with full emergency use instructions in front. Constructed of sturdy high-impact plastic. Available in single 16 oz. or double 32 oz. full squeeze bottles or with empty spout and eye cup bottle. Solution is sterile isotonic. Complete stations include mirror, except SR373 and SR374, and four pre-drilled holes for easy wall mounting. Empty spill spout and eye cup bottles available separately. Ideal for high eye hazard areas.

Order No.	Mfg. No.	Description	Size"
SINGLE STATIONS			
SAK725*	E/A3827	W/Empty 16 oz. Spill Spout and Eye Cup	11 x 14
SAK726*	E/A3832	Panel Only	11 x 14
SR370	E/A3840	W/32 oz. Squeeze Bottle	6 1/2 x 11
SR371	E/A3837	Panel Only	6 1/2 x 11
SD556	E/A3825	W/Empty 32 oz. Spill Spout and Eye Cup	14 x 17
SD557	E/A3830	Panel Only	14 x 17
DOUBLE STATIONS			
SN702	E/A3841	W/2-32 oz. Squeeze Bottles	11 x 14
SR372	E/A3838	Panel Only	11 x 14
SR373*	E/A3826	W/2 Empty 32 oz. Spill Spout and Eye Cup	14 x 17
SR374*	E/A3831	Panel Only	14 x 17
REPLACEMENTS			
SAK727	E/A3836	Empty 16 oz. Spill Spout and Eye Cup Bottle	
YA094	E/A3835	Empty 32 oz. Spill Spout and Eye Cup Bottle	
SAK728	E/1507AISO	16 oz. Eyewash Solution	
SN703	E/1507BISO	32 oz. Eyewash Solution	
SR375	E/1507CISO	4 litres Eyewash Solution	

* Without mirror

SN702



SR373

Pure Flow 1000™

- Sure-grip handle provides instant, simple activation
- Activation straps display expiration date
- Integral drain valve allows easy draining of reservoir after use
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal
- Once activated, this device automatically displays a prominent, *Warning Service Immediately*, notice on the front of the unit; new fluid cartridges must be installed
- Requires two 3.8 gal. *Eyesaline*® fluid cartridges (sold separately)
- Fluid cartridges have a 24-month shelf life
- Device must be mounted on a wall or other suitable vertical surface
- Comes complete with product registration card, operating manual, metal hanging bracket for installation and an emergency eye wash sign
- SEI certified to meet ANSI Z358.1



fend-all

Order No.	Mfg. No.	Description	Wt. lbs.
SD552	32-001000-0000	Eyewash station (English Instructions)	40
SAJ678	32-001000-0022	Eyewash station (French Instructions)	40
SD553	32-001050-0000	Fluid cartridges (2/pkg)	70

PORTA-STREAM® 1, 2 & 3

Self-contained high-impact polyethylene units mount on any wall or sit on a level surface. Single pull strap, once activated, leaves workers hands free to hold eyes open. Available in 6 or 16 gallon units. Each unit supplied with an emergency eyewash sign and *Eyesaline*® concentrate to mix with water. Optional dust cover available to keep flushing area free of contaminants. Removal of cover pulls off retainer caps and activates flow.

SA428 is electrically heated thermostatically to 72°F and will operate in temperatures to -32°F. Unit is protected with an insulated cover.

Note: *Eyesaline*® concentrate once opened has a six month life.



fend-all

Order No.	Mfg. No.	Description	Wt. lbs.
PORTA-STREAM® I			
SA425	32-000100-0020	6 gal, 6 min. flush (Eng. inst.)	19
SAM656	32-000100-0022	6 gal, 6 min. flush (Fr. inst.)	19
PORTA-STREAM® II			
SA427*	32-000200-0020	16 gal., 15 min. flush (Eng. inst.)	36
SAJ676*	32-000200-0022	16 gal., 15 min. flush (Fr. inst.)	36
PORTA-STREAM® HEATED			
SA428*	32-000310-0020	15 min. flush	42
EYESALINE® CONCENTRATE			
SA408	32-000509-0020	70 oz. (For SA425, SAM656))	5
SA411	32-000513-0020	180 oz. (For SA427, SAJ676, SA428)	13
WATER PRESERVATIVE,			
SAJ670	32-001100-0000	4 - 8 oz. bottles (English)	-
SAJ677	32-001100-0022	4 - 8 oz. bottles (French)	-
REPLACEMENT PARTS			
SA426	32-000102-0000	Replacement pull-strap,	1
SA412	32-000517-0000	Dust Cover (Fits <i>Porta-Stream</i> ® I and II)	1

* SEI Certified to meet ANSI Z358.1

FLASH FLOOD

Portable self-contained eyewash station, classified as a personal (secondary) eyewash device, provides flexible emergency eyewash capability in economical systems. Includes a 1 gallon container of *Eyesaline*® solution providing three full minutes of gravity-fed flow. The protective nozzle covers are easily pulled off in an emergency and each nozzle has a built-in filter for extra protection.



SA421

SA419



SA403

fend-all

Order No.	Mfg. No.	Description	Wt. lbs.
FLASH FLOOD			
SA419	32-000400-0000	Eyewash Station (Eng. Inst.)	14
SAM657	32-000400-0022	Eyewash Station (Fr. Inst.)	14
EYESALINE®			
SA403	32-000401-0000	1 Gal. Refill (4/Pkg.) (Eng. Inst.)	36
SAM658	32-000401-0022	1 Gal. Refill (4/Pkg.) (Fr. Inst.)	36
SA420	32-000402-0000	Wire Rack for Cartridges	3
SA421	32-000403-0000	Replacement Pull Strap	1

PORTA-STREAM® EYEWASH WASTE WATER DISPOSAL CART

Portable, self-contained eyewash stations provide flexible, emergency eyewash capability in economical systems. Lightweight, portable units don't require plumbing. This heavy-duty, polyethylene, wheeled disposal cart provides a convenient mean to transport waste solution to the nearest disposal site. The cart may also be used to catch waste water when testing plumbed emergency eyewash and showers that do not have drains. Disposal cart can hold up to 20 gallons of waste water, and has a 3.94" diameter hole.



Order No. SE137
Mfg. No. 32-000511-0000

fend-all

DE-FEND® WATER PRESERVATIVE

fend-all

- A liquid formulated to inhibit the growth of harmful bacteria in self-contained eyewash stations
- One bottle will preserve 14 to 16 gallons of water in a unit such as the *Porta-Stream*® II
- Case of 4-8 oz. bottles with tamper evident seals
- Three-year shelf life, unopened
- Priced per case

Order No.	Mfg. No.	Description
SAJ670	32-001100-0000	English Instructions
SAJ677	32-001100-0022	French Instructions





Eyewash & Shower

GRAVITYFLO® FED EYE/FACE WASH

For use where a permanent water supply is not available, as a temporary replacement for inoperable plumbed-in units. Tank constructed of high density moulded polyethylene with a 21-gallon (US) capacity. Can be wall mounted (bracket included) or shelf mounted. Spray heads have a unique contoured rubber eye protection for more effective eye and face coverage. In OFF position, spray heads are enclosed in a recessed area for protection from airborne debris. The quick opening, reliable valve is activated by pulling down the spray arms.

Dimensions:

26 1/8" H x 26" W x 12" D.

Flushing time: 20 minutes, greatly exceeding the ANSI recommended minimum of 15 minutes.

Flow rate: 9 GPM for first 9 1/2 minutes, 0.75 GPM afterward to 19 1/2 minutes then 0.6 GPM until empty.

Standards: Meets ANSI Z358.1 for portable eyewash units. Meets ANSI A117.1 for providing accessibility and usability for physically handicapped people.

Order No. SD544

Mfg. No. SE-4000



SPEAKMAN®

FLUID COLLECTION STATION

SE407

- 28-gallon polyethylene container
- Captures and contains flushing solution
- Stay-put lanyard and wall mounting hardware, ensures station stays at the eye/face wash unit
- Provided with 3/4" garden hose thread drain connection, coated stainless steel for easy draining
- Includes a detachable wheel assembly
- Weight: 25 lbs.

Order No. SE407

Mfg. No. SE-4240



GRAVITYFLO® PORTABLE CART

- Designed to hold and transport Gravityflo® eye/face wash tanks SD544 and SAI287
- Weight: 69 lbs.

Order No. SAK662

Mfg. No. SE-4260

SAK662



WATER PRESERVATIVE ADDITIVE

- Anti-microbial preservative for portable eyewashes
- Treats 5-21 gallons for up to 180 days
- Case of 4-8 oz. bottles
- Priced per case

Order No. SAK661

Mfg. No. SE-4210



SPEAKMAN®


HEATED GRAVITYFLO® EYE/FACE WASH

The heated *Gravityflo*® offers the benefits of the *Gravityflo*® while providing protection in unheated spaces, even to -50°F. Designed for use in indoor or outdoor applications where freezing is a concern. Holds up to 21 gallons (US) of potable water at a thermostatically controlled average temperature of 75°F (24°C) even if the ambient temperature drops to -20°F (-29°C) for extended periods.

Provides up to a minimum of 15 minutes flushing time. Ideally suited for any unheated location where hazardous conditions may threaten eye or face area. Exceeds all appropriate ANSI standards for flow and meets ADA barrier-free requirements for handicapped use.

- Equipped with a durable, highly visible insulating cover that also protects the spray heads from dirt and grime
- Safety limit thermostat shuts off elements when fluid level is too low
- Green and red indicator lights signal "power on" and low water levels
- Power Source: 120 V AC; 1,450 W; 15 A; 8' heavy-duty power cord
- CSA/UL approved
- Capacity: 16-21 gallons (US) potable water

Order No. SAI287 Mfg. No. SE-4500



SPEAKMAN®

EYE MEDIC™ CARTRIDGE EYEWASH

The *Eye Medic*™ Emergency Eyewash System is the safest and easiest solution for your OSHA compliance needs.

- Factory sealed disposable cartridges contain purified flushing fluid with a maximum 24-month life
- Spray nozzles deliver a soft full stream of flushing fluid in the excess of the ANSI Z358.1 minimum recommended flows
- High visibility yellow activation panel provides easy detection and activation in case of emergency
- Compact, space saving design with standard wall mount hardware or optional counter stand offers unlimited installation options
- Complies with ANSI Z358.1 tepid water requirement if installed in a location where the ambient temperature is maintained between 60 and 95°F
- Complies with OSHA and ANSI Z358.1 requirements for emergency eyewashes
- Accessories available



Counter Stand Sold separately

SPEAKMAN®

Order No.	Mfg. No.	Description	Wt. lbs.
SAK670	SE-4700	Eyewash Station	30
SAK671	SE-4270	Eyewash Refill Cartridge Set	70
SAK672	SE-4750	Counter Stand	12
SE407	SE-4240	Fluid Collection Container	25



ON-SITE® GRAVITY-FED EYEWASH AND TRANSPORT CART

- Now fully transportable
- Clear see-through tank allows maximum visual inspection
- Smaller footprint where space is a premium
- Mounts on waste cart, wall, or bench top for maximum flexibility
- Extra capacity allows weekly checks without refilling
- Eyewash activates water flow when hinged eyewash tray is pulled down
- Spray heads provide a continuous flow of water for 15 minutes at .4 GPM
- Refill kit consists of one 8 oz. concentrate, 3 liners, cap and inspection tag
- Water preservative comes in 4-8 oz. bottles, priced per case
- Includes safety sign
- Meets ANSI Z358.1 Standards
- SEI Certified



WASTE CART

- Waste collection tank is 56 gallons with 1/2" petcock at bottom for easy draining of waste over a floor drain
- Includes rigid casters in front and locking swivel casters in back for easy transportation of Gravity-fed unit

Order No.	Mfg. No.	Description	Wt. lbs.
SAK609	S19-921	Gravity-Fed Eyewash	23
SAK610	S19-921H	Gravity-Fed Eyewash w/Heater Jacket	25
SAK611	S19-399	Transport Cart	28
SAK612	S19-899	Refill Kit	2
SAK613	S19-865	Water Preservative, 4-8 oz bottles, 3	Priced per case

SAK609



SAK611

WATER PRESERVATIVE

- Universal application can be used with any portable eyewash unit
- Mixes with potable water at a minimum level of 6 gallons and a maximum of 20 gallons
- Prevent bacteria, fungi and algae growth for up to 4 months
- Case of 4-8 oz. bottles
- Priced per case

Order No. SAK613
Mfg. No. S19-865



10-GALLON PORTABLE/PRESSURIZED EYEWASH

- Stainless steel pressure tanks include tire filler valve with 0-100 PSI air gauge, pressure relief valve to prevent over pressurization and built-in carry handles for easy transportation
- Eyewash assembly includes twin eyewash heads with a flow control and pop-off dust covers
- Eyewash activates by a large stainless steel push handle with stay-open ball valve
- Supplemental hose spray for face and body rinse has 8' yellow hose with hand-held squeeze valve
- **10-gallon Unit:**
Eyewash flow: Minimum 15-minute water flow
Drench hose flow: 3 1/2-minute water flow
- **15-gallon Unit:**
Eyewash flow: Minimum 22-minute water flow
Drench hose flow: 5-minute water flow
- Heated units are 510 W with eyewash only
- Optional 4-wheel, stainless steel cart
- Meets ANSI Z358.1 Standards
- SEI Certified



Order No.	Mfg. No.	Description	Wt. lbs.
SAK628	S19-690	10 Gallons	30
SAK629*	S19-690H	10 Gallons w/Heater Jacket	31
SAK630	S19-788	15 Gallons	35
SAK631*	S19-788H	15 Gallons w/Heater Jacket	36
SAK632	S19-690A	Transport Cart	12
SAK613	S19-865	Water Preservative, 4-8 oz bottles, 3	Price per case

*Eyewash only



SAK628

SAK631

SAK632



First Aid

INDUSTRIAL FIRST AID KITS

Developed as complement to regulation kits. Comes in metal boxes available in three sizes. Refill kits available.

Order No.	No. of Employees	Box Dimensions		
		W"	x H"	x D"
SD761	25 or less	15.5	x 12	x 4.5
SD762	25 - 50	14.5	x 16.5	x 6.5
SD763	200 or less	14.5	x 16.5	x 6.5

REFILL KITS

SD764	25 employees or less
SD765	25 - 50 employees
SD766	200 employees or less



Component Product Description	Contents		
	25 Emp. or Less	25 - 50 Emp.	200 Emp. or Less
First Aid Manual	1	1	1
Absorbent cotton 1 oz.	1	2	6
Cotton tip applicators 6" (100)	1	1	2
Adhesive tape 1/2" x 5 yds. spool. W.P.	1	1	1
Adhesive tape 1" x 5 yds.	-	1	-
Adhesive tape 2" x 5 yds. spool. W.P.	-	-	1
Adhesive tape remover	1	1	1
Elastic bandage 2" x 5 yds.	-	1	2
Gauze bandage 1" x 5 yds.	3	3	12
Gauze bandage 2" x 5 yds.	3	3	8
Gauze bandage 3" x 5 yds.	2	2	8
Gauze pad 2" x 2" sterile	25	25	50
Gauze pad 3" x 3" sterile	25	25	50
Gauze pad 4" x 4" sterile	25	25	50
Pressure bandage 4" sterile	1	2	6
Triangular bandage	1	2	8
Plastic adhesive strips 3/4" x 3" sterile	100	200	200
Ammonia inhalants sterile	-	-	10
Peroxide 100 ml.	1	1	1
Benzalkonium antiseptic (sachet)	50	100	100
BurnFree® burn gel (sachet)	1	1	1

Component Product Description	Contents		
	25 Emp. or Less	25 - 50 Emp.	200 Emp. or Less
No bleed 25 ml.	1	1	1
Antibiotic First Aid ointment 15 g.	1	1	1
Eno regular strength	2	2	-
Sterilized eye drops	1	1	2
Eye wash 8 oz. sterile	1	1	1
Eye bath plastic	1	1	1
Eye pad oval sterile	2	2	6
Double adhesive strips for eye pads	2	2	6
ASA tablets	100	100	100
Scissors bandage lister 3 1/2"	1	1	1
Safety pins assorted	12	12	24
Wood splints (set of 6)	-	1	1
Splint padding	-	3	3
General tweezers kit	1	1	1
Tongue depressors, I.W.	25	25	25
Soap bar	-	-	1
Dressing forceps	-	-	1
Fingertip dressings large sterile	10	25	50
Knuckle bandages sterile	25	50	100
Latex gloves (1 pair)	1	1	1

EMPTY CABINETS

First aid cabinets designed for business, office and industrial use. These sizes allow for the stocking of first aid supplies best suited to individual needs. First aid cabinets offer outstanding quality not only as a result of the use of heavy gauge steel but also through their sturdy, all-welded construction. Finishes are acid resistant, rust resistant baked white enamel. All varieties have hangers for wall mounting.



Order No.	Mfg. No.	Description	Dimensions			Wt. lbs.
			W"	x D"	x H"	
SE212	534AV-43	w/2 adjustable shelves	13 5/8	x 5 9/16	x 16 5/32	11
SN277	539AV-43	Master cabinet w/2 adjustable shelves	19 1/2	x 5 1/2	x 26	22
SN145	539-43	Master cabinet w/4 fixed shelves	19 1/2	x 5 1/2	x 26	22
SA496*	518-43-PD	w/plexiglass door, bottom shelf slides out	18	x 8	x 27	32
SA497	052-43	Spill control/Respirator cabinet w/2 adjustable shelves & plexiglass window	13 13/16	x 12 3/4	x 30 1/16	30

*Includes lock and two keys



VEHICLE FIRST AID KITS



Ideal for car and truck.
Available in plastic or metal kits



Component Product Description	Truck Kit	Contents	
		Auto Kit	S.O.S. Kit
Auto First Aid Kit	-	-	1
First Aid manual	1	1	-
Pressure bandage 2" sterile	-	1	-
Pressure bandage 4" sterile	2	-	-
Gauze pads 2" x 2" sterile	-	4	-
Alcohol sachet	2	-	-
Gauze bandage 1" x 5 yds.	-	1	-
Gauze bandage 2" x 5 yds.	1	-	-
Gauze bandage 3" x 5 yds.	-	1	-
Gauze bandage 4" x 5 yds.	1	-	-
Conform gauze 3" x 5 yds.	1	-	-
Adhesive tape 1/2" x 2.5 yds.	1	1	-
Triangular bandage	2	1	-
Instrument kit #1	1	1	-
Plastic adhesive strips 3/4" x 3" sterile	24	10	-
Benzalkonium antiseptic sachet	2	10	-
Ammonia inhalants	2	-	-
Proviordine ointment sachet	2	-	-
Fingertip dressing regular sterile	1	-	-
Knuckle band sterile	1	-	-
Sting relief sachet	2	-	-
S.O.S. plastic flag	-	1	1
Booster cables	-	-	1
Wax flares, 2 per box	-	-	1
Matches-waterproof, 45/box	-	-	1
Emergency candles	-	-	2
Safety goggles	-	-	1
Natural spring water bottle	-	-	1
Hot/cold foam cup, 7 oz.	-	-	4
Rescue emergency blanket	-	-	1
Work gloves (pair)	-	-	1
1 stove with fuel	-	-	1
Penlight c/w batteries	-	-	1
Instant coffee/cream/soup	-	-	2
Sugar package	-	-	4
Tea bag	-	-	2
Content sheet	-	-	1
Aluminum container 5" x 4" x 1"	-	-	1
Puncture seal tire inflator	-	-	1

Order No.	Description	Box Dimensions W" x H" x D"
SD850	Plastic, Truck Kit	10 x 7 x 3
SD851	Metal, Truck Kit	10 x 7 x 3
SD853	Plastic, Automobile Kit	7.5 x 5 x 3.5
SD854	Metal, Automobile Kit	7.5 x 5 x 3.5
SD852	S.O.S. Emergency Kit	-

S.O.S. Emergency
Automobile Kit
Available in nylon
bag as shown



UNIVERSAL PRECAUTION KIT

COMBINATION PERSONAL PROTECTION/CLEAN UP KIT

- Self-contained system to address the needs of spill protection, containment and disposal
- Effectively contains and deodorizes potentially infectious and harmful blood and body fluid spills

Includes:

- Pouch of Red Z™ solidifier
- Large, absorbent towel
- Medical apron
- Easy-to-follow universal instructions
- Face shield/mask
- Antimicrobial hand wipe
- Disposable medical gloves
- Waste disposal bag w/tie
- Pick-up scoop and scraper

Order No.	Description
SAM026	Plastic Bag
SAM045	Plastic Case





First Aid

DELUXE KIT

This *First Aid Kit* provides a varied selection of first aid products to service various areas such as offices, boats, trailers and restaurants. A convenient substitute where a large variety of first aid products are needed, but a regulation kit is not required.



Contents:

- 1 First aid pump spray 125 ml
- 1 Spray on bandage 100 ml
- 1 Tube 28 g. burn ointment
- 1 Box 3" x 7/8" elastic strips (100)
- 2 Bottle ASA tablets (100)
- 1 Bottle 250 ml. eyewash
- 1 Pkg. 25 sterile gauze pads 2" x 2"
- 1 Pkg. 25 sterile gauze pads 3" x 3"
- 1 Box adhesive dressing 1"
- 2 Rolls adhesive tape 1"
- 6 Gauze bandages 1"
- 8 Gauze bandages 2"
- 8 Gauze bandages 4"
- 6 Pressure dressings 4"
- 6 Triangular Bandages w/pins
- 2 Roll up splints 12"
- 2 Absorbent cotton 15 g
- 1 Scissors
- 1 Tweezers
- 1 Kidney basin
- 1 First aid manual

Order No.	No. of Employees	Dimensions			Case
		W"	H"	D"	
SA485	11 - 50	12 x	15 1/2 x	4 1/2	Metal

OFFICE KIT

The contents of this kit provides treatment for common injuries.

Contents:

- 1 2 oz. antiseptic
- 4 Antiseptic wipes
- 1 Box 3/4" plastic strips (100)
- 1 Burn spray
- 1 Gauze bandage 1"
- 2 Gauze bandage 2"
- 1 Gauze bandage 3"
- 2 Triangular bandages w/pins
- 1 Compress 2"
- 1 Compress 4"
- 1 1/2" x 2 1/2 yds. adhesive tape
- 1 Bottle ASA tablets (100)
- 1 Scissors
- 1 Tweezers
- 12 Safety pins



Order No.	No. of Employees	Dimensions			Case
		W"	H"	D"	
SA486	1 - 10	9 1/2 x	13 1/2 x	3	Metal



Regulation kits meet or exceed current requirements as stated in the Workman's Compensation Act in accordance with each province. Determine the kit size by the number of people it will service. Kits are made of plastic and metal. Refill kits available. Inquire about deluxe kits.



ALBERTA




BRITISH COLUMBIA



MANITOBA



NEW BRUNSWICK



NEWFOUNDLAND



NORTHWEST TERRITORIES



SASKATCHEWAN



NOVA SCOTIA



ONTARIO



PRINCE EDWARD ISLAND



QUEBEC



First Aid



ONTARIO

Please inquire about Ontario Deluxe and special first aid kits.

Component Product Description	Contents		
	1 - 5 Emp.	6 - 15 Emp.	16 - 200 Emp.
First Aid manual	1	1	1
Plastic adhesive strips 3/4" x 3" sterile	12	24	48
Pressure bandage 4" sterile	2	4	6
Gauze bandage 1" x 5 yds.	-	-	12
Gauze bandage 2" x 5 yds.	2	4	8
Gauze bandage 4" x 5 yds.	-	4	8
Gauze pad 3" x 3" sterile	4	12	48
Triangular bandage	1	6	12
Splint padding	-	2	2
Metal wire splint/boxed	-	1	-
Wood splints (set of 4)	-	-	1
Safety pins	12	12	24
Adhesive tape 1" x 5 yds.	-	-	2
Latex gloves (1 pair)	1	1	1
Emesis basin	-	-	1

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/ Box
PLASTIC			
SD818	1 - 5	7.5 x 5 x 3.5	10
SD819	6 - 15	13.5 x 9.5 x 3	36
METAL			
SD820	1 - 5	7.5 x 5 x 3	10
SD821	6 - 15	13.5 x 9.5 x 3	36
SD822	16 - 200	15.5 x 12 x 4.5	-
BULK REFILLS			
SD823	1 - 5 employees		
SD824	6 - 15 employees		
SD825	16 - 200 employees		



QUEBEC

Please inquire about larger kits.

Component Product Description	CSST Contents	
	Vehicle	1-50 Emp
First Aid manual	1	1
Latex gloves (pair)	1	1
Instrument kit in unit box	1	1
		(12) pack safety pins
		(1) splinter tweezer
		(1) pair scissors
Plastic adhesive strips 1" x 3" sterile	12	25
Gauze pads sterile 4" x 4"	6	25
Gauze bandage 2" x 10 yds.	1	4
Gauze bandage 4" x 10 yds.	1	4
Triangular bandage	2	6
Adhesive tape 1" x 5 yds.	2	2
Antiseptic sachets	5	25
Pressure bandage 4" sterile	2	4

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/ Box
PLASTIC			
SD835	Vehicle	7.5 x 5 x 3.5	10
SD836	1 - 50	13.5 x 9.5 x 3	36
METAL			
SD837	Vehicle	7.5 x 5 x 3	10
SD838	1 - 50	13.5 x 9.5 x 3	36
BULK REFILLS			
SD839	Vehicle		
SD840	1 - 50 employees		

See page 310 for Emergency Symbol Signs



Emergency Shower



First Aid



Eye Wash



Stretcher



NEW BRUNSWICK

Stock kits as follows based on the number of employees per shift in the workplace:


- 1 = 1 Personal kit
- 2 - 19 employees = 1 Standard kit
- 20 - 99 employees = 2 Standard kits
- 100 - 199 employees = 3 Standard kits
- 200 or more employees = 4 Standard kits*

*1 additional first aid kit for each additional increment of 1 to 100 employees. Over 100 employees requires a first aid room.

PERSONAL	Content
Plastic adhesive strips 3/4" x 3" sterile	6
Plastic adhesive strips 1" x 3" sterile	4
Gauze pads sterile 4" x 4"	5
Pressure bandage 4" sterile	1
Antiseptic Benzalkonium towelettes	5
Triangular bandage	1
Emesis bag	1
Vinyl gloves (1 pair)	1

STANDARD	Content	STANDARD (con't)	Content
First aid manual	1	Adhesive tape, 1" x 10 yds	2
Accident record book	1	Non-adherent pads, 2" x 3"	2
Pencil	1	Non-adherent pads, 3" x 4"	2
Scissors 5 1/2"	1	Abdominal pads, 8" x 10" sterile	6
Tweezers	1	Antiseptic Benzalkonium towelettes	12
Assorted safety pins (12)	1	Sugar packets	6
Plastic adhesive strips 3/4" x 3" sterile	24	Peroxide 115 ml	1
Gauze pads sterile, 2" x 2"	3	P.E.G. water soluble burn lotion 65 g	1
Gauze pads sterile, 3" x 3"	5	Face shield disposable	1
Gauze pads sterile, 4" x 4"	4	Vinyl gloves (1 pair)	6
Gauze bandages 4" x 10 yds sterile	2	Cotton-tipped applicators 3"	12
Elastic bandages, 3" x 5 yds	2	Hand cleansers	12
Pressure bandages, 4" sterile	4	moist towelettes	12
Triangular bandages	6	Rescue blanket	1
		Zip lock plastic bags	4

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/Box
NYLON			
SAM359	Personal	5.25 x 1.75 x 3.25	-
PLASTIC			
SAM360	Personal	7 x 2 x 5.5	-
SAM361	Standard	13.5 x 3 x 9.5	36
METAL			
SAM362	Standard	13.5 x 3 x 9.5	36
BULK REFILLS			
SAM363	Personal		
SAM364	Standard		



NEWFOUNDLAND & LABRADOR

Component Product Description	1 - 5 Emp.	6 - 14 Emp.	15 - 200 Emp.
First Aid manual	1	1	1
Accident record book	1	1	1
Instrument kit in unit box	1	1	1
		(12) pack safety pins	
		(1) splinter tweezers	
		(1) pair scissors	
Pressure bandage, 4" sterile	2	2	6
Plastic strips, 1" x 3" sterile	12	16	32
Gauze pad sterile, 3" x 3"	12	16	32
Triangular bandage	4	6	6
Adhesive tape 1" x 5 yds.	-	1	2
Tubular dressing w/applicator	-	-	1
Fingertips large sterile	-	-	10
Knuckle bands sterile	-	-	10
Peroxide 100 ml.	1	1	1
Adhesive tape 1/2" x 5 yds.	1	-	-
Latex gloves (1 pair)	1	1	1

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/Box
PLASTIC			
SD796	1 - 5	7.5 x 5 x 3.5	10
SD797	6 - 14	10 x 7 x 3	16
SD798	15 - 200	10 x 10 x 3	24
METAL			
SD799	1 - 5	7.5 x 5 x 3	10
SD800	6 - 14	7 x 10 x 3	16
SD801	15 - 200	10 x 10 x 3	24
BULK REFILLS			
SD802	1 - 5 employees		
SD803	6 - 14 employees		
SD804	15 - 200 employees		

**See pages 171-177
for Chemical Resistant
& Coated
Gloves**





First Aid



NOVA SCOTIA



PRINCE EDWARD ISLAND

Component Product Description	Contents	
	2 -20 Emp.	21 - 50 Emp
First Aid manual	1	1
Accident record book	1	1
Instrument kit in unit box:	1	1
	(12) pack safety pins	
	(1) splinter tweezers	
	(1) pair scissors	
Pressure bandage 4" sterile	2	6
Gauze pad 3" x 3" sterile	16	32
Plastic adhesive strips 1" x 3" sterile	24	32
Triangular bandage	6	6
Adhesive tape 1" x 5 yds.	1	1
Latex gloves (1 pair)	2	4
<i>Benzalkonium</i> antiseptic towelettes	12	12
Pencil	1	1
Hand cleanser moist towelettes	24	24
Gauze bandage 2" x 5 yds.	2	3
<i>Bio Barrier</i> face shield	1	1
Biohazard bag printed	1	1


Component Product Description	Contents		
	1 - 4 Emp.	5 - 15 Emp.	16 - 100 Emp.
First Aid manual	1	1	1
First Aid record book	1	1	1
Instrument kit in unit box	1	1	1
		(12) pack safety pins	
		(1) splinter tweezers	
		(1) pair scissors	
Plastic adhesive strips 3/4" x 3" sterile	20	30	30
Plastic adhesive strips 1" x 3" sterile	10	20	20
Cotton tipped applicators (100) 3"	1	1	1
Triangular bandage	2	6	10
Adhesive tape 1/2" x 2 1/2 yds.	1	2	2
Eye pad oval sterile	2	2	2
Abdominal pad 5" x 9" sterile	2	2	6
Gauze pad 3" x 3" sterile	12	24	36
Alcohol sachet, 10 unit box	1	1	1
Peroxide 100 ml.	1	1	1
Rescue blanket	-	1	1
Wood splints (set of 6)	-	1	1
Latex gloves (1 pair)	1	1	1

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/ Box
PLASTIC			
SD812	2 - 20	10 x 7 x 3	16
SD813	21 - 50	10 x 10 x 3	24
METAL			
SD814	2 - 20	7 x 10 x 3	16
SD815	21 - 50	10 x 10 x 3	24
BULK REFILLS			
SD816	2 - 20 employees		
SD817	21 - 50 employees		

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/ Box
PLASTIC			
SD826	1 - 4	7.5 x 5 x 3.5	10
SD827	5 - 15	10 x 10 x 3	24
SD828	16 - 100	13.5 x 9.5 x 3	36
METAL			
SD829	1 - 4	7.5 x 5 x 3	10
SD830	5 - 15	10 x 10 x 3	24
SD831	16 - 100	13.5 x 9.5 x 3	36
BULK REFILLS			
SD832	1 - 4 employees		
SD833	5 - 15 employees		
SD834	6 - 100 employees		

**See pages 162-165
for our complete
line of Rainwear**





ALBERTA

Component Product Description	Personal Kit	Contents		
		1 Emp.	2 – 9 Emp.	10 – 99 Emp.
Plastic strip 3/4"	5	25	50	100
Plastic strip 1"	5	-	-	-
Gauze pad 4" x 4" sterile	5	10	20	50
Pressure bandage 4"	1	2	3	6
Pressure bandage 6"	-	2	3	6
Conform bandage 3"	-	2	2	6
Combine pad sterile 8" x 10"	-	-	1	4
Adhesive tape 1" x 5 yds	-	1	1	2
Elastic bandage 3" x 5 yds	-	1	2	4
Tubular dressing w/applicator	-	-	-	1
<i>Benzalkonium</i> towelette	5	10	10	24
Triangular bandage w/pins	1	3	4	12
Rescue breather	-	1	1	1
Oval eye pad	-	-	1	2
Safety pins	-	12	12	12
Scissors straight 4"	-	1	1	1
Tweezers 3"	-	1	1	1
Emesis bag green 12" x 9"	1	1	1	2
Latex gloves (1 pair)	1	4	6	12
First aid manual	-	1	1	1
Accident record book	-	-	1	1
Content list	-	1	1	1

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/ Box
-----------	------------------	--------------------------------	--------------

PLASTIC

SN664	1	10 x 7 x 3	16
SN665	2 – 9	10 x 10 x 3	24

METAL

SN666	1	10 x 7 x 3	16
SN667	2 – 9	10 x 10 x 3	24
SN668	10 – 99	15 x 12 x 4	-

NYLON

SN669	Personal	6 x 4.5 x 2	-
SN670	10 – 99	12 x 9 x 3.5	-

BULK REFILLS

SN671	1 employee		
SN672	2 – 9 employees		
SN673	10 – 99 employees		
SN674	Personal		

MANITOBA

To fulfill Manitoba regulations, stock kits as follows:

1	-	25 employees	=	1 kit
26	-	50 employees	=	2 kits
51	-	75 employees	=	3 kits
76	-	100 employees	=	4 kits

Over 100 employees requires a first aid room.
Deluxe kits are available on request.


Component Product Description	Contents
Rescue Breather	1
First aid manual	1
Instant cold compress	1
Gauze pads 4" x 4" sterile	4
Assorted safety pins	12
Splinter tweezers	1
Pair scissors	1
Pressure bandage 4" sterile	2
Gauze pad 3" x 3" sterile	16
Plastic adhesive strips 1" sterile	32
Elastic bandage 3" x 5 yards	2
Triangular bandage	3
Conforms bandage 4" x 5 yards	2
Antiseptic <i>Benzalkonium</i> sachets	25
Latex gloves (1 pair)	1
Adhesive tape 1" x 5 yards on spool	2
Tubular gauze w/applicator	1
Elastic dressing strip 3" x 1 yard	1

Order No.	Description	Box Dimensions W" x H" x D"	Unit/ Box
SG512	Plastic	13.5 x 9.5 x 3	36
SG513	Metal	13.5 x 9.5 x 3	36
SG514	Refills	-	-

**Our Regulation
Kits meet current
requirements stated in the
Provincial Workman's
Compensation Acts.**



First Aid



SASKATCHEWAN DELUXE

Component Product Description	Contents		
	1 - 9 Emp.	10 - 40 Emp.	40+ Emp.
First Aid manual	1	1	1
Accident record book	1	1	1
Splinter tweezers	1	1	1
Pair of scissors	1	1	1
Plastic adhesive strip 3/4" x 3" sterile	12	24	36
Pressure bandage 4" sterile	2	4	6
Gauze pad 2" x 2" sterile	2	4	6
Gauze pad 3" x 3" sterile	2	4	6
Abdominal pad sterile 5" x 9"	2	4	6
Triangular bandage	2	4	6
Gauze bandage 2" x 5 yds.	2	4	6
Gauze bandage 4" x 5 yds.	2	4	6
Soap bar	1	1	1
Adhesive tape hypoallergenic 1/2" x 10 yds.	1	2	3
Adhesive double strip for eye pad	1	2	3
CPR device w/one way valve	1	1	1
Elastic bandage 2" x 5 yds.	1	2	3
Elastic bandage 4" x 5 yds.	1	2	3
Latex gloves (1 pair)	6	6	6
Antiseptic Benzalkonium sachets	10	20	30
Esmarch bandage	1	2	3

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/Box
PLASTIC			
SD841	1 - 9	10 x 7 x 3	16
SD842	10 - 40	10 x 10 x 3	24
SD843	40 or more	13.5 x 9.5 x 3	36
METAL			
SD844	1 - 9	7 x 10 x 3	16
SD845	10 - 40	10 x 10 x 3	24
SD846	40 or more	13.5 x 9.5 x 3	36
DELUXE REFILLS			
SD847	1 - 9 employees		
SD848	10 - 40 employees		
SD849	40 or more employees		

BRITISH COLUMBIA

Component Product Description	Contents		
	Basic	Level 1	Levels 2 & 3
Antiseptic towelettes 14 cm x 19 cm. individually packaged.	12	24	24
Sterile adhesive dressings, assorted sizes individually packaged	50	100	150
Sterile gauze pads, 10 cm x 10 cm. individually packaged	6	12	12
Sterile pressure dressings, 10 cm x 16.5 cm with crepe ties	2	4	4
Sterile abdominal dressings, 20 cm x 25 cm individually packaged.	2	4	6
Cotton triangular bandages, minimum length of base 1.25 m with 2 safety pins	4	6	12
Adhesive tape 2.5 cm x 4.5 cm	1	1	2
Adhesive tape 5 cm x 4.5 cm	-	-	2
Sterile 4 ply gauze dressings individually packaged	-	-	3
Crepe roller bandage 7.5 cm x 4.5 cm	1	2	6
Sterile 0.9% sodium chloride solution in unbreakable container 500 ml	-	-	1
Hand cleansing towelettes individually packaged	30	60	-
Liquid antibacterial soap 60 ml in unbreakable container	-	-	1
Universal scissors	-	-	1
Stainless steel artery forceps 12.5 cm	-	-	1
Penlight	-	-	1
Esmarch gum rubber bandage 7.5 cm x 4.5 m	-	-	1
Latex gloves (1 pair)	6	6	6
Pocket mask with one-way valve (SE032)	*	1	*
Rescue breather with one-way valve	1	-	-
First Aid record book	-	1	1
Patient assessment chart	-	-	6
Instruction card (wallet-sized)	1	-	-
Pencil	-	1	1
Stainless steel bandage scissors 14 cm	1	1	-
Cotton tipped applicators	6	12	-
Stainless steel silver forceps 11.5 cm	1	1	-
Safety pins	Included with triangular bandage		
*Blanket	-	3	3
*Oropharyngeal airway kit	-	-	1
*Portable suction unit	-	-	1
*Manually operated bag valve mask (resuscitator)	-	-	1
**Portable oxygen therapy	-	-	1

*Optional **Please inquire

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/Box
PLASTIC			
SD776	Basic	10 x 10 x 3	24
SD777	Level 1	13.5 x 9.5 x 3	36
METAL			
SD778	Basic	12 x 9 x 4	-
SD779	Level 1	12 x 9 x 4	-
SD780	Level 2 & 3	15.5 x 12 x 4.5	-

BULK REFILLS

SD781	Basic kits
SD782	Level 1 kits
SD783	Level 2 & 3 kits

OPTIONAL ITEMS

Order No.	Description
SE082	Blanket, 100% wool
SE083	Blanket, wool blend
SE084	Blanket utility/stretcher
SN639	Pocket mask w/one way valve
SE034	Airway kit
SE028	Portable suction unit
SE027	Resuscitator kit



NORTHWEST TERRITORIES

Order No.	No. of Employees	Box Dimensions W" x H" x D"	Unit/ Box
PLASTIC			
SD805	1 - 4	10 x 10 x 3	24
METAL			
SD806	1 - 4	10 x 10 x 3	24
SD807	5 - 19	15.5 x 12 x 4.5	-
SD808	20 - 50	16.5 x 14.5 x 6.5	-
BULK REFILLS			
SD809	1 - 4 employees		
SD810	5 - 19 employees		
SD811	20 - 50 employees		

OPTIONAL ITEMS

Order No.	Description
SE082	Blanket, 100% wool, 54" x 90"
SE077	Wood splints (2 each of: 2" x 8", 3" x 10" and 3" x 12")
SD857	<i>Burnfree</i> ® burn trauma kit
SC408	Collapsible stretcher Fibre reinforced vinyl, fire retardant with a load cap. of 400 lbs. Comes with carrying case.

*Optional items not included in kits should be ordered separately

Component Product Description	Contents		
	1 - 4 Emp.	5 - 19 Emp.	20 - 50 Emp.
First Aid manual	1	1	1
Accident record book	1	1	1
Latex gloves large (1 pair)	5	5	5
Instant cold pack	-	-	3
Pocket mask / one way valve	2	2	1
Fabric adhesive strips 3/4" x 3" sterile	50	100	100
Fabric adhesive strips 1" x 3" sterile	50	100	100
Gauze pad 2" x 2" sterile	-	12	12
Gauze pad 3" x 3" sterile	6	6	54
Pressure bandage 2" sterile	-	-	6
Pressure bandage 3" sterile	-	-	6
Pressure bandage 4" sterile	1	1	6
Field dressing 6" sterile	-	4	-
Pressure bandage 6" sterile	-	5	-
Combine pad 7 1/2" x 8" sterile	-	-	6
Combine pad 8" x 10" sterile	1	5	5
Eye pad oval sterile	2	6	6
Double adhesive strips for eye pads	2	6	6
Elastic bandage 3" x 5 yds.	1	3	6
Elastic pressure bandage 6" sterile	1	1	1
Gauze bandage 2" x 5 yds.	6	10	10
Gauze bandage 1" x 10 yds.	-	1	1
Adhesive tape 1" x 5 yds.	1	1	2
<i>Esmarch</i> bandage 1 box	-	-	2
Safety pins assorted	12	12	12
<i>Benzalkonium</i> antiseptic (sachet)	6	12	12
Antiseptic green soap 50 ml.	-	-	1
Eye wash 8 oz. sterile	-	-	1
Eye dropper	-	-	1
Eye bath	-	-	1
Eye shield	-	-	2
Tongue depressor I.W.	-	-	12
Tweezers 3 1/2"	1	1	1
X-fine splinter tweezers 4.5"	-	-	1
Scissor angled lister	1	1	1
Wire splint 3 5/8" x 24"	-	1	2
Scrub (nail) brush	-	1	1
Kidney basin, stainless steel	-	-	1
Steri strip skin closure 1/4" x 3"	-	-	5
Triangular bandage	2	3	12
Ammonia inhalants	-	-	20
<i>Burnfree</i> ® dressing	-	12	-
*Blanket, 100% wool	-	-	3
*Wood splints (set of 6)	-	-	1
* <i>Burnfree</i> ® emergency burn trauma kit	-	-	1
*Collapsible stretcher	-	-	1

* Optional items in 1 - 4 & 5 - 19 employee kits only.



HIKERS KIT

Trip length: one or two days. Group Size: one or two persons.
Weight: 4 oz. Size: 4 1/2" x 7" x 1 1/2"

Contents:

10 1 x 3" fabric bandages	1 Single edge razor blade
4 Fabric knuckle bandages	2 Safety pins
2 Sterile wound closure strips	1 Pr. latex protective gloves
4 3" x 3" sterile gauze pads	2 Acetaminophen tablets
2 3" x 4" <i>Telfa</i> ® non-adherent dressing	2/pkg.
1 1" x 10 yds cohesive gauze tape	1 pkg. first aid cream
1 5" x 9" combine dressing	1 pkg. iodine ointment
2 2" x 3" moleskin	3 Antiseptic towelettes
1 3 1/2" forceps	1 Resealable plastic bag
	1 Pocket survival guide

Order No. SN463



First Aid

WELDERS & BURN FIRST AID KITS

Specially designed kit with contents selected to provide First aid for specific situations.

WELDER'S KIT

The components in this kit have been specially selected to provide First aid treatment for emergency situations related to welding operations related to minor burns from sparking, eye irritation and soreness.

10 unit plastic box.

BURN KIT

Designed to provide effective immediate First aid care for the treatment of burns.

Convenient ready to use kit. 10 unit plastic box.

Order

Order No.	Description
SD855	Welder's kit
SD856	Burn kit



Component Product Description	Welder's	Burn
First Aid manual	1	1
Burn spray	1	1
Plastic strips 1" x 3" sterile	24	24
Burn ointment (water miscible)	-	1
Gauze pad 2" x 2" sterile	6	-
Gauze pad 3" x 3" sterile	-	2
Emergency blanket	-	1
Ammonia inhalants	-	10

Component (con't) Product Description	Welder's	Burn
Adhesive tape 1/2" x 2 1/2" yds	-	1
Adhesive tape 1/2" x 5 yds.	1	-
Scissors	1	1
Eye drops 15 ml sterile	2	-
Blood stop (25 ml)	1	-
Eye pad oval sterile	2	-
Double adhesive strips	2	-
Gauze bandage 4" x 5 yds.	-	1

BURNFREE® EMERGENCY BURN CENTRES

Burnfree® products are for use on all burns. A unique combination of water and natural plant extracts, the Burnfree® solution relieves pain by cooling the burn injury, stopping the burning process, and minimizing the depth of the burn wound. Burnfree® products are sterile, non-toxic, non-irritating, bacteriostatic, and do not contain any fats or greases. Burnfree® is an effective alternative to tap water in the first-aid cooling of burn injuries.

A unique combination of water and natural plant extracts - the Burnfree® solution effectively relieves pain.



Component Product Description	Nylon Bag	10 Unit	Contents	16 Unit	36 Unit
Adhesive tape 1" x 5 yds.	1	-		-	-
Ziplock bag 8" x 10"	1	-		-	-
Conforming bandage 2" x 5 yds.	1	2		2	2
Lister bandage scissors 5 1/2"	1	-		-	-
Burngel™ gel 1/8 oz. (3.5ml) packet 6/box	2	2		2	-
Burngel™ gel 1/8 oz. (3.5ml) packet 24/box	-	-		-	1
Burngel™ gel 4 oz. squeeze bottle	2	1		1	2
Burnfree® dressing 16" x 24"	1	-		-	1
Burnfree® dressing 8" x 8"	3	-		2	3
Burnfree® dressing 4" x 4"	6	4		5	6
Disposable gloves (1 pair)	8	-		-	-
Benzalkonium antiseptic (sachets)	12	-		-	-
Telfa® pads 3" x 4" (7.5 cm x 10 cm)	2	-		-	-

Order No.	Mfg. No.	Description	Order No.	Mfg. No.	Description
SD857	-	Durable Nylon Bag	SD859	MP-10	16 unit plastic box
SD858	EMR-10	10 unit plastic box	SD860	IND-05	36 unit plastic box



BURNFREE® BURN GEL™ & BURN DRESSINGS



Pain relieving gel is for use on all burns but is especially designed for minor burns including sunburns. Available in bottle or sachets. Burn dressings are constructed of a special, soft open-cell foam. They are non-adherent and will not shed threads, strands or fibres that could become embedded in a burn wound.



Order No.	Mfg. No.	Description	Size	Qty/Box
SD861	4B-24	Bottle	4 oz.	1
SD862	SD-6	Sachet	1/8 oz.	6
SD863	SD-25	Sachet	1/8 oz.	24
SD864	0404-60	Burn Dressing	4" x 4"	1
SD865	0808-30	Burn Dressing	8" x 8"	1
SAJ502	1212	Burn Dressing	12" x 12"	1

STEP CANS

UL-listed and FM approved fire safe and self-extinguishing. Steel construction with a durable powder coated finish or non-magnetic stainless steel construction. Foot pedal operation eliminates hand contact with lid. Equipped with 3 1/2-gallon galvanized steel liner. Vinyl base ring protects floors and reduces noise.



Order No.	Mfg. No.	Dimensions		Wt.
		Dia." x H"	Colour lbs.	
NI372	ST3.5EGLWH	11 x 17	White	9
NI373	ST3.5EGLRD	11 x 17	Red	9
NI374	ST3.5SSGL	11 x 17	Stainless	9
BIOHAZARD DECAL				
NI375	BP-1	6" Sq.	Red	-

BIOHAZARD WASTE CONTAINERS

For temporary collection of hazardous biological waste. Biohazard waste container meet OSHA regulations for the segregation of infectious waste, ensuring proper disposal. May be used for the temporary storage of contaminated laundry as well as regulated waste. Regulated waste means semi-liquid blood or other potentially infectious materials. Features leakproof, sturdy metal construction with foot-operated self-closing lid. Simple and safe foot pedal operation opens the container cover automatically and reduces the risk of contamination. Releasing the

pedal closes the cover shut to provide odour and infection control. Never a reason to reach into the waste area to touch the can. A biohazard bag is held securely around the circumference of the can top. Replacement bags available in packages of 100. Large biohazard label clearly identifies the contents and alerts workers to ensure safe and proper handling. Ideal for hospitals, clinics, doctors and dentists office, nursing homes, and many industrial facilities. OSHA 29CFR 1910.1030. FM approved.

Order No.	Mfg. No.	Description	Capacity	Size	
			U.S. Gallon	O.D." x	H"
SD500	5910	Waste Container	6	11 7/8	x 15 7/8
SD501	5930	Waste Container	10	13 15/16	x 18
SD502	5901	Replacement Bags (100/Pkg)	-	-	-

EMERGENCY BLANKETS

DISPOSABLE BLANKET

Bright yellow plastic outer covering heat-sealed to cellulose type filler. Suitable for use in emergency vehicles or where potentially needed. Disposable blanket can be used once and thrown away. Size 5' x 6'.

Order No. SC406



RESCUE BLANKET

Silver emergency rescue blanket retains body heat to protect against shock following an accident, or until medical assistance arrives. It keeps you warm in sub-zero temperatures. Made of mylar material with reflective surface. Carry it or store it anywhere, folds to pocket size. Size: 6' 7" x 4' 6".

Order No. SC407



KAZAAM WASTE CONTAINERS

- Hands-free receptacle
- Infrared sensors detect motion of hand or object to provide hand-free use
- No buttons to push or pedals to step on
- Lid closes automatically after three seconds
- Insures advanced odour, hygiene and infection control
- Head constructed of strong polyethylene plastic, body constructed of stainless steel



Order No.	Capacity US Gallons	Dimensions			
		L" x	W" x	H"	
NI854	8.4	10 x	14 x	22	
NI855	11.5	10.5 x	14.5 x	27	





First Aid

THERMOMETERS

- Double scale for normal use
- Complete with plastic case
- Celsius/Fahrenheit



Order No.	Description
SE050	Oral
SE051	Rectal

DIGITAL COMPACT THERMOMETER

- Waterproof semi-transparent design
- 60-second measurement
- Measurement accuracy $\pm 0.1^{\circ}\text{C}/\pm 0.2^{\circ}\text{F}$
- Automatic switch-off and self-test
- Easy to clean
- F° - C° switchable
- Low battery indication

Order No. SAM019
Mfg. No. 1671

microlife



DIGITAL THERMOMETER

- Large LCD display
- Waterproof
- 10-second response with beeper
- Memory
- F° - C° switchable
- Automatic switch-off and self-test
- Available in a case with lid on end

Order No. SAM020
Mfg. No. 18F1

microlife



DIGITAL INFRARED EAR THERMOMETER

- 1-second measurement readout
- Scan-peak method
- Multiple uses
- Beeper and fever alarm
- Illuminated display/night glow
- Memory
- F° - C° switchable
- Wide temperature range
- Storage case and 20 probe covers included
- Replacement covers available, 40/pkg

microlife



Order No.	Mfg. No.	Description
SAM021	IR1DB1	Thermometer
SAM022	7052-42	Probe Covers, 40/pkg

MANUAL BLOOD PRESSURE MONITOR

- Systolic and diastolic pressure and pulse readings
- Clinically validated accuracy
- Large LCD readout
- Memory stores the last measurement value
- Batteries included

Order No. SAM024
Mfg. No. 3ABO-H

microlife



SAM024

AUTOMATIC BLOOD PRESSURE MONITOR

- Clinically validated accuracy
- One-touch operation
- Large LCD readout
- Systolic and diastolic pressure and pulse readings
- Recalls 14 readings
- Batteries included

Order No. SAM025
Mfg. No. 3AA1-1

microlife



SAM025



GOJO® RICH PINK™ ANTIBACTERIAL LOTION SOAP

- A high performance, gentle antibacterial lotion soap
- For cleaning light soils



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA371	7220-04-CAN00	2000 ml Refill for PRO 2000	JA370, JA387*	4
JA380	7520-02-CAN00	5000 ml Refill for PRO 5000	JA379*	2

*See page 78 for PRO® series dispensers.

GOJO® SHOWER UP® SOAP & SHAMPOO

- Rich hands, hair and body soap that provides a clean alternative to non-hygienic bar soaps
- Ideal for use in health clubs and fitness centres
- Synthetic, clean-rinsing formula will not build up on shower walls
- Rose-coloured
- Pleasantly clean fragrance



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA372	7230-04	2000 ml Refill for PRO 2000	JA370, JA387*	4
JA381	7530-02	5000 ml Refill for PRO 5000	JA379	2

*See page 78 for PRO® Series dispensers

GOJO® DELUXE LOTION SOAP

- Luxurious lotion soap with vitamins A & E to clean hands gently, even with frequent use
- For public facilities, offices and general restroom use
- Fresh, light floral fragrance



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA349	2117-08	1000 ml Refill for NXT®	JA554, JA555,* JA421, JA422*	8
JA348	2217-04	2000 ml Refill for NXT®	JA417, JA418*	4

*See page 78 for NXT® and iNXT™ Series dispensers.

GOJO® SKIN LOTION

- A non-greasy moisturizing lotion containing allantoin, aloe and vitamin E
- Helps relieve and protect skin
- Silicone-free



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA395	8240-06	800 ml Refill	JA388, JA389*	6

*See page 78 for bag-in-a-box 800 dispensers.

GOJO® CASTILIAN LOTION SOAP

- Gentle natural lotion soap with pure coconut oil and moisturizing emollients
- For general restroom use
- 1 gallon

Order No. JA400
Mfg. No. 1837-04



GOJO® LOTION CREAM SOAP

- Moisture-rich formula contains a blend of herbs, botanicals and plant extracts
- For general restroom use
- Dermatologist tested
- Floral fragrance
- 1 gallon



Priced per Unit

Order No.	Mfg. No.	Description	Qty /Case
JA346	1827-04	Pour Gallon	4

PINK LIQUID HAND SOAP

- Leaves hands smelling baby fresh, soft and clean
- Biodegradable, phosphate free
- Antibacterial formulation – controls germs



Order No.	Size	Qty /Case
NI343	4 L	4



PERLUX - WHITE LOTION SOAP

- Rich blend of emollients leaves hands soft, fresh and clean
- Luxurious high quality concentrated lotion
- Biodegradable, phosphate free
- Antibacterial – controls germs
- Excellent for hands, hair and body



Order No.	Size	Qty /Case
NI347	4L	4





Skin Care

PINK PEARL - TOTAL BODY LOTION SOAP

- Premium lotion with almond fragrance
- Formulated for showering or hand cleaning
- High quality surfactants and emollients leave skin soft and supple, fresh and clean
- Biodegradable, phosphate free
- Antibacterial – controls germs



Order No.	Size	Qty /Case
NI345	4 L	4



GEL - CLEAR GEL HAND SOAP

- Smooth gel with gentle cleaning for hair, hands and body
- Removes dirt and tough stains with ease
- Fresh green apple scent
- Biodegradable, phosphate free
- Antibacterial – controls germs



Order No.	Size	Qty /Case
NI349	4L	4



BIO-LUX ANTISEPTIC LOTION SOAP

- Premium anti-microbial, antibacterial, antiseptic lotion soap
- Effective in destroying harmful bacteria or germs while reducing the risk of cross-contamination
- Biodegradable, phosphate-free, with glycerine
- Orange fresh scent clear gel
- Contains: 0.1% triclosan, helps comply with HACCP
- CFIA registered - DIN #02245449



Order No. JA420



EZ WIPES™

MULTI-PURPOSE SATURATED CLEANING WIPES FOR WELD AND SHOP ENVIRONMENTS

- Multi-purpose, saturated, abrasive cleaning wipes that remove oil, dirt, grease, marker, paint, lubricants, tar, wax, caulk, sealants, epoxies, adhesives and loose particles from a variety of surfaces
- Ideal for cleaning industrial work surfaces, tools, machinery and especially pipes, where contamination can severely impact the quality of the weld
- Feature a specialized two-sided cleaning fabric, an abrasive side to loosen dried on surface contaminants and a smooth side to reveal a cleaner, polished surface
- Available in two convenient sizes, EZ Wipes™ Toolbox in a handy portable canister for carrying to the job site and EZ Wipes™ Fab Shop, an economy size for permanent work bench settings
- 8" x 12" disposable wipes

BENEFITS:

- Ready to use • Disposable
- Shred resistant • Lint free
- CFC and HCFC free

Order No.	MFG No.	Description	Wipers/ Container
TTT471	EZW-30	EZ Wipes™ Tool Box	30
TTT472	EZW-70	EZ Wipes™ Fab Shop	70



LIQUID SOAP DISPENSER

Surface mounted economy 16-oz. liquid soap dispenser with unbreakable plastic globe. Chrome plated push valve and wall mounting bracket. Overall height 6 5/8".

Order No. NA931
Mfg. No. 700



LOTION SOAP DISPENSER

All purpose push type dispensing valve for easy flowing soaps. Removable 1 litre inner soap reservoir for easy cleaning and maintenance. Overall height 9". Colour: Blue and White.

Order No. NC895
Mfg. No. 707



SURFACE MOUNTED SOAP DISPENSERS

Soap dispenser with push-in valve directs operating toward wall. Corrosion-resistant, self-cleaning valve dispenses wide range of liquid soaps, lotions and synthetic detergents. Vandal resistant lid has unique keyless locking device. Lid pivots up after lock is disengaged for easy top filling. Large capacity, translucent container provides visible soap level. Capacity: 40 fl. oz. Concealed wall fastening. Unit is removable from wall for cleaning. 5 13/16" W x 6 7/8" H.



BOBRICK

TANK TYPE SOAP DISPENSERS

Lotion and liquid vertical or horizontal 40-oz. stainless steel soap dispensers. The horizontal style is designed for locations where height between basin and mirror or shelf is limited.



Order No.	Description	W" x H" x D"	Wt. lbs.
NA934	Horizontal	8 x 4 3/4 x 5 3/8	2 1/4
NA933	Vertical	4 3/4 x 8 x 5 3/8	2 1/4

Order No.	Mfg. No.	Colour
NG435	B-40	Black & Grey
NG436	B-42	Black



GOJO® NATURAL ORANGE™ HAND CLEANER

- Quick-acting lotion formula for cleaning a broad range of industrial soils, medium dirt and grease
- Contains baby oil
- Citrus scent

Try our convenient
1 Gal. Pump
Our most popular size!
Order No. JA152

GOJO® NATURAL ORANGE™ PUMICE HAND CLEANER

- Quick-acting lotion formula with scrubbing particles for cleaning a broad range of industrial soils, medium dirt and grease
- Contains baby oil
- Citrus scent

Try our convenient
1 Gal. Pump
Our most popular size!
Order No. NI254



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA330	0947-06	14 oz. <i>Grippit™</i> w/Brush	-	6
JA329	0948-06	1/2 gal. w/Pump	-	6
JA152	0945-04	1 gal. w/Pump	-	4
JA373	7250-04	2000 ml Refill for PRO 2000 JA370 , JA387*	JA370 , JA387*	4

*See page 78 for PRO® Series dispensers

Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA327	0957-06	14 oz. <i>Grippit™</i> w/Brush	-	6
JA328	0958-06	1/2 gal. w/Pump	-	6
NI254	0955-04	1 gal. w/Pump	-	4
JA374	7255-04	2000 ml Refill for PRO 2000 JA370 , JA387*	JA370 , JA387*	4
JA382	7556-02	5000 ml Refill for PRO 5000 JA379*	JA379*	2

*See page 78 for PRO® Series dispensers

GOJO® POWER GOLD® HAND CLEANER

- A highly effective, fast-acting hand cleaner for removing the heaviest grease, tar and oil
- No harsh solvents
- Contains natural, non-irritating scrubbing particles



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA334	0987-12	14 oz. <i>Grippit™</i> w/Brush	-	12
JA335	0988-02	2 litres <i>Grippit™</i> w/Brush	-	2
JA378	7295-04	2000 ml Refill for PRO 2000 JA370 , JA387*	JA370 , JA387*	4
JA386	7596-02	5000 ml Refill for PRO 5000 JA379*	JA379*	2

*See page 78 for PRO® dispensers



GOJO® FAST WIPES® HEAVY-DUTY HAND CLEANING TOWELS

- Hand cleaning towels
- For quick clean-up of light greases and oils
- For use at the job site or wherever water is not available
- Convenient fastening brackets for JA342 and JA343



Order No.	Mfg. No.	Description	Qty /Case
JA341	6285-06	Tool box package of 60	6
JA342	6298-04	Bucket of 130	4
JA343	6299-02	Bucket of 225	2
JA344	6201-01	Bracket for JA342	1
JA345	6202-01	Bracket for JA343	1





Skin Care

GOJO® MULTI GREEN® HAND CLEANSER WITH SCRUBBING PARTICLES

- A popular multi-purpose hand cleaner for removing light to medium industrial soils and dirt
- Contains a natural, citrus solvent cleaner and non-abrading scrubbing particles



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA375	7265-04	2000 ml Refill for PRO 2000	JA370, JA387*	4
JA383	7565-02	5000 ml Refill for PRO 5000	JA379*	2

*See page 78 for PRO® Series dispensers

GOJO® SUPRO MAX™ HAND CLEANER

- Fast and effective lotion hand cleaner removes tough, sticky soils and adhesives while leaving skin conditioned and healthy feeling
- Unique blend of cleaners, skin conditioners and gentle scrubbers
- Ideal for plant-wide use
- Non-drying formula



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA377	7272-04	2000 ml Refill PRO 2000	JA370, JA387*	4
JA385	7572-02	5000 ml Refill PRO 5000	JA379*	2

*See page 78 for PRO® Series dispensers.

GOJO® LUXURY FOAM HAND WASH

- Rich and gentle
- Pre-lathered
- For general, light duty cleaning
- Cranberry fragrance



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA412	5161-03	1250 ml Refill for FMX-12™	JA407, JA408*	3
JA409	5261-02	2000 ml Refill for FMX-20™	JA405, JA406*	2

*See page 78 for FMX™ Series dispensers.

GOJO® LUXURY FOAM ANTIBACTERIAL HAND WASH

- Smooth, orange foaming hand wash
- Germ-killing power



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA413	5162-03-CAN00	1250 ml Refill for FMX-12™	JA407, JA408*	3
JA410	5262-02-CAN00	2000 ml Refill for FMX-20™	JA405, JA406*	2

*See page 78 for FMX™ series dispensers.

GOJO® HAND MEDIC® PROFESSIONAL SKIN CONDITIONER

- Use before work, after handwashing and at night to restore and maintain the skin's natural protective barrier
- Silicone and fragrance-free

GOJO® HAND MEDIC® DISPENSER

- Traditional bag-in-box dispenser
- Portion control helps reduce waste
- ADA compliant, one hand-push operation reinforces mounting with each use
- 500 ml capacity
- Colour: Black



HAND MEDIC

Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA391	8150-12	5 oz. Tube	-	12
JA393	8242-06	500 ml Refill	JA392	6
JA392	8200-12	Dispenser for JA393	-	-

GOJO® ALL-PURPOSE HAND SOAP

- Economical lotion soap
- Ideal for general restroom use
- Pink formula with a light floral fragrance
- 1 gallon



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA397	1805-04	Flat Top	JA396*	4
JA398	1807-04	Pour Gallon	-	4

*See page 78 for flat top gallon dispenser.



GOJO® LEMON PUMICE HAND CLEANER

- Creme formula with fresh lemon fragrance and pumice scrubbers
- For removing grease, tar and oil
- No harsh solvents
- Plastic cartridge dispenser



Order No.	Mfg. No.	Size	Dispenser	Qty /Case
JA326	0912-12	18 oz.	-	12
JA287	0915-06	4.5 lbs.	JA171*	6

*See page 78 for cartridge dispenser

GOJO® ORIGINAL FORMULA™ HAND CLEANER

- Original Gojo® creme formula contains lanolin and soothing emollients
- For removing heavy grease, tar and oil
- Use with or without water, rub - then wipe clean with a towel or rinse off
- No harsh solvents
- Plastic cartridge dispenser



Order No.	Mfg. No.	Size	Dispenser	Qty /Case
JA338	1109-12	18 oz.	-	12
JA169	1115-06	4.5 lbs.	JA171*	6

*See page 78 for cartridge dispenser

GOJO® ORANGE PUMICE HAND CLEANER

- Creme formula with citrus ingredients and natural pumice scrubbers
- For removing grease, tar and oil
- No harsh solvents
- Plastic cartridge dispenser



Order No.	Mfg. No.	Size	Dispenser	Qty /Case
JA333	0971-12	14 oz.	-	12
JA153	0975-04	4.5 lbs.	JA171*	6

*See page 78 for cartridge dispenser

GOJO® LEMON HAND CLEANER

- Creme formula with fresh lemon fragrance
- For removing grease, tar and oil
- Use with or without water, rub - then wipe clean with a towel or rinse off
- No harsh solvents
- Plastic cartridge dispenser



Order No.	Mfg. No.	Size	Dispenser	Qty /Case
JA324	0902-12	18 oz.	-	12
JA325	0905-06	4.5 lbs.	JA171*	6

*See page 78 for cartridge dispenser

GOJO® ORANGE HAND CLEANER

- Creme formula with citrus ingredients
- For removing grease, tar and oil
- Use with or without water, rub - then wipe clean with a towel or rinse off
- No harsh solvents
- Plastic cartridge dispenser



Order No.	Mfg. No.	Size	Dispenser	Qty /Case
JA331	0961-12	14 oz.	-	12
JA332	0965-06	4.5 lbs.	JA171*	6

*See page 78 for cartridge dispenser

GOJO® FINE ITALIAN PUMICE HAND CLEANER

- Creme formula with fine Italian pumice scrubbing particles for extra cleaning action
- For removing heavy grease, tar and oil
- No harsh solvents
- Plastic cartridge dispenser



Order No.	Mfg. No.	Size	Dispenser	Qty /Case
JA339	1132-12	16 oz.	-	12
JA340	1135-06	4 lbs.	JA171*	6

*See page 78 for cartridge dispenser

Skin Care

GOJO® LUXURY FOAM HAIR & BODY WASH

- Green, spa-quality foam body wash and hair shampoo
- Cucumber melon scent



JA411

GOJO® SHOWER UP® SOAP & SHAMPOO

- Rich hands, hair and body soap that provides a clean alternative to non-hygienic bar soaps
- Ideal for use in health clubs and fitness centres
- Synthetic, clean-rinsing formula will not build up on shower walls
- Rose-coloured
- Pleasantly clean fragrance



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA414	5163-03	1250 ml Refill for FMX-12™	JA407, JA408*	3
JA411	5263-02	2000 ml Refill for FMX-20™	JA405, JA406*	2

*See page 78 for FMX™ Series dispensers

Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA372	7230-04	2000 ml Refill for PRO 2000	JA370, JA387*	4
JA381	7530-02	5000 ml Refill for PRO 5000	JA379	2

*See page 78 for PRO® Series dispensers

GOJO® SPA BATH® BODY & HAIR SHAMPOO

- Luxurious, enriched hands, hair and body soap
- Ideal for use in health clubs and fitness centres
- Synthetic, clean-rinsing formula will not build up on shower walls
- Pleasant herbal fragrance



JA403

JA351



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA403	9155-04	Flat Top Gallon	JA396*	4
JA404	9157-04	Pour Gallon	_*	4
JA351	2152-08	1000 ml Refill for NXT®	JA554, JA555* JA421, JA422*	8
JA350	2252-04	2000 ml Refill for NXT®	JA417, JA418*	4

*See page 78 for NXT® iNXT™ Series and flat top dispensers

**See page 72 for bulk soap dispensers

GOJO® BODY & HAIR SHAMPOO

- A gentle, economical lotion soap for hands, hair and body
- Ideal for use in health clubs and fitness centres
- Synthetic, enriched formula has a refreshing fragrance and produces a luxurious lather
- Will not build up on shower walls

JA390



JA401



Order No.	Mfg. No.	Description	Dispenser	Qty /Case
JA390	9162-12	800 ml Refill	JA388, JA389*	12
JA401	1886-04	Pour Gallon	_*	4

*See page 78 for bag-in-a-box 800 dispensers

**See page 72 for bulk soap dispensers

GOJO® PAINTER'S HAND CLEANER

- Highly effective specialty hand cleaner for removing light duty paints and inks
- 14 fl. oz. Grippit™ bottle includes unique nail brush
- Qty per case: 6

Order No. JA336
Mfg. No. 1007-06



GOJO® PAINT & STAIN HAND CLEANER

- Uniquely formulated hand cleaner for quickly removing a variety of paints, stains and inks
- Contains a highly effective, safe, plant-derived solvent and no petroleum distillates
- 22 fl. oz. tube
- Qty per case: 6

Order No. JA337
Mfg. No. 1018-06



GOJO® INK & STAIN HAND CLEANER

- Specially formulated for printing environments
- Removes inks and dyes (including the most stubborn red inks)
- Leaves hands feeling soft and clean
- 14 fl. oz. Grippit™ bottle includes unique nail brush
- Qty per case: 6

Order No. JA347
Mfg. No. 1009-06





PURELL® HAND SANITIZER

- America's #1 brand of instant hand sanitizer • Dermatologist tested, dye free
- Kills 99.99% of most common germs that may cause illness
- Works in as little as 15 seconds • No water or towels needed
- Contains a unique moisturizing system that leaves hands feeling soft (gentler to the hands than most soaps)

Order No.	Mfg. No.	Description	Dispenser	Qty /Case
PURELL® HAND SANITIZERS				
JA357	2156-08-CAN00	1000 ml Refill for NXT® Dispenser	JA355, JA421 or JA364	8
JA720	9657-12-CAN00	800 ml Refill	JA728	12
JA721	7187-06-CAN00	1000 ml Refill	JA719	6
JA912	9650-24-CAN00	2-oz (59 ml) Squeeze Bottle	-	24
JA722	9651-24-CAN00	4.25-oz (125 ml) Bottle	-	24
JA358	9652-12-CAN00	8-oz (237 ml) Pump Bottle	-	12
JA359	9659-12-CAN00	12-oz (354 ml) Pump Bottle	-	12
JA723	9005-12	Holder, Places™ for JA359 (12-oz Bottle)	-	-

Order No.	Mfg. No.	Description	Qty /Case
PURELL® HAND SANITIZER WITH ALOE			
JA360	9759-12-CAN00	8-oz (237 ml) Pump Bottle with Aloe	12
JA724	9755-04-CAN00	2-oz (59 ml) Squeeze Bottle with Aloe	24
PURELL® PERSONAL SYSTEM			
JA725	9606-24-CAN	2-oz (59 ml) Pump Bottle	24
JA726	9607-24	Gear – Lanyard	24
JA727	9608-24	Gear – Retractable Clip	24

MICRELL® ANTIBACTERIAL LOTION SOAP

- Kills germs, yet is gentle on hands even after repeated daily washings
- Contains quick-acting antimicrobial agent chloroxylenol (PCMX) and an effective degreaser
- Lightly scented, non-irritating formula encourages frequent use

Order No.	Mfg. No.	Description	Dispenser	Qty /Case
MICRELL®				
JA367	9759-12-CAN00	12 oz. Pump Bottle	-	12
JA368	9755-04-CAN00	1 Gallon	-	4
JA366	2157-08-CAN00	1000 ml Refill	JA363, JA369 or JA364	8
JA365	2257-04-CAN00	2000 ml Refill	JA362	4

2000 ml Refill for use w/ Dispenser



JA365



JA367



DISPENSERS

Order No.	Mfg. No.	Description	Refill
JA355	2120-06-CAN00	Purell® 1000 ml NXT® Space Saver™	JA357
JA728	9621-12-CAN00	Purell® 800 ml	JA720
JA719	7106-12-CAN00	Purell® 1000 ml	JA721

DISPENSERS FOR PURELL® & MICRELL®

MAXIMUM CAPACITY™ & SPACE SAVER™

- New technology dispensing system provides twice the capacity of traditional bag-in-box systems in the same amount of space
- Portion control helps reduce waste
- ADA compliant, one-hand push operation reinforces mounting with each use
- 1000 or 2000 ml capacity
- Colour: Dove grey

JA363



JA355

INXT™ TOUCH FREE

- Compatible with 1000 ml refill
- At-a Glance Service™ feature tells you when refills or batteries need to be replaced
- Lock or Not™ latch release gives you the option of a locking dispenser cabinet
- Anti-Vandal Override™ temporarily suspends operation if vandalism is detected
- Signo™ monitoring option for health care and food service
- Single-button operation for on/off control
- Fully ADA compliant

JA421



NXT® SIDE-BY-SIDE™ DISPENSER

- New technology dispensing system holds two 1000 ml refills of Gojo® skin care product in a compact cabinet for greater capacity or flexibility of product choices
- Portion control helps reduce waste
- One-hand push operation reinforces mounting with each use
- Use one refill lotion soap and one refill sanitizer
- For Gojo® brand refills
- ADA compliant for placement anywhere
- Colour: Dove grey

JA364



Order No.	Mfg. No.	Description	Refill
JA355	2120-06-CAN00	Purell® 1000 ml Space Saver™	JA357
JA363	2125-06-CAN00	Micrell® 1000 ml Space Saver™	JA366
JA362	2225-08-CAN00	Micrell® 2000 ml Maximum Capacity™	JA365
JA364	2325-06	Side-by-Side™ For two 1000 ml Refills	JA357 and JA366



Skin Care

GOJO® PRO® SERIES DISPENSERS

GOJO® PRO 2000 DISPENSER

- Heavy-duty bag-in-box dispenser with large display window shows the product inside and makes it easy to see when it's time to refill
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- 2000 ml capacity
- Available in ceramic white or black

Order No. JA387 White
Mfg. No. 7205-01

Order No. JA370 Black
Mfg. No. 7200-01



GOJO® PRO 5000 DISPENSER

- Large capacity, heavy-duty bag-in-box dispenser with large display window shows the product inside and makes it easy to see when it's time to refill
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- 5000 ml capacity
- Available in black

Order No. JA379
Mfg. No. 7500-01



GOJO® 800 BAG-IN-A-BOX DISPENSER

- Traditional bag-in-box dispenser
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- 800 ml capacity
- Available in black or white

Order No. JA388 Black
Mfg. No. 9033-12

Order No. JA389 White
Mfg. No. 9034-12



GOJO® FMX™ DISPENSERS

FMX-20™

- Great for high traffic areas
- Features skylight with an extra large window
- Holds a large, sealed 2000 ml refill
- Delivers more than 2,800 hand washes
- ADA compliant, one-push operation
- Optional key lock included
- Available in black or grey

Order No. JA405 Grey **Mfg. No. 5250-06**
Order No. JA406 Black **Mfg. No. 5255-06**

FMX-12™

- Great for locations where a smaller, more traditional dispenser is preferred
- Features skylight with an extra large window
- Holds 1250 ml sealed refill
- Delivers more than 1,700 hand washes
- ADA compliant, one-push operation
- Optional key lock included
- Available in black or grey

Order No. JA407 Grey **Mfg. No. 5150-06**
Order No. JA408 Black **Mfg. No. 5155-06**



GOJO® NXT® DISPENSERS

INXT™ TOUCH FREE

- Compatible with 1000 ml refill
- At-a Glance Service™ feature tells you when refills or batteries need to be replaced
- Lock or Not™ latch release gives you the option of a locking dispenser cabinet
- Anti-Vandal Override™ temporarily suspends operation if vandalism is detected
- Signal™ monitoring option for healthcare and foodservice
- Single-button operation for on/off control
- Fully ADA compliant

Order No. JA422 Black **Mfg. No. 2435-01**



GOJO® NXT® SPACE SAVER™ DISPENSER

- New technology dispensing system in compact cabinet
- Half the size of traditional 800 ml bag-in-box dispensers
- One-hand push operation reinforces mounting with each use
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant for placement anywhere
- 1000 ml capacity
- Available in dove grey or black

Order No. JA554 Dove Grey **Mfg. No. 2130-06**
Order No. JA555 Black **Mfg. No. 2135-06**



GOJO® NXT® MAXIMUM CAPACITY™ DISPENSER

- New technology dispensing system
- Provides twice the capacity of traditional bag-in-box systems in the same amount of space
- Portion control helps reduce waste
- For Gojo® brand refills
- ADA compliant, one-hand push operation reinforces mounting with each use
- 2000 ml capacity
- Available in dove grey or black

Order No. JA417 Dove Grey
Mfg. No. 2230-08
Order No. JA418 Black
Mfg. No. 2235-08



GOJO® CREME DISPENSER

- Creme formula cartridge dispenser
- For Gojo® brand 3-lb, 4-lb and 4.5-lb plastic cartridge refills
- Works with smooth and pumice formulas

Order No. JA171
Mfg. No. 1204-01



GOJO® FLAT TOP GALLON DISPENSER

- Designed for use with Gojo® brand bulk and flat top gallon bottles

Order No. JA396
Mfg. No. 1275-01





safeblend

CHEMOTEC
Let it shine



Certifié EcoLogo
Programme Choix Environnemental
DCC-146

Certified EcoLogo
Environmental Choice Program
CCD-146



HEAVY-DUTY CLEANER & DEGREASER

- Non-toxic, non-corrosive, biodegradable, solvent and fragrance free
- Concentrated cleaning power for a variety of applications
- Effective on the toughest stains and soils
- Qty: 4 - 4 liters/Case

Order No. JB425



GLASS & MULTI-SURFACE CLEANER

- Non-toxic, no ammonia, biodegradable and fragrance free
- Concentrated formula for windows, glass, mirrors and all washable hard surfaces
- Fast drying formula, leaves a crystal clear, streak-free shine
- Qty: 4 - 4 liters/Case

Order No. JB427



BIO-ENZYMATIC DEODORIZING CLEANER

- Non-toxic, non-corrosive, biodegradable, solvent free
- Concentrated multi-purpose formulation breaks down and destroys organic waste
- Excellent for eliminating organic stains and odours in bathrooms, carpets, septic tanks, grease traps and hard surfaces
- Qty: 4 - 4 liters/Case

Order No. JB429



MULTI-PURPOSE NEUTRAL CLEANER

- Non-toxic, non-corrosive, biodegradable, solvent and fragrance free
- Concentrated neutral PH cleans all floors without harming floor finish
- Leaves no film or residue, rinse free
- Qty: 4 - 4 liters/Case

Order No. JB426



BATHROOM CLEANER

- Non-toxic, non-corrosive, biodegradable, no acids, bleach or solvents
- Concentrated to clean and shine a variety of bathroom soils and surfaces
- Safely cleans soap scum and urine from floors, counters, sinks, showers and toilets
- Qty: 4 - 4 liters/Case

Order No. JB428



OXY-BLEND CLEANER & STAIN REMOVER

- Non-toxic, non-corrosive, biodegradable, solvent and fragrance free
- Concentrated hydrogen peroxide power safe for all washable surfaces
- Cleans, brightens and deodorizes floors, carpets, glass, bathrooms and kitchens
- Removes tough stains
- Qty: 4 - 4 liters/Case

Order No. JB430



safeblend makes mixing easy!

Each case includes a pump & a spray bottle for your convenience!

Sold per case.

SAFE BLEND SAFE CHECK ✓

Non-toxic	✓
Biodegradable according to OECD 301D	✓
Non-corrosive to eyes or skin	✓
Concentrated	✓
Non-flammable	✓
Fragrance-free	✓
Effective in cold water	✓

Contains no: Phosphates, VOCs, APes, NPEs, EDTA, NTA, bleach, ammonia, Quats., butoxyethanol, methoxyethanol, ethoxyethanol, propoxyethanol, dibutyl phthalate, formaldehyde, toxic metals, propellants, halogenated solvents, optical brighteners, bio-accumulating organic ingredients, endocrin disruptors or carcinogens	✓
Non-ozone depleting	✓
Packaging contains post consumer recycled content	✓
Includes safe dilution and disposal instructions tools and training	✓
Not regulated by Transportation of Dangerous Goods (TDG)	✓



Fire Protection

CLASSES OF FIRE:

Fires are classified according to the material that is burning. Fire extinguishers are rated by the area each will cover for a particular class of fire, the higher the number, the bigger the fire area you can fight.

NOTE: Maintenance and recharging of all fire extinguishers should be performed by a qualified service company.



CLASS A fires are the most common. They involve ordinary combustibles such as wood, paper, cloth, rubber, a number of plastics, and other ordinary materials.



CLASS B fires are caused by gasoline, grease, oil, paint and other flammable liquids. Commonly strike in warehouses, and manufacturing plants.



CLASS C for live electrical equipment. Often occurs in computers, monitors, wiring, appliances.

STEEL DRY CHEMICAL ABC

- Steel cylinder complete with cylinder skirt
- Industrial strength cylinder has high corrosion and impact resistant finish
- Waterproof stainless steel gauge
- Anodized aluminum valve
- Heavy-duty steel handles - epoxy painted
- Completely rechargeable
- Full hand grip for ease of operation
- Most parts are interchangeable
- ULC listed



STRIKE FIRST CORPORATION



SC951 Wall Hooks

Order No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Bracket	Wt. lbs.
SA445	WBDL-ABC310WH	5	3A:10BC	8 - 10	8.5 - 11.5	195	14 1/2	4 1/4	Wall	10 1/2
SC946	WBDL-ABC310VB	5	3A:10BC	8 - 10	9.5 - 11.5	195	14 1/2	4 1/4	Vehicle	10 1/2
SA443	WBDL-ABC10WH	10	6A:80BC	10 - 15	14 - 16	235	21 1/4	5 1/8	Wall	19 1/4
SA444	WBDL-ABC20WH	20	10A:120BC	10 - 15	20 - 22	235	24	7 1/8	Wall	35 1/4

ACCESSORIES

Order No.	Mfg. No.	Description	Fits	Order No.	Mfg. No.	Description	Fits
SC951	C160738	Wall Hook	5 lbs.	SC953	C160791	Wall Hook	20 lbs.
SC952	C160752	Wall Hook	10 lbs.	SC955	CV500	Vehicle Bracket	5 lbs.



ALUMINUM DRY CHEMICAL ABC

- All aluminum cylinder, no seams, no welds, no rust
- Industrial strength cylinder has high corrosion and impact resistant finish
- Waterproof stainless steel gauge
- Anodized aluminum valve and handle
- All units completely rechargeable
- Full hand grip for ease of operation
- ULC listed



STRIKE FIRST CORPORATION



SC951 Wall Hooks



Order No.	Mfg. No.	Cap. lbs.	Rating	Range Feet	Discharge Time Sec.	PSI	H"	Dia."	Bracket	Wt. lbs.
SA447	WBSF-ABC110P	2.5	1A:10BC	8 - 10	12 - 14	150	15 1/4	3 1/8	Vehicle	4 1/4
SA448	WBSF-ABC5WH	5	3A:10BC	8 - 10	14 - 16	195	16	4 1/4	Wall	8
SC947	WBSF-ABC5VB	5	3A:10BC	8 - 10	14 - 16	195	16	4 1/4	Vehicle	8
SA446	WBSF-ABC10	10	6A:80BC	10 - 15	20 - 22	195	21 1/4	5 1/4	Wall	17 1/2

ACCESSORIES

Order No.	Mfg. No.	Description	Fits	Order No.	Mfg. No.	Description	Fits
SC951	C160738	Wall Hook	5 lbs.	SA442	UP2	Vehicle Bracket	2.5 lbs.
SC952	C160752	Wall Hook	10 lbs.	SC955	CV500	Vehicle Bracket	5 lbs.

ALUMINUM CYLINDER CARBON DIOXIDE (CO₂)

- Well suited for corrosive environments
- Industrial strength aluminum cylinder is up to 30% lighter than steel
- Stainless steel hose band
- Strong impact-resistant horn
- Bar-coded label
- Easy to service
- ULC listed



STRIKE FIRST CORPORATION



Order No.	Mfg. No.	Description	Rating ULC	Range Feet	Discharge Time/Sec	Height in.	Height cm	Diameter in.	Diameter cm	Weight lbs.	Weight kg
SAJ098	SF-5CO2	5-lb w/Wall Hook	5BC	6-12	10	17 1/4	44	5 3/4	14	13 1/4	6
SAJ099	SF-10CO2	10-lb w/Wall Hook	10BC	6-12	10	19 3/4	50	6 3/4	17	27	12.3
SAJ100	SF-15CO2	15-lb w/Wall Hook	10BC	6-12	15	26 3/4	67	6 3/4	17	37	16.8
SAL344	SF-20CO2	20-lb w/Wall Hook	10BC	6-12	20	26 3/4	67	8	21	48 1/8	21.8

ACCESSORIES

Order No.	Mfg. No.	Description	Fits	Order No.	Mfg. No.	Description	Fits
SAM953	C160738	Wall Hook	5 lbs.	SAM956	UP2	Vehicle Bracket	5 lbs.
SAM954	C160752	Wall Hook	10 & 15 lbs.	SAM957	CV500	Vehicle Bracket	10 & 15 lbs.
SAM955	C160752	Wall Hook	20 lbs.				



Fire Protection

UNIVERSAL BRACKETS

Brackets are constructed of welded steel. Ideal to mount on walls in the workplace or as a vehicle bracket. Fire extinguishers can be quickly and easily adjusted with the pull pin locking device.



OUTDOOR CABINET

Heavy-duty surface mounted red enamel finish cabinet comes with sloped roof. Stainless steel piano hinge and gaskets for weather protection. Full metal door with hasp for lock (lock not included).



Order No.	Mfg. No.	Shell Diameter"	Fits
SD014	VB-4	4 to 4 1/2	5 lbs.
SD015	VB-5	4 3/4 to 5 1/4	10 lbs.
SD016	VB-6	5 1/2 to 6	10 lbs. dry
SD017	VB-7	6 1/4 to 6 3/4	20 lbs.
SD018	VB-8	6 3/4 to 7 1/4	20 lbs.

Order No.	Mfg. No.	Inside Dimensions W" x D" x H"
SAN296	OEC	14 x 9 x 28

FIRE EXTINGUISHER CABINETS

Protect your extinguishers by making them readily available in emergencies while keeping them safe from potential vandals. Constructed of white metal with a plastic styrene front cover. Cabinets include cylinder lock with key to prevent tampering, hammer, plastic front and break glass sticker. SD027 accommodates large dry chemical extinguishers. SD028 holds all 10 lbs. dry chemical. SD029 is used for tall and regular size 5 lbs. dry chemical extinguishers steel and aluminum shell. SD030 accommodates all regular size 5 lbs. and 2.5 lbs. dry chemical extinguishers. Plastic front, hammer and chain, and break glass stickers available.



SD027

CABINETS

Order No.	Mfg. No.	Inside Dimensions W" x D" x H"	Fits
SD027	C-104	14 x 9 x 30	Large Dry Chemical
SD028	C-999	10 1/2 x 6 1/4 x 24	All 10 lbs. Dry Chemical
SD029	C-99T	8 x 5 1/2 x 22	Tall & Regular Dry Chemical
SD030	C-99	7 3/4 x 5 x 17	5 lbs. & 2 1/2 lbs. Dry Chemical

REPLACEMENT PARTS

Order No.	Mfg. No.	Description	Dimensions W" x H"	Fits
SD031	PF-104	Plastic Front	13 15/16 x 27 7/8	SD027
SD032	PF-999	Plastic Front	10 3/8 x 22 1/16	SD028
SD033	PF-99T	Plastic Front	8 x 19 3/4	SD029
SD034	PF-99	Plastic Front	7 3/4 x 15	SD030
SD035	BGH	Hammer & Chain	-	-
SD036	BL-106	Sticker-English	-	-
SD037	FBL-106	Sticker-French	-	-

SAFETY SIGNS



Fire Extinguisher Order No.	Fire Hose Order No.	Size cm	Description
SD215	SD227	15	Permanent Pressure Sensitive (PS) .005"
SD216	SD228	15	Aluminum (AL) .020"
SD217	SD229	30	Permanent Pressure Sensitive (PS).005"
SB546	SB549	30	Aluminum (AL) .023"
SD218	SD230	20	Perpendicular Wall Mounted (Triangular)

SEE PAGES 307 TO 314 FOR OUR COMPLETE LINE OF SAFETY SIGNS!



FIRE EXTINGUISHER COVERS

Protect valves, fittings and gauges from dust and corrosive fumes. Reinforced vinyl covers fasten over wall-mounted extinguishers and the Velcro® closure on back provides quick and easy removal with a quick jerk of pull handle. Fluorescent red colour provides high visibility. Available with or without window, to check pressure gauge in English, French or bilingual.



SD019

Order No.	Mfg. No.	Description	Dimensions			Fits
			W"	x	H"	
SD019	E-FEC10	English w/window	12	x	20	10 lbs.
SD020	E-FEC10NW	English w/o window	12	x	20	10 lbs.
SD021	E-FEC20	English w/window	16	x	25	20 & 30 lbs.
SD022	E-FEC20NW	English w/o window	16	x	25	20 & 30 lbs.
SE271	F-FEC10	French w/window	12	x	20	10 lbs.
SE272	F-FEC10NW	French w/o window	12	x	20	10 lbs.
SE273	F-FEC20	French w/window	16	x	25	20 & 30 lbs.
SE274	F-FEC20NW	French w/o window	16	x	25	20 & 30 lbs.
SD023	B-FEC10	Bilingual w/window	12	x	20	10 lbs.
SD024	B-FEC10NW	Bilingual w/o window	12	x	20	10 lbs.
SD025	B-FEC20	Bilingual w/window	16	x	25	20 & 30 lbs.
SD026	B-FEC20NW	Bilingual w/o window	16	x	25	20 & 30 lbs.

WOOL BLANKET WITH POUCH

100% wool, fire resistant blanket and pouch. Compact, fluorescent red pouch has touch-and-hold nylon fastener to release blanket instantly... no snaps or zippers to stick or corrode. Built-in handle and mounting hanger enable use anywhere. Available with bilingual signage. Blanket size: 83" x 59". Kit size: 16" x 11" x 5".

Order No.
SE090

Mfg. No.
EB/99W

NORTH



FIRE EXTINGUISHER WALL CASE

Designed to protect fire extinguishers from dust and harsh work place environments. Made of high impact, corrosion resistant ABS. High visibility red cases make locating easy.

Dual-action, external latch makes opening easy. No door handle to protrude into walkways. Case holds all major extinguishers up to 30 lbs.



ALLEGRO
INDUSTRIES

Order No.	Mfg. No.	Description	Interior			Exterior			Wt. lbs.
			W"	x	D" x H"	W"	x	D" x H"	
SE100	3100	Large Case	18	x	10 x 28	20	x	13 x 32 1/2	10

KEY BOX


- Durable ABS red plastic
- Unique snap in design
- Pre-slotted mounting holes
- Printed glass, "Break Glass For Key"
- Replacement glass available
- 4 1/4" x 1 1/4" depth



Order No.	Mfg. No.	Description
SAG771	KB	Key Box
SAG772	RKBG	Replacement Glass

EMERGENCY KEY BOX

- Sturdy all-metal construction
- Heavy-gauge steel
- Scratch resistant red paint
- Rust proof
- Includes steel smash rod and chain
- Replaceable glass, 3" x 4.8"
- Complete with key hook, 2 screws and plugs
- Pre-slotted mounting holes
- Secure, multi-functional cam lock with 2 keys
- 6.92" W x 2.04" D x 6.8" H



Order No.	Mfg. No.	Description
SAG773	5151	Key Box
SAG774	5151-G	Replacement Glass



Fire Protection

EMERGENCY ESCAPE LADDER

An escape ladder that easily and quickly attaches to any window, no tools or assembly required. Tangle-free design constructed of durable and flame resistant aluminum. Nylon link attaches anti-slip rungs. Ladder is tested to 1000 lbs. Available in two story, 13', or three story, 25' ladder. 5-year limited warranty.



Order No.	Mfg. No.	Length'
SAF946	HW2D	13
SAF947	HW3D	25

CLASS™ FIRE RETARDANT

PROFESSIONAL GRADE FIRE RETARDANT

CLASS™ is thoroughly tested by nationally recognized independent laboratories to meet the highest standards of fire retardancy as established by the N.F.P.A. Reduces dangerous flame spread on a range of materials including draperies, furniture, mattresses, wooden structures, cardboard and external clothing. All flame treated items must be able to absorb moisture and have a minimum content of 30% natural fibre.



- Non toxic
- Low odour
- ASTM - EB4-81 A earned a flame spread of 25 "A" rating
- Easy to apply

Order No.	Mfg. No.	Description
AA904	61314-SPRAYBOTTLE	500 ml spray bottle

CEASE-FIRE® WASTE RECEPTACLES W/HEAD

Specially designed contoured head directs smoke and gas from any fire inside the container back into the combustion area, cutting off the air supply and extinguishing flames in seconds. Aluminum heads available separately. Drum bodies are made of heavy-gauge steel with a grey enamel exterior and a rust preventive interior coating. FM approved, corrosion-free aluminum heads provide easy clean-up and can be used with standard steel drums.




Order No.	Mfg. No.	Capacity US Gal.	Dimensions Dia." x H"	Opening Dia."	Wt. lbs.
NC444	26604	4.5	11 7/8 x 14 1/4	5	6
NC445	26606	6	11 3/4 x 17 3/4	5	6
NC446	26612	12	14 1/2 x 23	5 1/4	10
NC447	26615	15	14 1/2 x 27 3/4	5 1/4	12
NC448	26630	30	19 1/4 x 31 3/4	7	28
NC449*	26655	55	23 3/4 x 38 1/2	7 7/8	35

*Drum should be filled 3/4 full only.

SMOKERS CEASE-FIRE®

- Innovative design limits the flow of oxygen to safely and quickly extinguish cigarettes and reduce the risk of fire
- Low maintenance, high-density polyethylene construction with a flame retardant additive
- UV protection, will not rust, dent, crack or peel - no more unsightly rust rings
- Moulded-in graphics clearly identify unit for cigarette butt disposal
- Complete with large 16 qt. (15 L) capacity galvanized steel liner pail for easy cleaning excluding Personal Smokers Cease-Fire®



Pewter Grey Order No.	Adobe Beige Order No.	Deco Black Order No.	Terra Cotta Order No.	Forest Green Order No.	Mfg. No.	Product Description	Dimensions Dia." x H"	Capacity US Gal	Approvals*	Wt. lbs.
NH832	NI378	NI694	NI587	NI695	26800	Original Smokers Cease-Fire®	16 1/2 x 38 1/2	4	FM	12
NI701	NI702	NI703	NI705	NI704	26806	Personal Smokers Cease-Fire® Table Top	11 x 30	1	FM	6
NI696	NI697	NI698	NI700	NI699	26807	Accessory for Original	14 x 2	-	-	3