


Premium Dry Area Anti-Fatigue Matting



ULTRA-SOFT DIAMOND-PLATE NO. 414


- Be a hero in your company, buy *UltraSoft Diamond-Plate*
- It provides unparalleled comfort, resulting in enhanced employee productivity and morale
- Its double-thick *Nitricell*® sponge base is PVC loaded with nitrile rubber for exceptional comfort, rebound and long life
- Designed for heavy-use areas, the popular, high-tech diamond-plate surface resists abrasion and most chemical spills and is available with coloured borders for maximum safety awareness
- All edges are safety bevelled



3-YEAR WARRANTY



Call for your free foot-shaped sample
414
 Order No. **SAM736**
415
 Order No. **SAM737**




Black/
Yellow Borders

DIAMOND-PLATE SPONGECOTE® NO. 415


- An excellent choice for dry areas, *Diamond-Plate SpongeCote*® sets the standard for anti-fatigue matting
- It has all the attributes of *UltraSoft Diamond-Plate*, with one exception - its unique *Nitricell*® sponge base is a customary 3/8" thick and is the benchmark for standing worker comfort



Double thick *Nitricell*® sponge base



Nitricell® sponge base



Black

NO. 414			
Order No.	Dim. W' x L'	Wt. lbs.	
15/16" BLACK/YELLOW			
SAJ810	2 x 3	9	
NG924	3 x 5	21	
NG925	2 x 75	225	
NG926	3 x 75	338	
NG927	4 x 75	450	
15/16" BLACK			
SAJ809	2 x 3	9	
NG917	3 x 5	21	
NG918	2 x 75	225	
NG919	3 x 75	338	
NG920	4 x 75	450	

CUTS UP TO 75' IN LENGTH			
Order No.	Dim. W' x L'	Wt. lbs.	
15/16" BLACK/YELLOW			
NG928	2 x lin. ft.	3/lin.ft.	
NG929	3 x lin. ft.	4.5/lin.ft.	
NG930	4 x lin. ft.	6/lin.ft.	
SAL159	5 x lin. ft.	7.5/lin.ft.	
SAL161	6 x lin. ft.	9/lin.ft.	
15/16" BLACK			
NG921	2 x lin. ft.	3/lin.ft.	
NG922	3 x lin. ft.	4.5/lin.ft.	
NG923	4 x lin. ft.	6/lin.ft.	
SAL158	5 x lin. ft.	7.5/lin.ft.	
SAL160	6 x lin. ft.	9/lin.ft.	

NO. 415			
Order No.	Dim. W' x L'	Wt. lbs.	
9/16" BLACK/YELLOW			
NB416	2 x 3	8	
NB430	3 x 5	18	
NB425	2 x 75	166	
NB439	3 x 75	244	
SAL165	4 x 75	340	
9/16" BLACK			
NB420	2 x 3	8	
NB431	3 x 5	18	
NB426	2 x 75	166	
NB440	3 x 75	244	
SAL164	4 x 75	340	


CUTS UP TO 75' IN LENGTH			
Order No.	Dim. W' x L'	Wt. lbs.	
9/16" BLACK/YELLOW			
NG410	2 x lin. ft.	2.6/lin.ft.	
NG411	3 x lin. ft.	3.9/lin.ft.	
SAL163	4 x lin. ft.	5.2/lin.ft.	
SAL167	5 x lin. ft.	6.5/lin.ft.	
SAL169	6 x lin. ft.	7.8/lin.ft.	
9/16" BLACK			
NG412	2 x lin. ft.	2.6/lin.ft.	
NG413	3 x lin. ft.	3.9/lin.ft.	
SAL162	4 x lin. ft.	5.2/lin.ft.	
SAL166	5 x lin. ft.	6.5/lin.ft.	
SAL168	6 x lin. ft.	7.8/lin.ft.	

DIAMOND-PLATE WITH GRITWORKS!® NO. 416


- *Diamond-Plate SpongeCote*® and *UltraSoft Diamond-Plate* are also available with *GritWorks!*® - a high traction grit surface!
- These mats are ideal for primarily dry areas with slight overspray or where grease and oil get tracked onto the mat
- *GritWorks!*® is a carbide grit that increases traction by over 50% while also increasing the chemical resistance and durability of the surface
- Available in two thicknesses: **Standard - 9/16"** and **UltraSoft - 15/16"**
- Colour: Black




3-YEAR WARRANTY



Double thick *Nitricell*® sponge base



Nitricell® sponge base




Order No.	Dim. W' x L'	Wt. lbs.	
STANDARD 9/16"			
SAL632	2 x 3	9	
SAL634	3 x 5	21	
SAL638	3 x 75	270	

CUTS UP TO 75' IN LENGTH			
Order No.	Dim. W' x L'	Wt. lbs.	
ULTRASOFT 15/16"			
SAL633	2 x 3	9	
SAL635	3 x 5	21	
SAL639	3 x 75	270	

CUTS UP TO 75' IN LENGTH			
Order No.	Dim. W' x L'	Wt. lbs.	
STANDARD 9/16"			
SAL642	2 x lin. ft.	3/lin.ft.	
SAL644	3 x lin. ft.	4.5/lin.ft.	
SAL646	4 x lin. ft.	6/lin.ft.	

CUTS UP TO 75' IN LENGTH			
Order No.	Dim. W' x L'	Wt. lbs.	
ULTRASOFT 15/16"			
SAL643	2 x lin. ft.	3/lin.ft.	
SAL645	3 x lin. ft.	4.5/lin.ft.	
SAL647	4 x lin. ft.	6/lin.ft.	




Premium Dry Area Anti-Fatigue Matting

TILE-TOP SPONGECOTE® NO. 424

One of the best-selling anti-fatigue mats, ever!

- The marbled rubber surface remains attractive even in heavy-use commercial applications - packaging and assembly lines, labs, offices, behind counters
- Use in all dry work areas
- Now with *Nitricell*®, a softer PVC/nitrile sponge base formulated for comfort, *Tile-Top SpongeCote*® outperforms similar products
- 1/2" thick with all sides safety bevelled
- Colours: Black, blue, grey, tan, charcoal

3-YEAR WARRANTY



Tan



Blue



Charcoal



Black



Grey



ULTRASOFT TILE-TOP NO. 419

It's the *Tile-Top SpongeCote*® with a double-thick sponge base for those employees who need an even softer, more comfortable standing surface.

- *UltraSoft Tile-Top* has a 3/4" *Nitricell*® sponge base
- 7/8" thick and designed to satisfy even the most demanding workers
- Colours: Black, blue, grey, charcoal

3-YEAR WARRANTY



TILE-TOP SPONGECOTE® NO. 424

Order No.					Dim.		Wt. lbs.
Black	Blue	Grey	Tan	Charcoal	W'	L'	
NB473	NB474	NB475	NB477	SAN608	18" x	30"	7
NB485	NB486	NB488	NB490	SAN609	2 x	3	12
NB510	NB511	NB513	NB515	SAN610	3 x	5	26
SAN611	SAN612	SAN613	-	SAN614	2 x	60	132
SAN615	SAN616	SAN617	-	SAN618	3 x	60	198
SAN619	SAN620	SAN621	-	SAN622	4 x	60	264

CUTS UP TO 60' IN LENGTH

SAJ789	SAJ790	SAJ791	SAJ792	SAN623	24 x lin. ft.	4.2/lin.ft.
SAJ793	SAJ794	SAJ795	SAJ796	SAN624	36 x lin. ft.	6.3/lin.ft.
SAJ797	SAJ798	SAJ799	SAJ800	SAN625	48 x lin. ft.	8.4/lin.ft.

ULTRASOFT TILE-TOP NO. 419

Order No.				Dim.			Wt. lbs.
Black	Blue	Grey	Charcoal	W'	x	L'	
SAL599	SAL600	SAL601	SAN626	2	x	3	9
SAL608	SAL609	SAL610	SAN627	3	x	5	21
SAL602	SAL603	SAL604	SAN628	2	x	60	180
SAL611	SAL612	SAL613	SAN629	3	x	60	270
SAL617	SAL618	SAL619	SAN630	4	x	60	360

CUTS UP TO 60' IN LENGTH

SAL596	SAL597	SAL598	SAN631	2	x	lin. ft.	3/lin.ft.
SAL605	SAL606	SAL607	SAN632	3	x	lin. ft.	4.5/lin.ft.
SAL614	SAL615	SAL616	SAN633	4	x	lin. ft.	6/lin.ft.

REJUVENATOR® NO. 501

Totally crush resistant urethane for years of comfort!

- *Rejuvenator*® is 100% crush resistant urethane, the most premium compound available
- Its ideal density and immediate rebound keep standing workers energized and comfortable for years
- Its durable urethane skin forms a protective shell around a super resilient sponge centre
- The unique surface design provides traction without torquing joints
- Offers exceptional resistance to chemicals and temperature extremes from -50° to 250°F
- Colour: Black


5-YEAR WARRANTY



Designed to energize workers!




Order No.	Dim.			Wt. lbs.
	W'	x	L'	
NH597	2	x	3	9
NH598	3	x	5	21



Slip-resistant underside



Premium Dry Area Anti-Fatigue Matting



ERGO-STANCE® NO. 489


Uses: All dry work areas



Stimulates blood flow & prevents fatigue!

- New ergonomic design encourages increased circulation and lessens fatigue
- Provides outstanding comfort and reduces stress on the spine and lower back muscles
- Constructed of high density and low density sponge strips alternating every 12"
- Uniquely constructed, two-density base is designed to shift worker's weight from one leg to another stimulating foot and leg muscles
- 1/2" overall thickness

3-YEAR WARRANTY



Order No.		Dim.		Wt. lbs.
Black	Blue	W"	L"	
NB651	NB652	24	36	12
NB653	NB654	36	48	24
NG139	NG140	36	60	30

CUTS UP TO 30' IN LENGTH

Order No.	Dim.	Wt.
SAJ801	24 x lin.ft.	4/lin.ft.
SAJ803	36 x lin.ft.	6/lin.ft.
SAJ805	48 x lin.ft.	8/lin.ft.


Other lengths available, call for a quote.

RE-ENERGIZER™ NO. 401

The "next generation" anti-fatigue mat.

- The flexible domes and Nitricell® sponge base provide an uplifting ergonomic experience for the standing worker
- The novel domed design offers an extra level of resilience for unsurpassed comfort and durability
- Nitricell® sponge base is a unique blend of PVC and nitrile rubber for consistent comfort underfoot
- This mat conveys a modern design and offers upscale performance in any commercial, industrial, office, retail or laboratory/pharmaceutical environment
- Overall thickness: 1/2"
- Colours: Metallic grey, black

Metallic Gray



5-YEAR WARRANTY

Order No.	Dim.		Colour
	W'	L'	
SAN561	2	3	Black
SAN562	2	3	Metallic Grey
SAN563	3	5	Black
SAN564	3	5	Metallic Grey

CUTS UP TO 75' LENGTH

Order No.	Dim.		Colour
	W'	L'	
SAN565	2 x lin.ft.	Black	
SAN566	2 x lin.ft.	Metallic Grey	
SAN567	3 x lin.ft.	Black	
SAN568	3 x lin.ft.	Metallic Grey	
SAN569	4 x lin.ft.	Black	
SAN570	4 x lin.ft.	Metallic Grey	

ERGOASIS™ NO. 488

1/2" thick, new wood-grain anti-fatigue mat

- The look and beauty of natural wood with the exceptional comfort of a top quality anti-fatigue mat
- Three wood grain finishes that match almost any workspace
- Durable vinyl surface bonded to a thick, super resilient Nitricell® sponge base
- Designed for comfort, functionality and style
- All edges are safety bevelled
- Colours: Burlwood, cherry, olympic oak



Order No.			Dim.		Wt. lbs.
Burlwood	Cherry	Oak	W'	L'	
SAL620	SAL621	SAL622	2	3	8
SAL626	SAL627	SAL628	3	5	18
SAL629	SAL630	SAL631	3	75	225


CUTS UP TO 75' IN LENGTH

SAL623	SAL624	SAL625	3	x lin.ft.	3/lin.ft.
--------	--------	--------	---	-----------	-----------

3-YEAR WARRANTY



SAL620



Premium Dry Area Anti-Fatigue Matting

COMFORT PRO NO. 433

Exceptional comfort, exceptional price!

- Performs like a true professional in heavy use applications
- Flexible, easy to clean vinyl surface adds to the overall comfort of the mat
- Surface provides good resistance to common industrial chemicals and solvents
- The *Nitricell*® sponge base is exceptionally resilient and resists the abuse of multiple shifts
- Available in two thicknesses, both with safety bevelled borders: Standard - 1/2" and *UltraSoft* - 7/8"
- Three-year limited warranty
- Colour: Black



Provides safety & comfort for employees who are on their feet all day!

3-YEAR WARRANTY



Order No.	W'	Dim. x	L'
STANDARD 1/2"			
NC829	2	x	3
NC830	3	x	5
SAL375	2	x	75
SAL376	3	x	75
SAL377	4	x	75
CUTS UP TO 75' LENGTH			
SAL171	2	x	lin.ft.
NG589	3	x	lin.ft.
NG890	4	x	lin.ft.
ULTRASOFT 7/8"			
SAN984	2	x	3
SAN985	3	x	5
SAN986	2	x	75
SAN987	3	x	75
SAN988	4	x	75
CUTS UP TO 75' LENGTH			
SAN989	2	x	lin.ft.
SAN990	3	x	lin.ft.
SAN991	4	x	lin.ft.

ERGOSUPREME NO. 431

Excellent comfort for increased productivity.

- Ergonomically designed, this mat readily adapts the worker to the workstation by providing comfort all day long
- The super resilient *Nitricell*® sponge base is a special nitrile rubber/PVC compound designed for comfort and long life
- The flexible, PVC surface is corrugated for extra traction and offers chemical resistance
- Use in dry areas or where chemicals are present
- Available in two thicknesses, both with safety bevelled borders: Standard - 1/2" and *UltraSoft* - 7/8"
- Three-year limited warranty
- Colour: Black w/Yellow borders



Anti-fatigue matting that resists acids & chemicals!

3-YEAR WARRANTY




Order No.	W'	Dim. x	L'
STANDARD 1/2"			
NC825	2	x	3
NC826	3	x	5
SAN992	2	x	60
SAN993	3	x	60
SAN994	4	x	60
CUTS UP TO 60' LENGTH			
SAL170	2	x	lin.ft.
NG586	3	x	lin.ft.
NG587	4	x	lin.ft.
ULTRASOFT 7/8"			
SAN995	2	x	3
SAN996	3	x	5
SAN997	2	x	60
SAN998	3	x	60
SAN999	4	x	60
CUTS UP TO 60' LENGTH			
SAO001	2	x	lin.ft.
SAO002	3	x	lin.ft.
SAO003	4	x	lin.ft.

WELDSAFE® NO. 447

PERFORMANCE: BEST

- Specifically for use in welding areas
- *WeldSafe*®'s new, thicker and improved rubber surface is uniquely formulated to repel sparks and hot metal shards
- Designed to outperform traditional anti-fatigue matting in spot welding applications
- Improved surface has a higher melt point of 285°F
- Its super resilient *Nitricell*® sponge base is a Nitrile rubber composite that offers unparalleled comfort during long shifts
- Custom widths and unusual configurations are available
- All edges are safety beveled
- Over 1/2" thick • Color: Black




3-YEAR WARRANTY

Order No.	W'	Dim. x	L'	Wt. lbs.
NG181	2	x	3	9
NG182	3	x	5	23
SAL373	2	x	75	225
NG183	3	x	75	337.5
SAL374	4	x	75	450
CUTS UP TO 75' IN LENGTH				
SAL188	2	x	lin.ft.	3/lin.ft.
NG184	3	x	lin.ft.	4.5/lin.ft.
SAL189	4	x	lin.ft.	6/lin.ft.



Anti-fatigue mat specifically designed for welding!





TUF SPONGE NO. 451 & DELUXE TUF SPONGE NO. 442

Top quality PVC sponge matting!



1-YEAR WARRANTY

Comfort & practicality all rolled into one mat!

- Excellent choices for practical and economical comfort
- Blown-vinyl sponge ergonomically designed to reduce floor hardness up to 50%
- Available in workstation mats and rolls, they can easily be "custom" cut to fit your work areas
- Available in two thicknesses:
- **Tuf Sponge** is 3/8" thick
- **Deluxe Tuf Sponge** is a softer formulation and a full 5/8" thick
- Both are available in widths up to 6' with all edges safety rounded on full rolls and stock sizes

COLOURS:

- **Tuf Sponge:** Black and grey
- **Deluxe Tuf Sponge:** Black



TUF SPONGE NO. 451

Order No.		Dim.			Wt.
Black	Grey	W'	x	L'	lbs.
NB550	NB551	2	x	3	5
NB565	NB566	3	x	5	12
NB574	NB575	4	x	60	168
NB568	NB569	3	x	60	126

CUTS UP TO 60' IN LENGTH

JA083	JA084	2	x	lin.ft.	2.8
NG415	NG418	3	x	lin.ft.	4.3
NG416	JA087	4	x	lin.ft.	5.7
JA085	JA086	6	x	lin.ft.	8.5

DELUXE TUF SPONGE NO. 442

Order No.	W'	x	L'	Wt. lbs.
SAL174	2	x	3	6
SAL180	3	x	5	17
SAL176	2	x	60	121
SAL182	3	x	60	183
SAL186	4	x	60	208

CUTS UP TO 60' IN LENGTH

SAL172	2	x	lin.ft.	1.5
SAL178	3	x	lin.ft.	2.25
SAL184	4	x	lin.ft.	3


ENDURABLE NO. 459

New, longer-wearing two-in-one construction



New, longer wearing, two-in-one construction!

- This PVC sponge has a remarkably durable and abrasion resistant surface
- The dense PVC surface, created during the manufacturing process, is heat bonded to a comfortable sponge base
- This dual density anti-fatigue mat lasts much longer than similar products, but is very economical
- Edges bevelled for safety
- 1/2" thick
- Colour: Black



1-YEAR WARRANTY

Order No.	Dim.			Wt. lbs.
	W'	x	L'	
NG593	2	x	3	4.5
NG596	2	x	60	90
NG594	3	x	5	11.25
NG595	3	x	12	27
NG597	3	x	60	135
NG598	4	x	60	180

CUTS UP TO 60' IN LENGTH

NG599	2	x	lin.ft.	.75/lin.ft.
NG600	3	x	lin.ft.	.75/lin.ft.
NG601	4	x	lin.ft.	.75/lin.ft.

Other lengths available, call for a quote

ULTRA-TRED ARMORCOTE NO. 440

A urethane coated, PVC sponge anti-fatigue mat.



Urethane coating increases durability, resistance to chemicals & clean-up ease!

- Offers the comfort of a PVC sponge plus the chemical and abrasion resistance of a double-thick urethane coating on the surface
- Ideal for use in mostly dry applications such as labs and other medium traffic areas
- 3/8" thick
- Colour: Black w/yellow safety borders



1-YEAR WARRANTY

Order No.	Dim.			Wt. lbs.
	W'	x	L'	
NB533	2	x	3	5
NB537	3	x	5	11
NB534	3	x	12	27
SAJ811	2	x	60	83
NB538	3	x	60	135
NB540	4	x	60	180

CUTS UP TO 60' IN LENGTH

JA080	2	x	lin.ft.	1.5
JA081	3	x	lin.ft.	2.25
JA082	4	x	lin.ft.	3

Dry Area Anti-Fatigue Matting

DIAMOND-PLATE SELECT NO. 495

Comfort and industrial style on a budget!



- *Diamond-Plate Select* is an excellent alternative to similar *SpongeCote*® products
- Priced for those on a tighter budget, it has a specially formulated blown-vinyl sponge base called *Flex-Link*®
- It's designed to prevent worker fatigue in dry industrial applications and is a good choice for areas that require a high-tech look
- Available in two thicknesses:
Standard – 9/16" thick with safety bevelled edges
Ultra Thick – 15/16" thick with safety bevelled edges, designed for extra softness
- Choose from the two most popular colours:
 Black, black/yellow



1-YEAR WARRANTY

Order No.	Dim.		Wt. lbs.
	W'	x L'	
9/16" - BLACK			
SAL348	2	x 3	8
SAL357	3	x 5	18
SAL360	3	x 75	244
9/16" - BLACK/YELLOW			
SAL349	2	x 3	8
SAL358	3	x 5	18
SAL361	3	x 75	244
15/16" - BLACK			
SAL200	2	x 3	9
SAL206	3	x 5	21
SAL208	3	x 75	338
15/16" - BLACK/YELLOW			
SAL201	2	x 3	9
SAL207	3	x 5	21
SAL209	3	x 75	338

CUTS UP TO 75' IN LENGTH

Order No.	Dim.		Wt. lbs.
	W'	x L'	
9/16" - BLACK			
SAL354	3	x lin.ft.	3.9/lin.ft.
9/16" - BLACK/YELLOW			
SAL355	3	x lin.ft.	3.9/lin.ft.
15/16" - BLACK			
SAL204	3	x lin.ft.	4.5/lin.ft.
15/16" - BLACK/YELLOW			
SAL205	3	x lin.ft.	4.5/lin.ft.

Other lengths available, call for a quote.

SAFETY ZONE INTERLOCK NO. 455

Interlocking mat is a "zone" of safety and comfort.




Add visibility, safety & versatility to the workplace with this 2-colour interlocking rubber mat!

- An interlocking anti-fatigue runner
- Sections snap together to form runners of any length, yet zip apart easily for clean-up
- Yellow safety borders plus a deck-plate surface for extra traction
- 1/2" thick moulded rubber
- Available in End and Centre sections
- Colour: Black w/yellow borders

1-YEAR WARRANTY



Order No.	Description	Wt. lbs.
1/2" X 24" W X 36" L		
NB584	Centre Piece	10
NB585	End Piece	10
1/2" X 36" W X 24" L		
NB586	Centre Piece	10
NB587	End Piece	10



ORTHOSTAND® NO. 454


Domed anti-fatigue mat increases circulation.



Designed for optimal worker health, comfort & productivity!


- Ergonomically designed to increase worker comfort
- Hollow-domed surface encourages subtle changes in posture increasing circulation and lessening fatigue
- An economical, dry area, single work area mat
- 1/2" thick, natural rubber
- Colours: Black, black/yellow border

1-YEAR WARRANTY




Order No.	W'	Dim. x	L'	Wt. lbs.
BLACK				
NB582	2	x	3	9
NB583	3	x	4	18
BLACK/YELLOW				
SAL192	2	x	3	9
SAL193	3	x	4	18

Premium Anti-Fatigue for Wet or Dry Areas




THE COMPLETE 24/SEVEN™ MODULAR ANTI-FATIGUE SYSTEM

- Designed to work 24/7 to keep employees comfortable
- 3' x 3' with a hidden interlocking system, for use as a single workstation mat or to cover large areas
- Substantial in design, yet exceptionally resilient
- 5/8" thick; Black w/optional yellow safety borders



24/SEVEN® SOLID NO. 570

- Used in mostly dry areas
- Grease-resistant - 100% natural rubber



24/SEVEN® NO. 572

- Use around water and small debris
- Grease-resistant - 100% natural rubber




Order No.	Dimensions W x L	Wt. lbs.
SOLID		
NH589	3' x 3'	17
LEDGING		
NH593	3" x 39" (Female) Yellow	3
NH596	3" x 39" (Male) Yellow	3

Order No.	Dimensions W x L	Wt. lbs.
LEDGING CFR		
SAL230	3" x 39" (Female) Yellow	3
SAL232	3" x 39" (Male) Yellow	3
DRAINAGE		
NH593	3" x 39" (Female) Yellow	3
NH596	3" x 39" (Male) Yellow	3



24/SEVEN® SOLID GRITWORKS!® NO. 574

- Use in slippery areas where drainage is not needed, but exceptional traction is needed.



24/SEVEN® GRITWORKS!® NO. 576

- Use in greasy and hazardous areas, where its drainage design and GritWorks!® surface provide safety.




Order No.	Dimensions W x L	Wt. lbs.
CFR SOLID		
SAL233	3' x 3'	28
LEDGING CFR		
SAL230	3" x 39" (Female) Yellow	3
SAL233	3" x 39" (Male) Yellow	3



Order No.	Dimensions W x L	Wt. lbs.
CFR DRAINAGE		
SAL234	3' x 3'	21
EDGING DRAINAGE		
SAL230	3" x 39" (Female) Yellow	3
SAL233	3" x 39" (Male) Yellow	3

Compound: Cutting Fluid Resistant compound called CFR, designed for areas with mineral oil based cutting fluids and other industrial greases and oils



Hidden Interlocking System

3" x 39" Female Ramp snaps onto the protruding mat knobs



3" x 39" Male Ramp snaps into the underside of the mat




Edging for 24/Seven® Family.

Optional Edging

5/8"



1-YEAR WARRANTY



Premium Anti-Fatigue for Wet Areas

COMFORT DECK® NO. 460

Heavy-duty, industrial anti-fatigue mat (also available with GritWorks!®)

- Unusually comfortable, this thick mat allows spills and small debris to easily drain through, keeping workers safe and productive
- The PVC compound is resistant to many industrial chemicals and fluids
- The knobbed surface provides extra traction
- 6" wide ramps on three sides for trip proof access
- 7/8" overall thickness
- Colour: Black w/yellow safety borders

GRIT-TOP COMFORT DECK® NO. 461

- The new and improved GritWorks!® surface, makes this one of the best slip-resistant anti-fatigue mats available
- Ideal for slippery industrial areas, its highly abrasive surface has a coefficient of friction of 1.0, which is 40% higher than OSHA recommends
- Colour: Black w/yellow safety borders



COMFORT DECK® NO. 460

Order No.	W"	Dim. x	L"	Wt. lbs
NB589	30	x	36	18
NB590	30	x	48	24
NB591	30	x	60	29
NB592	30	x	72	35
NB593	30	x	96	47
NB595	42	x	72	50
NB596	42	x	96	67
NB594	42	x	120	86


GRIT-TOP COMFORT DECK® NO. 461

Order No.	W"	Dim. x	L"	Wt. lbs
NB600	30	x	36	19
NB601	30	x	48	25
NB602	30	x	60	31
NB603	30	x	72	38
SAL195	30	x	96	50
NB604	42	x	72	50
SAL197	42	x	96	73
SAL196	42	x	120	88

1-YEAR WARRANTY

A high performance abrasive, industrial, non-slip, anti-fatigue mat!

Superb safety & anti-fatigue performance in wet or dry industrial areas!



INDUSTRIAL WORKSAFE® & INDUSTRIAL GRITWORKS!®

Extra thick, Extra comfortable, Extra safe

- These are high performance, wet area, and ergonomic mats with bright, **moulded-in safety borders**
- Both now are formulated in a CFR (mineral oil cutting fluid resistant) compound that resists many other industrial chemicals and fluids
- The smooth, clean drainage holes and underside knobs allow water, debris and shavings to flow through and under the mat
- Available in stock sizes for individual workstations
- Colours: Black with orange borders, black with Yellow borders

SURFACE DESIGN:

Industrial WorkSafe® - textured surface for extra traction in wet areas

Industrial GritWorks!® - abrasive surface that far exceeds the OSHA recommended coefficient of friction in walking and working areas



INDUSTRIAL WORKSAFE®

Order No.	Size	Description
SAP173	3/4" x 2' x 3'	Orange Border
SAP174	3/4" x 3' x 4'	Orange Border
SAP175	3/4" x 3' x 5'	Orange Border
SAP176	3/4" x 3' x 9'8"	Orange Border
SAP177	3/4" x 2' x 3'	Yellow Border
SAP178	3/4" x 3' x 4'	Yellow Border
SAP179	3/4" x 3' x 5'	Yellow Border
SAP180	3/4" x 3' x 9'8"	Yellow Border

INDUSTRIAL GRITWORKS!®

Order No.	Size	Description
SAP181	3/4" x 2' x 3'	Orange Border
SAP182	3/4" x 3' x 4'	Orange Border
SAP183	3/4" x 3' x 5'	Orange Border
SAP184	3/4" x 3' x 9'8"	Orange Border
SAP185	3/4" x 2' x 3'	Yellow Border
SAP186	3/4" x 3' x 4'	Yellow Border
SAP187	3/4" x 3' x 5'	Yellow Border
SAP188	3/4" x 3' x 9'8"	Yellow Border


Worksafe

New & Improved

1-YEAR WARRANTY

GritWorks!®





GRADE "A" NO. 482

The food production mat

- The first mat designed specifically for the food production and manufacturing industries
- Its specially formulated anti-bacterial nitrile rubber composite is designed to withstand solutions used in a wide variety of food processing environments: vegetable oils, animal fats, citrus and fish oil
- Grade A has four key features:
 1. Built-in handles to ease pick-up and cleaning of the mats.
 2. Hygienic porthole and solid underside design of the mat simplify cleaning and virtually eliminates areas where food and bacteria can collect.
 3. Substantial underside knobs allow quick drainage and increase the comfort level of the mat.
 4. Flat, but textured surface increases traction when greasy and wet.
- 100% anti-microbial, passes NSF test for bacteria growth
- Thickness: Approximately 1/2"
- Colour: Terra cotta

Built-in Handle


2-YEAR WARRANTY



Order No.	W"	Dim. x	L"
SAN571	30	x	36
SAN572	30	x	60

Substantial underside knobs are 1/4" high

Solid underside design



Hygienic porthole design



WORKSAFE® LIGHT NO. 478 CFR

A new compound resistant to mineral oil based cutting fluids.

- This best-selling, lightweight, high performance drainage mat is now resistant to mineral oil based cutting fluids
- The new CFR (Cutting Fluid Resistant) formulation is perfect for wet industrial areas
- Its lightweight design eases the strain of clean-up, yet keeps employees quite comfortable
- WorkSafe® Light is 1/2" thick with moulded bevelled edges for easy access
- A well-engineered drainage system that keeps debris from becoming trapped
- Colour: Grey



2-YEAR WARRANTY

New & Improved!

Order No.	Description	W'	Dim. x	L'	Wt. lbs.
NB632	-	3	x	5	27
NB630	-	3	x	10	52
NB631	-	3	x	20	105
SAL221	Connector	-	-	-	2

SANITIZING FOOTBATH MAT NO. 222


Decontaminates and disinfects footwear.

- Use in food processing plants and other hygienic areas to keep sanitized areas free of contamination and germs
- It has thousands of pliable rubber scrapers that dislodge contaminants from footwear
- Simply fill the mat with a gallon of chlorine or quaternary solution and ask employees to stand on the mat for at least one minute to allow their shoe soles to be immersed in the disinfectant solution
- Colour: Black



1-YEAR WARRANTY

Order No.	W"	Dim. x	L"	Wt. lbs.
SAL651	24	x	32	11



Ergonomic & ESD Matting

ERGODECK™ - AN ERGONOMIC FLOORING SYSTEM

Simple to install, *ErgoDeck™* is comprised of super-sized (18" x 18"), professional grade ergonomic tiles designed to quickly cover large and custom-sized areas.

- The patented *LockSafe®* system securely connects the tiles for a neat, clean, installation that will withstand heavy use
- The incredibly substantial design creates a floor above the facility floor, covering up imperfections and safety hazards
- *ErgoDeck™* tiles can be unlocked and repositioned to create a different configuration when work flow changes
- Available in Open Grid and Solid tile designs:
 - Open Grid** - for use in wet (non-greasy) or dry areas where small debris or fluids are present
 - Solid** - for use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority
- Optional 6" wide safety ramps and corners accommodate carts and have countersunk holes so *ErgoDeck™* can be attached to the floor
- 7/8" thick
- Designed specifically for heavy cart traffic with load capacity of 64 PSI

ERGODECK™ OPEN GRID NO. 560

- For use in wet (non-greasy) or dry areas where small debris or fluids are present

ERGODECK™ SOLID NO. 562

- For use in dry areas where small parts fall to the floor, or where ease of maintenance is a priority

Order No.	Dim.		Description	Wt. lbs.
	W"	L"		

ERGODECK™ OPEN GRID NO. 560

SAL215	18	x	18	Single Tile	5
---------------	----	---	----	-------------	---

ERGODECK™ SOLID NO. 562

SAL224	18	x	18	Single Tile	5.6
---------------	----	---	----	-------------	-----

RAMP & CORNER ACCESSORIES

Order No.	Dim.				Description	Wt. lbs.
	W"	x	L"	x D"		
SAL219	6	x	18	-	Ramp	2
SAL217	6	x	15	x 15	Outside Corner	2.7
SAL220	6	x	9	x 9	Inside Corner	2


3-YEAR WARRANTY

FREQUENTLY ASKED QUESTIONS:

What if one of my tiles gets damaged?
Simply remove it and replace with a new tile.

How do you connect a ramp to the side of the tile that has interlocks?
Simply cut off the interlocks on the ramp.

What do I need to install ErgoDeck™?
A rubber mallet. Each box of tiles contains installation instructions.



MODULAR DIAMOND PLATE ESD NO. 788 & MODULAR WORKSAFE® LIGHT ESD NO. 789

Uses: Dry or wet areas where static discharge could harm sensitive equipment or products; cleanrooms.

- **Resistivity:** RTT = 1×10^4 ohms;
RTG = 1×10^4 ohms
- Unique, modular mats provide reliable, lasting, and economical protection
- Mats have interlocks on two sides so larger mats can be created for virtually any configuration
- Safety rounded edges for no-trip access
- Lightweight and easy to clean
- Colour: Black

Modular *Diamond-Plate* ESD No. 788

- High-tech solid *Diamond-Plate* surface provides additional traction


Modular *Worksafe®* Light ESD No. 789

- Surface with holes for drainage and air-flow

Maximum safety comfort & slip-resistant footing, ideal in industrial environments!

Order No.	Dimensions'		Description
NH541	3	x 3	Diamond-Plate No. 788
NH542	3	x 3	<i>Worksafe®</i> Light No. 789





PERFORATED TILES

Uses: Factory corridors and hallways, work stations and pick-up truck floor

- New and ingenious way to cover your floors; easy to assemble perforated tiles made of PVC
- Solid, thick and very tough
- You don't need glue, staples or special tools to install them
- Simply fit one into the other by inserting the interlocking pieces; finish the border with trimming
- Easy to clean - perforations catch dust, dirt and other particles that are easily removed with a vacuum
- Create a work space that's clean, safe and functional
- Perfect tile for protecting fragile surfaces
- Resistant to shocks and most caustic products
- Ideal for making boundaries for dangerous work zone

Order No.	Perforated Tiles"	W"	Dim. x	L"	Colour
COMMERCIAL					
NH236	1/4	12	x	12	Black
NH235	1/4	12	x	12	Grey
INDUSTRIAL					
NH238	1/2	12	x	12	Black
NH237	1/2	12	x	12	Grey




Perforated tiles with 1/2" & 1/4" holes for industrial & commercial uses!



YELLOW TRIM 12"

Order No.	Description
NH239	Right female
NH240	Right male
NH241	Corner female
NH242	Corner male




TRAXION GRIP NO. TIL1

Uses: Wet or dry work areas

- Modular interlocking 12" x 12" tile mat
- Wraparound edging prevents tripping
- 529 holes per tile assures excellent drainage of fluids
- Raised grippers on tiles guard against slippage
- 1/2" PVC is resistant to chemicals, oils, grease and animal fat
- Resistant to mould and mildew
- Fire resistant



Modular design allows you to size the mat to your exact specifications!




Order No.	Colour	Wt. lbs.
TILES		
NB726	Black	1.5
NB727	Blue	1.5
NB731	Tan	1.5
WRAPAROUND EDGES		
NB734	Black	0.2
NB735	Blue	0.2
NB739	Tan	0.2

COMFORT TRED NO. TIL2

Uses: Indoor entrances and shower areas

- Moulded from durable PVC
- Raised ridges scrape off dirt
- Drainage holes allow dirt to fall through tiles
- Resistant to mould and mildew
- 12" x 12" tiles with optional beveled wraparound edges



Modular design allows you to dimension the mat to your exact specifications!

Colour	TILES		WRAPAROUND EDGES	
	Order No.	Wt. lbs.	Order No.	Wt. lbs.
Black	NB378	1	NB386	0.2
Blue	NB379	1	NB387	0.2
Grey	NB380	1	NB388	0.2
Red	NB382	1	NB390	0.2
Tan	NB383	1	NB391	0.2
Navy	NC822	1	NG055	0.2

Conductive & Non-Conductive Mats

ELECTRO-SOFT NO. 796

A static dissipative cross-linked sponge.



1-YEAR WARRANTY

This revolutionary new ESD mat has rebound!

- This static dissipative sponge meets every budget
- Good conductivity - RTG = 5 to 9 x 10⁹ ohms
- The cross-linked PVC compound outperforms similar mats; has incredible flexibility and immediate rebound
- Can easily be cut to "custom" fit your workstations
- The mat has one snap and must be grounded
- Thickness: 3/8"
- Colour: Grey



Order No.	W'	Dim. x	L'	Wt. lbs.
NH528	2	x	3	5.4
NH530	3	x	5	13.5
NH529	3	x	60	162
NH531	4	x	60	216

CUTS UP TO 60' IN LENGTH

NH532	3	x	lin.ft.	2.7/lin.ft.
NH533	4	x	lin.ft.	3.6/lin.ft.

NON-CONDUCTIVE CORRUGATED SWITCHBOARD NO. 702

Can insulate up to 30000 V!

- High-performance non-conductive matting protects personnel in areas with dangerous high-voltage equipment
- Designed to insulate against as much as 30,000 V of electricity
- However, its recommended usage is up to 17,000 V
- The corrugated surface is abrasion resistant and easily cleaned
- 1/4" thick
- Conforms to ANSI/ASTM D-178-01 Type 2, Class II
- Colour: Black

1-YEAR WARRANTY



CUTS UP TO 75' IN LENGTH

Order No.	W'	Dim. x	L'	Wt. lbs.
NH534	2	x	3	3
NH535	3	x	5	5

NO. 702

SAL242	2	x	75	255
NB657	3	x	75	380
NB659	4	x	75	510

NO. 702

SAL241	2	x	lin.ft	3.4/lin.ft
NB658	3	x	lin.ft	5.1/lin.ft
NB660	4	x	lin.ft	6.8/lin.ft

3/8" THICK

SAL431	3	x	75	607
--------	---	---	----	-----

ELECTRICALLY CONDUCTIVE ANTI-FATIGUE NO. 786DP

9/16" thick ESD anti-fatigue mat



Protects workers from fatigue & electronic equipment from damage!

- Quickly drains static electricity off workers before it can be passed onto sensitive equipment such as computers or any product with a computer chip
- The Nitricell[®] sponge base drastically reduces standing worker fatigue
- Exceptional resistivity of RTT and RTG of 1 x 10⁹ ohms
- The mat has one snap and must be grounded
- Thickness: 3/8"
- Colour: Black

3-YEAR WARRANTY



Order No.	W'	Dim. x	L'	Wt. lbs.
NB692	3	x	5	23

CUTS UP TO 75' IN LENGTH

NB693	3	x	lin.ft.	5
SAJ574	15' L Ground Wire (Sold Separately)			1

STATIC DISSIPATIVE ANTI-FATIGUE MAT NO. 791

Quickly drains static electricity from workers.

- Frequently used in commercial areas where static discharge can harm products or equipment
- Excellent resistivity: RTG 1 x 10⁷ ohms
- Super resilient Nitricell[®] sponge base provides long-term comfort and relieves employee fatigue
- Easy to clean vinyl surface and safety bevelled edges
- Each mat has a one mega ohm snap and must be grounded
- Thickness: 1/2"
- Colour: Grey

3-YEAR WARRANTY



Order No.	W'	Dim. x	L'
NH534	2	x	3
NH535	3	x	5


CUTS UP TO 75' IN LENGTH

NB694	3	x	lin.ft.
NB695	4	x	lin.ft.

SAJ574 15' L Ground Wire (Sold Separately)

Grounding snap is attached to lower left hand corner of each mat.

Anti-Fatigue & Anti-Static Matting




COMFORT-KING™ & COMFORT-KING SUPREME™

Exclusive Zedlan™ anti-fatigue product that combines softness, resilience and durability for exceptional relief from standing fatigue!



Ideal for use in all dry work areas!



- A second-generation vinyl sponge designed and engineered to exceed the performance properties of all other vinyl sponges on the market
- Exceptional flexibility performance in low temperatures
- The static dissipative properties make *Comfort-King™* an excellent choice for static sensitive environments
- Bevelled edges reduce trip hazards

COMFORT-KING™

- Overall thickness: 3/8"; slip resistant pebble surface
- *Comfort-King™* offers extended durability, improved chemical resistance and greater slip resistance

COMFORT-KING SUPREME™

- This product is a full 1/2" thick with all the properties of *Comfort-King™*
- The additional thickness offers extraordinary relief from standing fatigue



Order No.			W'	Dim. x	L'
Black	Steel Grey	Royal Blue			
COMFORT KING™					
NG877	NG883	NG889	3	x	4
NG878	NG884	NG890	3	x	5
NG879	NG885	NG891	3	x	10
NG880	NG886	NG892	3	x	60
NG881	NG887	NG893	4	x	60
NG882	NG888	NG894	6	x	60

Order No.			W'	Dim. x	L'
Blue	Grey	Black			
COMFORT KING SUPREME™					
NH785	NH786	NH787	3	x	4
NH788	NH789	NH790	3	x	5
NH791	NH792	NH793	3	x	10
NH794	NH795	NH796	3	x	60
NH797	NH798	NH799	4	x	60
NH800	NH801	NH802	6	x	60

STAT-ZAP® CARPET TOP

- Dissipates static electricity and helps protect electronics
- Attractive loop nylon carpet fused to 120 mil vinyl backing
- Resistivity is 10⁹ ohms per square
- Thickness: 5/8"
- Grounding cord included
- Colour: Grey



Order No.	W'	Dim.	
		x	L'
SAM341	2	x	3
SAM342	3	x	4
SAM343	3	x	5
SAM344	3	x	6
SAM345	3	x	10
SAM346	4	x	6
SAM347	4	x	8
SAM348	4	x	10
SAM349	3	x	60
SAM350	4	x	60
SAM351	6	x	60
SAM352	3	x	lin.ft.
SAM353	4	x	lin.ft.
SAM354	6	x	lin.ft.

COMFORT-KING™ ANTI-STATIC




Static dissipative anti-fatigue mat!



- Static dissipative 10⁹ ohms per square
- Resistance is measured from point to point and point to ground
- This dual action mat combines both static dissipative and anti-fatigue properties
- Ground cords are recommended for every 10 feet of matting
- Overall thickness: 3/8"

Order No.			W'	Dim. x	L'
Blue	Grey	Black			
NH803	NH804	NH805	2	x	3
NH809	NH810	NH811	3	x	60
NH812	NH813	NH814	4	x	60
NH815	NH816	NH817	6	x	60



Runner Anti-Fatigue Matting

VINYL GRID GRIPPER TREAD NO. 892/ VINYL GRID AIR TREAD NO. 891

Improved design!

- Vinyl grid's duckboard design elevates workers above slippery areas and allows free drainage of fluid and debris
- A perfect choice for wet areas
- Also UV, flame and mildew resistant
- The "improved" design features tubes with a narrow air tunnel, which creates a more flexible mat and provides increased comfort
- Tire-like, gripper tread surface texture

No. 891 - Comfortable, air filled design

- Smooth, tubular surface texture
- Colours: Black, Blue

No. 892 - Reliable slip protection

- Tire-like, gripper tread surface texture
- Colours: Black, red



Reliable protection in wet areas & cushioned comfort at your feet!

1-YEAR WARRANTY



NO. 892 - 1/2" THICK

Order No.	Order No.	W'	Dim.		Wt.
Black	Red		x	L'	lbs.
NB701	NH054	2	x	40	156
NB709	NH058	3	x	40	204
NB715	JA088	4	x	40	226
		W'	x	L'	
NB703	NH059	2	x	lin.ft	2.4/lin.ft
NB711	NH060	3	x	lin.ft	3.6/lin.ft
NH569	NH570	4	x	lin.ft	4.8/lin.ft

NO. 891 - 3/8" THICK

Order No.	Order No.	W'	Dim.		Wt.
Blue	Black		x	L'	lbs.
NH558	NH557	2	x	40	96
NH560	NH559	3	x	40	144
NH562	NH561	4	x	40	192
		W'	x	L'	
NH564	NH563	2	x	lin.ft.	2.4/lin.ft
NH566	NH565	3	x	lin.ft.	3.6/lin.ft
NH568	NH567	4	x	lin.ft.	4.8/lin.ft

KUSHION WALK NO. 475

3/8" thick, durable anti-fatigue runner mat

- *Kushion Walk* is a super tough, abrasion resistant runner ideal for heavy-use areas
- Modestly comfortable with solid construction
- Durable, textured surface reduces slippage
- Knobbed bottom and optional drainage slots permit run-off and aeration
- Edges are bevelled
- Colours: Black, black/yellow



Tough anti-fatigue vinyl runner is a durable workhorse for plant safety & worker comfort!

1-YEAR WARRANTY




Order No.	Order No.	Dim.		Wt.
Black	Black w/Yellow	W'	x L'	lbs.
NG614	NG591	2	x 3	12
NG618	NG592	3	x 5	20
NB611	NG031	2	x 60	240
NB620	NG032	3	x 60	360

CUTS UP TO 60' IN LENGTH

SAJ812	SAJ814	W'	x	lin.ft.	4/lin.ft.
SAJ813	SAJ815	3	x	lin.ft.	6/lin.ft.

Runner & Anti-Fatigue Matting



STANDARD CORRUGATED VINYL NO. 381

- The most popular runner mat!
- Protects floors from foot traffic or special events
 - Adds traction where needed
 - Reduces cleaning costs
 - Flexible, yet durable vinyl compound easily rolls up after use
 - 1/8" thick
 - Colour: Black

The all-purpose runner that makes floors safer to walk on!

1-YEAR WARRANTY



Order No.	W'	Dim.		Wt. lbs.
		x	L'	
NB374	3	x	105	230
NB376	4	x	105	300
NB375	3	x	lin.ft.	2/lin.ft.
NB377	4	x	lin.ft.	3/lin.ft.

DIAMOND-PLATE RUNNER NO. 385

- Quickly focuses attention on caution areas!
- High-tech industrial runner for indoor use
 - Protects floors from abuse, and adds traction and a measure of safety where needed
 - Chemical resistant and self-extinguishing
 - 3/16" overall thickness

Quickly & conveniently focuses on caution areas!



1-YEAR WARRANTY



BLACK

Order No.	W'	Dim. x	L'
SAO032	2	x	75
SAO033	3	x	75
SAO034	4	x	75

CUTS UP TO 75' IN LENGTH

SAO035	2	x	lin.ft.
SAO036	3	x	lin.ft.
SAO037	4	x	lin.ft.

BLACK W/YELLOW BORDER


Order No.	W'	Dim. x	L'	Wt. lbs.
NC835	2	x	75	160
NC836	3	x	75	240
NC837	4	x	75	320

CUTS UP TO 75' IN LENGTH


NC838	2	x	lin.ft.	2.1/lin.ft.
NC839	3	x	lin.ft.	3.3/lin.ft.
NC840	4	x	lin.ft.	4.5/lin.ft.

3M SAFETY-WALK™ CUSHION MATTING

- Spring-coiled vinyl compresses uniformly and continually, providing greater comfort and less fatigue
- Textured top surface provides a high coefficient of friction
- Solid top allows debris to stay on top for easy cleaning
- Coils are permanently fixed to the top surface
- Integral edging



Order No.	W'	Dim. x	L'	Wt. lbs.
SAJ718	3	x	5	37
SAJ719	3	x	10	42.5




Anti-Fatigue & Ergonomic Matting

COMFORT TRED™




- Heavy-duty textured ribbed surface
- Fused to a Zedlan™ foam backing
- Resists oils, greases, most chemicals, acids, and alkalis
- Bevelled edges
- Thickness: 9/16", 11/16"
- 3-year warranty
- Colours: Black, blue, grey

Order No.			Dim.		
Black	Blue	Grey	W	x	L
9/16" THICK					
SAM295	SAM296	SAM297	39.4"	x	60"
SAM298	SAM299	SAM300	39.4"	x	120"
SAM301	SAM302	SAM303	39.4"	x	30'
SAM304	SAM305	SAM306	39.4"	x	lin.ft.
11/16" THICK					
SAM307	SAM308	SAM309	39.4"	x	60"
SAM310	SAM311	SAM312	39.4"	x	120"
SAM313	SAM314	SAM315	39.4"	x	30'
SAM316	SAM317	SAM318	39.4"	x	lin.ft.




ERGOMAT CLASSIC

- The ultimate ergonomic matting choice for dry, non-abrasive environments
- Static control mat
- Typical Ergomat Classic applications include: assembly lines, electronics manufacturing, warehousing and distribution, retail and service counters
- Class 2 clean room certification
- Industry leading 8-year warranty
- Available in any dimensions and/or shape that you may require
- Colour: Black



ERGOMAT NITRIL

- 100% virgin nitrile rubber
- Withstands pressure washing, chemical and steam cleaning
- Non-porous
- Autoclavable (2' x 3' only)
- Typical Ergomat Nitril applications include: laboratories, hospitals, food processing and packaging, and pharmaceutical manufacturing
- CFIA and USDA approved for food processing
- Available in any dimensions and/or shape that you may require
- Colour: Black



ERGOMAT®

Order No.	W'	Dim. x	L'	Wt. lbs.
JA071	2	x	3	5.5
JA072	2	x	6	11
JA073	3	x	4	11

ERGOMAT®


Order No.	W'	Dim. x	L'	Wt. lbs.
JA074	2	x	3	8
JA075	2	x	6	16
JA076	3	x	4	16

ERGOMAT SOFTLINE


- 100% virgin nitrile rubber
- Withstands pressure washing, chemical and steam cleaning
- Non-porous
- Extremely chemical, heat and abrasion resistant
- Autoclavable (2' x 3' only)
- Typical Ergomat Softline applications include: metalworking, welding, poultry and meat processing and heavy manufacturing
- CFIA and USDA approved for food processing
- Available in any dimensions and/or shape that you may require
- Colour: Black

ERGOMAT®

Order No.	W'	Dim. x	L'	Wt. lbs.
JA077	2	x	3	5.5
JA078	2	x	6	11
JA079	3	x	4	11



Anti-Fatigue matting for Wet Areas



WORKSAFE® NO. 477

7/8" thick, high performance drainage mat.



1-YEAR WARRANTY

A high performance drainage mat designed for safety, cleanliness & worker comfort!

- Extra-thick
- Premium natural rubber; use around water, mild chemicals and detergent solutions
- Angled drainage holes and underside knobs allow debris and fluids to flowthrough
- Available with interlocks to create long runners, these 3' x 5' mats come in ends, centres and singles
- Connect mats side by side with connector strips
- Optional edging also available
- Colour: Black



Order No.	Type	Dim.			Wt. lbs.
		W'	x	L'	
NB621	Single	3	x	5	40
NB622	Centre	3	x	5	40
NB623	End	3	x	5	40
NB624	Edging	-	-	-	.5/lin.ft.
NB472	Connector	-	-	-	1

MODULAR WORKSAFE® LIGHT NO. 472

Lightweight, modular anti-fatigue matting.



Exceptionally comfortable modular design allows you to dimension the mat to your exact requirements!

- 3' x 3' single workstation sections securely interlock to cover large spaces
- Hidden interlock system requires no additional bevels or attachment devices
- Perfect for high maintenance areas, it's lightweight and easy to clean
- Overall thickness of 1/2" with safety rounded edges and excellent drainage
- Available in two compounds:
All-Purpose - natural rubber
Grease Proof - 50% nitrile rubber (for use around greases, chemicals and caustic agents)
- Colour: Black



1-YEAR WARRANTY

Order No.	Description	Dim.			Wt. lbs.
		W'	x	L'	
NC823	All-Purpose	3	x	3	11
NC824	Grease-Proof	3	x	3	11

WORKRITE NO. 474

1/2" thick all-purpose anti-fatigue drainage mat



1-YEAR WARRANTY

- Compounded in a flexible and resilient natural rubber for use around water and non-caustic agents
- Flow-through design and underside knobs also accommodate small parts or debris
- Moulded bevelled edges allow easy access
- Lightweight design facilitates frequent cleanings
- Provides worker comfort at an **exceptional value!**
- Colour: Black

Economical anti-fatigue mat provides both safety & comfort!



Order No.	W'	Dim.		Wt. lbs.
		x	L'	
NB607	3	x	5	25
NG013	3	x	10	50
NG014	3	x	20	100

MUD CHUCKER NO. 229

15/16" thick mobile shoe scraper mat.




- Use where shoes or boots are exposed to dirt, grass clippings, snow, salt, or sand
- Pliable "fingers" scrape the bottom and sides of shoes or boots
- Bolt down in permanent applications, or use as a mobile entrance mat for workers who toil in muddy areas and then travel to the next location
- To clean, simply shake or spray off with a hose
- 1" thick at front edge, 2 3/8" on the sides
- Colour: Black

1-YEAR WARRANTY



Order No.	Dimensions			Wt. lbs.
	W"	x	L"	
SAL652	12 - 3/8	x	15 - 1/4	4.5



Runner Matting

LION MAT™ LIGHT / LION MAT™

- For wet or greasy environments
- Modular anti-fatigue mat
- Nitrile rubber and vinyl blend
- Wide-open design allows fast draining and drying
- Built-in connectors on all four sides
- Available assembled in 2 dimensions or unassembled
- Thickness: 3/8", 5/8"
- Colour: Charcoal




Order No.	W"	Dim. x	L"
LIGHT 3/8" THICK			
SAM319	4	x	16 (24 pcs/case)*
SAM320	32	x	48
SAM321	32	x	96
SAM322		16" Bevel Strip	
REGULAR 5/8" THICK			
SAM323	4	x	16 (24 pcs/case)*
SAM324	32	x	48
SAM325	32	x	96

* The 24 pcs/case makes a 32" x 48" mat.
The 32" x 48" and 32" x 96" are pre-assembled mats.

1/4" RUBBER RUNNER


- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/4" thick
- Colour: Black



Order No.	W'	Dim. x	L'	Wt. lbs.
JA684	3	x	75	450
JA685	4	x	75	600
JA686	3	x	lin.ft.	6/lin.ft.
JA687	4	x	lin.ft.	8/lin.ft.

1/8" RUBBER RUNNER

Uses: All entrances



- No strong unpleasant odour
- Flexibility in cold weather
- Long wearing, superior abrasion resistance and comfort
- Does not curl up on the edges
- Absorbs noise from hard floor
- 1/8" thick
- Colour: Black

Wide

High resilience for outstanding slip resistance. More effective than vinyl!

Order No.	W'	Dim. x	L'	Wt. lbs.
FINE RIBBED				
JA121	2	x	75	100
JA122	3	x	75	150
JA123	4	x	75	200
JA124	2	x	lin.ft.	1.3/lin.ft.
JA125	3	x	lin.ft.	2/lin.ft.
JA126	4	x	lin.ft.	2/lin.ft.
WIDE RIBBED				
NI363	2	x	75	100
NI304	3	x	75	150
NI305	4	x	75	200
NI364	2	x	lin.ft.	1.3/lin.ft.
NI306	3	x	lin.ft.	2/lin.ft.
NI307	4	x	lin.ft.	2/lin.ft.


RIBBED VINYL RUNNER MATS



Protects floors & reduces maintenance costs!

- Ribbed surface provides traction and drainage channels
- Ideal for ceramic, hardwood and vinyl floors
- Colour: Black

Order No.	W"	Dim. x	L"	Wt. lbs.
NC954	27	x	65	63
NC955	36	x	50	66



3M™ CLEAN WALK MATS

- Clear adhesive floor
- Mat helps keep work areas clean by eliminating dirt and contaminants in your tracks from shoe soles, wheels and other passing objects on contact
- When top sheet becomes soiled, it can be peeled back to reveal a clean adhesive sheet underneath
- Large adhesive surface has room for two steps to effectively capture contaminants
- Each mat includes 60 adhesive layers mounted on a 2-mil polyethylene backing to make it exceptionally long-lasting
- Unique design has no bevelled edge or frame to trap dirt
- Available in standard industry dimensions



Easy-to-use mat can be adhered to any clean, dry floor!



Order No.	W"	Dim. x L"	Wt. lbs.
JA531	18	x 36	4
JA532	18	x 46	2
JA533	24	x 45	2

CLEAN ROOM MAT NO. 095

Traps impurities and keeps areas clean.

- 1/8" thick
- *Clean Room* mat traps impurities in areas that require dirt and dust control
- The tacky surface pulls dirt and dust off shoe soles
- Effective and easy to use, each mat has 30 layers of tough film
- Once the top layer is contaminated, simply pull it off and discard
- Use on low-profile carpet, tile, or concrete surfaces
- Colours: Blue, white



Order No.	White	Blue	W"	Dim. x L"	Wt. lbs.
NH694	JA894		18	x 36	4
NH700	JA895		18	x 45	4
NH702	JA896		24	x 45	4

EMERGENCY SHOWER STATION MAT NO. 465


Use under emergency showers or eyewash stations to draw attention to the emergency equipment and to keep accident victims from slipping.


- 7/8" thick with drainage ports throughout, keeps employees safely above the overflow area as the hazardous chemicals are washed off
- High-traction design on the mats surface also provides safe footing
- Following the ANSI Z535.1-1998 standard for colour-coding, the mat effectively calls attention to the safety shower or eyewash areas
- Highly visible tiles designate the location of first aid and safety equipment, and the yellow borders denote caution
- Borders are 6" wide and have a gradual slope for easy access
- **Red is for use under emergency showers**
- **Green is for eyewash stations**



1-YEAR WARRANTY

Order No.	W"	Dim. x L"	Colours
SAN335	30	x 36	Green
SAN336	30	x 48	Green
SAO082	30	x 36	Red
SAO083	30	x 48	Red





Specialty Matting

#970 MARBLE SOF-TYLE™ GRANDE

Marble Sof-Tyle™ Grande is designed to complement any décor while providing the desired fatigue relief workers need. Recommended uses include quality control areas, checkout counters, lab areas and other heavy-duty/dry work areas.

- Rubber top surface bonded to a dense sponge base - provides excellent fatigue relief
- Smooth marbleized top surface design is very long lasting and easy to clean
- Overall thickness: 1"




Order No.				Dim.		
Black	Grey	Beige	Blue	W'	x	L'
SAJ892	SAJ868	SAJ876	SAJ884	2	x	3
SAJ893	SAJ869	SAJ877	SAJ885	3	x	5
SAJ894	SAJ870	SAJ878	SAJ886	2	x	60
SAJ895	SAJ871	SAJ879	SAJ887	3	x	640
SAJ896	SAJ872	SAJ880	SAJ888	4	x	60
SAJ897	SAJ873	SAJ881	SAJ889	2	x	lin.ft.
SAJ898	SAJ874	SAJ882	SAJ890	3	x	lin.ft.
SAJ899	SAJ875	SAJ883	SAJ891	4	x	lin.ft.

ADD-A-LEVEL® WORK PLATFORMS

This stackable platform is adjustable to any height for worker comfort. Modular design permits hundreds of floor plans with interchangeable parts that snap together which can be assembled to desired height, length, or width with stacker and Poly-Clip system; no tools required. Made from strong, durable, high impact plastic which resists oils, gas, acids and most chemicals. Flow through grid design permits scrap and liquids to fall through or drain below. **Base Unit** includes 4 rubber feet. Join the base to one or more add-on units to raise the height; each unit is 2 5/8" and includes 4 stackers to connect platforms together vertically. Ideal to build stations to nearly any height or configuration or to outfit entire machine areas and departments. For horizontal connection use poly clips.

For worker comfort and to prevent worker fatigue place a platform mat on the top platform. Choose a 1/2" grease resistant mat or a 7/8" comfort drainage mat, both available in black or black with yellow borders for added visibility. *Plug-Lock* system locks mats to platforms.



PLATFORM MATS

1/2" GREASE-RESISTANT MAT

Order No.	W'	Dim. x	L'	Wt. lbs.
BLACK				
NG193	2	x	3	10
NG194	2	x	5.5	18
NG195	2	x	8	26
NG196	3	x	8	38

BLACK W/YELLOW BORDERS

JA006	2	x	3	14
JA007	2	x	5.5	26
JA008	2	x	8	36
JA009	3	x	8	50

7/8" COMFORT DRAINAGE MAT

BLACK				
NG201	2	x	3	17
NG202	2	x	5.5	31
NG203	2	x	8	45
NG204	3	x	8	38

BLACK W/YELLOW BORDERS

NG205	2	x	3	23
NG206	2	x	5.5	40
NG207	2	x	8	57
NG208	3	x	8	81

ACCESSORIES

Order No.	Description
NG209	Poly Clip connectors (4/pkg.)


PLATFORMS

Order No.	Description	W'	Dim. x	L'	Wt. lbs.
NG185	Base Unit	2	x	3	11.5
NG186	Add-on Unit	2	x	3	11.5
NG187	Base Unit	2	x	5.5	21
NG188	Add-on Unit	2	x	5.5	21
NG189	Base Unit	2	x	8	29
NG190	Add-on Unit	2	x	8	29
NG191	Base Unit	3	x	8	43
NG192	Add-on Unit	3	x	8	43

Plugs lock mats to platforms




Add-on Unit




Base Unit


Stacker




Add-a-Mat



Base Unit



TUFF-MAT



- Ideal for storing unused dies and moulds on to protect them and the floor
- Recycled rubber
- Oil resistant
- Indoor or outdoor use
- Use either side up
- Can take vehicle traffic such as fork trucks with no damage
- 2.5' x 2.5' connected
- Two weights: 8 lbs. and 14 lbs.
- Colour: Black

Order No.	W'	Dim. x	L'
SAM355	2.5	x	2.5
SAM356	2.5	x	2.5

COMFORT-KING™ CLASS 100



- Superior relief from standing fatigue
- Produced with an anti-microbial agent which inhibits the growth of dangerous micro-organisms
- 100% Zedlan™ foam
- Static dissipative
- Processed in Class 100 facility for use in Class 100 controlled environments or ISO Class 5 environment
- Thickness: 3/8"
- 3-year warranty
- Colour: Grey

Order No.	W'	Dim. x	L'
SAM326	2	x	3
SAM327	3	x	4

SYMAR® ATHLETIC & RINK FLOORING

Uses: Ice rinks, ski resorts, golf courses, athletic centres, farms and manufacturing facilities



A flexible, fibre-reinforced masticated thermoset rubber matting!

Symar® flooring offers tremendous impact and abrasion resistance. Due to the specially-formulated rubber compound and high strength fibre re-enforcement, Symar® flooring is designed to withstand repeated dropping of heavy weights and continuous traffic with the softest of running shoes or the sharpest ice skates. In addition to durability, the unique textured surface offers increased anti-slip properties both dry and when wet.

Order No.				Dim.			Thickness"	Wt. lbs.
Blue	Red	Green	Grey	W'	x	L'		
NI292	NI293	NI294	NI295	4	x	75	1/8	226
NI296	NI297	NI298	NI299	4	x	75	3/16	338
NI300	NI301	NI302	NI303	4	x	75	1/4	452

COMFORT-KING™ ANTI-MICROBIAL

- Superior relief from standing fatigue
- Produced with an anti-microbial agent which inhibits the growth of dangerous micro-organisms
- 100% Zedlan™ foam
- Mats are bevelled to minimize tripping; rolls are bevelled along the length
- Thickness: 3/8"
- 3-year warranty
- Colour: Grey



Order No.	W'	Dim. x	L'
SAM328	2	x	3
SAM329	3	x	4
SAM330	3	x	5
SAM331	3	x	10
SAM332	4	x	6
SAM333	2	x	60
SAM334	3	x	60
SAM335	4	x	60
SAM336	6	x	60
SAM337	2	x	lin.ft.
SAM338	3	x	lin.ft.
SAM339	4	x	lin.ft.
SAM340	6	x	lin.ft.

Anti-Fatigue, Safety & Entrance Matting

HEAVY DUTY MULTI-GUARD NO. 220

Uses: Heavily trafficked outdoor entrances



Exceptional dirt trapping qualities solve the problem of damaging grime & moisture tracking!

1-YEAR WARRANTY

- Thousands of scraping fingers powerfully remove dirt from sight
- Mat holds pounds of dirt between cleanings
- Bevelled edges add no-trip safety
- 2,500 rubber scrapers per square foot
- Shake or hose to clean
- 1/2" overall thickness
- Colour: Black



Order No.	Dimensions			Wt. lbs.
	W"	x	L"	
NB206	24	x	32	8
NB207	28	x	46	15
NB208	32	x	39	15
NG588	36	x	60	31
NB209	36	x	72	35

INDUSTRIAL WORKSAFE® NO. 479

7/8" THICK, EXTRA COMFORTABLE DRAINAGE MAT



- Like WorkSafe®, Industrial WorkSafe® is a high performance ergonomic mat for wet areas
- Its extra springy, natural rubber compound prevents fatigue and works well around water, mild chemicals and detergent solutions
- Slightly angled drainage holes and underside knobs allow water, debris and shavings to flow through and under the mat
- It features rugged, bevelled border on all four sides for safe access
- Available in stock sizes for individual workstations
- Colour: Black w/orange borders

Order No.	Dimensions		Wt. lbs.
	W" x L"		
NB633	28 x 40		16
NB635	40 x 52		32
NB636	40 x 64		40
NB634	40 x 124		80

Extra toughness & comfort in a drainage mat featuring OSHA Orange safety borders!

UPFRONT SCRAPER MAT NO. 224

5/16" thick outdoor scraper mat.

- Popular and classic design effectively scrapes dirt, snow and rain off shoes, containing it outside
- Pliable and durable rubber compound is highly resistant to harsh outside elements
- Low profile accommodates tight doorways
- Easy to clean, simply hose it down or shake it off and it's ready to go
- Colour: Black

JA187

JA911

1-YEAR WARRANTY



Order No.	Description	Dimension		
		W'	x	L'
JA187	Solid	3	x	5
JA911	w/slots	3	x	5

DELUXE SOFT STEP NO. 444


Uses: Dry work areas



- Slip resistant embossed surface
- Durable, 100% closed cell PVC sponge construction
- All edges safety rounded on full rolls and standard dimensions
- 5/8" thick
- Colour: Grey

Order No.	Dimensions		Wt. lbs.
	W'	L'	
NB541	2 x 3		4
NB542	2 x 60		80
NB543	3 x 5		9
NB544	3 x 60		121





RUBBER HEXAGON MAT

Uses: Ideal for indoor and outdoor use



Tough and durable dual purpose 100% rubber hexagon mat!

- Scraping fingers remove snow and dirt from shoes
- Honeycombed surface safe and anti-fatigue mat with beveled edges
- Colour: Black

Order No.	W"	Dim. x	L"
NC950	16	x	28
NC951	22	x	34

VINYL CARPET & FLOOR PROTECTORS



Helps reduce carpet and floor maintenance costs!

- Thin transparent vinyl carpet protector with underside grippers (order no NG571 has smooth backing for use on floors)
- To protect and keep carpets and floors soil and water free
- Ribbed surface easy to clean

Order No.	Thickness /oz	W"	Dim. x	L'
NG656	5.75	27	x	6
NG570	10	27	x	75
NG552	4.9	27	x	100
NG571	8	27	x	lin.ft.

BOOT TRAYS



- Durable and flexible plastic construction boot tray traps water, mud and dirt
- High ribbed surface protects shoes

Order No.	W"	Dim. x	L"	Colour
NC947	14	x	25	Grey

BOOT-BOY® INDUSTRIAL FOOTWEAR CLEANER

- Constructed of 14 gauge hot rolled steel
- Nylon brush is long lasting and easily replaceable
- Brush can be used wet with water, degreasers in pan or dry
- Plugs into any standard outlet
- 1/3 HP ball bearing motor
- CSA Approved
- Powder coated finished in red

Order No. NI593



BOOT 'N SHOE BRUSHES

Brushes thoroughly clean all boot and shoe surfaces. Flip the brushes up to reveal a heavy duty sole scraper. Anchor it in concrete or secure the solid metal frame with a single foot while cleaning the other. Shipped completely assembled. Polypropylene stiff bristle.



NH576



NH577

Order No.	Description	Dimension Block Size"
NH576	Boot 'N Shoe Brush, Blue	14 3/4 x 16 1/2 x 7
NH577	Replacement Brush, Blue	10 x 4 1/2 x 3 1/2